Plumbing

CWIP 36379

Aerators ***93***
Ballcocks ***135-136***
Bath Drain Parts ***92,152-154***
Bibb Seats ***118-120***
Brass Tubular ***169-171***
Compression Fittings ***176,180***
Copper Fittings ***163***
Drain Cleaning Equipment ***191-197***
Escutcheons ***88-89***
Faucets ***2-17***
Faucet Repair Parts ***17-30***
Faucet Schematics ***31-87***
Flappers ***135-138***
Garbage Disposers ***128-130***
Malleable Fittings ***164-167***
Piping & Pipe Repair ***174-190***
Plumbing Tools ***188-190***
PVC/CPVC Tubular & Fittings ***168,171-174***
SharkBite Pipe Connection ***156***
Showerheads ***150-151***
Sinks ***123-125***
Sloan Parts ***142-144***
Stems ***94-118***
Stoppers ***90-92***
Sump Pumps ***198-199***
Toilet Tank & Bowl Repair ***133-141***
Toilets & Toilet Seats ***131-133,139***
Tub Spouts ***149***
Washers ***122***
Water Heaters and Accessories ***159-161***
Water Supply Valves & Connectors ***176-183***

Plumbing

B&K Single-Handle Kitchen Faucet

- Washerless
- 8" Centers
- Copper inlets; with 1/2" IPS adapters
- Brass underbody
- Chrome finish

	Less spray
Cwip #	28242
Mfg.#	222-108
Wgt.lb.	3.3
U/M	Each

B&K Single-Handle Kitchen Faucet

- 8" centers; brass waterways
- Washerless
- • 3/8" copper inlets w/ 1/2" IPS adapters
- Metal lever handle; chrome finish

	Less spray	With spray
Cwip #	36956	37158
Mfg.#	222-417	222-418
U/M	Each	Each

Faucet Schematics page 37

B&K Single-Handle Kitchen Faucet

- 8" centers
- 3-hole mount
- Brass waterways
- 3/8" copper inlets w/ 1/2" IPS adapters
- Metal handle; chrome finish

	With Spray
Cwip #	36391
Mfg.#	222-419L
U/M	Each

Faucet Schematics page 37

B&K 2-Handle Kitchen Faucet

- Washerless; 8" centers
- Brass waterways
- 3/8" copper inlets w/ 1/2" IPS adapters
- Acrylic handles; chrome finish

	Less Spray
Cwip #	30098
Mfg.#	222-608
U/M	Each

Faucet Schematics page 37

A Acrylic Handle

B Metal Handle

C Metal Handle

D Acrylic Handle

B&K Single-Handle Lavatory Faucets

- Washerless
- 4" centers
- 3/8" O.D. copper inlets with 1/2" IPS connections
- Chrome finish

	With Pop-up			
	A	B	C	D
Cwip #	28244	29311	35750	36932
Mfg. #	221-114	221-814	222-331L	222-327
U/M	Each	Each	Each	Each

Faucet Schematics: page 39 **page 39**

B&K 2-Handle Lavatory Faucet

- Washerless; 4" centers
- 1/2" IPS connections
- Acrylic handles
- Chrome finish

	Less Pop-up	With Pop-up
Cwip #	36924	36916
Mfg.#	122-300	122-301
U/M	Each	Each

B&K 2-Handle Lavatory Faucet

- Washerless; 4" centers
- 1/2" IPS connections
- All brass waterways
- Acrylic handles
- Chrome finish

	With Pop-up
Cwip #	37505
Mfg.#	221-614
U/M	Each

A
Acrylic Handles

B
Loop Handle Only
(Cwip # 34332)

B&K Single-Handle Tub/Shower Faucet

- 8" centers
- Washerless cartridge
- Brass waterways
- Acrylic or loop handles
- Chrome finish

	A	B
Cwip #	38054	35791
Mfg.#	222-213	222-224
U/M	Each	Each

Cleveland Single-Handle Kitchen Faucet

- 8" centers
- 1/2˝ IPS connections
- 2.2 GPM aerator
- Ceramic disc cartridge
- Chrome finish

	Less Spray
Cwip #	33552
Mfg.#	40511
U/M	Each

Cleveland Single-Handle Kitchen Faucets

- Washerless
- Ceramic disc cartridge
- 3/8" connections; 24" supply lines
- Chrome finish

	Less Spray	With Spray
Cwip #	38021	30183
Mfg.#	40512	40514
U/M	Each	Each

Faucet Schematics page 40

A
3-Hole Install

B
White Spray
4-Hole Install

Cleveland Single-Handle Kitchen Faucets

- Ceramic disc cartridge
- 1/2" IPS connections
- Lever handles
- Chrome finish

	A	B
	Less Spray	With Spray
Cwip #	37170	39250
Mfg.#	40611	40613
U/M	Each	Each

Cleveland Single-Handle Lavatory Faucet

- Ceramic disc cartridge
- 4" centers
- Lever handle
- Chrome finish

	Metal Pop-up	50/50 Pop-up	
Cwip #	35893	30174	38005
Mfg.#	40710	40711	40712
Type	1/2" IPS Conn.	1/2" IPS Conn.	3/8" Conn.
U/M	Each	Each	Each

Cleveland Single-Handle Lavatory Faucet

- Ceramic disc cartridge
- 1/2" IPS connections
- 4" centers
- Lever handle
- Chrome finish

	50/50 Pop-up
Cwip #	35020
Mfg.#	47711L
U/M	Each

Cleveland 2-Handle Lavatory Faucets

- Ceramic disc cartridge
- 4" centers
- 1/2" IPS connections
- Lever handles
- Chrome finish

	Less Pop-up	With Pop-up
Cwip #	37117	37131
Mfg.#	40213	40211
U/M	Each	Each

Cleveland Trim Only Tub/Shower Faucet

- 2.5 GPM
- Lever handle
- Chrome finish

	Trim Kit	Valve
Cwip #	33524	33546
Mfg.#	40314C	45311
U/M	Each	Each

Faucet Schematics page 40

Cleveland Trim Only Tub/Shower Faucet

- 2.5 GPM
- Single handle
- Brushed nickel finish

	Trim Kit	Valve
Cwip #	30185	33546
Mfg.#	T41311CBN	45311
U/M	Each	Each

Faucet Schematics page 40

Danze®

2-Handle Kitchen Faucet

- Ceramic disc valve
- 1/2" - 14NPS connection
- 4 Hole mount
- High arc spout
- Metal lever handles
- Chrome finish

	With Spray
Cwip #	37102
Mfg.#	D413655
U/M	Each

Faucet Schematics page 41

Danze 2-Handle Lavatory Faucet

- Ceramic disc valve
- 1/2" - 14NPS connection
- High arc spout
- Metal lever handles
- Chrome finish

	Brass Pop-up Drain Assembly
Cwip #	37110
Mfg.#	D302255
U/M	Each

Faucet Schematics page 41

DELTA
see what Delta can do

Delta® Single Handle Kitchen Faucet

- 8" centers
- Ceramic disc cartridge
- 3/8" OD connections
- Chrome finish

1.5 GPM Aerator

	Less Spray	With Spray
Cwip #	31469	35196
Mfg.#	140-WE-DST	340-WE-DST
U/M	Each	Each

Faucet Schematics page 42

Delta® Single-Handle Kitchen Faucets

- 8" centers, less spray
- 3 and 4 hole sink applications
- Ceramic disc cartridge
- 3/8" OD connections
- Chrome finish

	Less Spray	With Spray
Cwip #	36379	37971
Mfg.#	140-DST	440-DST
U/M	Each	Each

Faucet Schematics page 42

Delta® Single Handle Kitchen Faucet

- 8” centers, 4-hole install
- 3/8" OD connections
- 2.2 GPM
- 9” Long spout swings 170º
- Chrome finish

	With Spray
Cwip #	38082
Mfg.#	419-DST
U/M	Each

Faucet Schematics page 42

Delta® Single Handle Kitchen Faucet

- 8" centers, all-metal body
- Ceramic disc cartridge
- 3/8" OD connections
- Vandal resistant aerator
- Chrome finish

1.5 GPM Aerator

	Less Spray
Cwip #	35194
Mfg.#	101-HDF-DST
U/M	Each

Delta® Single-Handle Kitchen Faucets

- Washerless
- 3-Hole install
- 3/8” O.D. copper inlets
- 8” centers
- Chrome finish

	Less Spray	Builder Pack Less Spray
Cwip #	13548	20010
Mfg.#	100-DST	100TP
U/M	Each	Case/12

Faucet Schematics page 42

Delta® 2-Handle Kitchen Faucets

- Washerless; 8” centers
- 1/2” IPS shanks
- Acrylic handles
- Chrome finish

	Less Spray	With Spray
Cwip #	13616	30053
Mfg.#	2102	2402
U/M	Each	Each

Faucet Schematics page 43

3-Hole Install

4-Hole Install

Delta® 2-Handle Kitchen Faucet

- Washerless; 8” centers
- 1/2” IPS shanks
- 8” Swing spout
- Blade handles
- Chrome finish

	Less Spray	With Spray
Cwip #	13504	20037
Mfg.#	2100	2400
U/M	Each	Each

Faucet Schematics page 43

Less Handles

Delta® 2-Handle Kitchen Faucet

- Washerless; 8” centers
- Less handles
- Chrome finish

Lever Handle Base: Cwip # 37467 (Pair)
Accents Handles: Cwip # 37459 (Pair)

	Less Spray
Cwip #	37483
Mfg.#	2176LHP
U/M	Each

Faucet Schematics page 43

Delta® Single-Handle Lavatory Faucet

- Washerless; 4” centers
- 3/8” O.D. copper inlets with 1/2” IPS connects
- Metal handle
- Chrome finish

	With Pop-up
Cwip #	13577
Mfg.#	520-DST
U/M	Each

Faucet Schematics page 44

Delta® Single-Handle Lavatory Faucet

1.5 GPM Aerator

- Diamond™ seal valve
- 3/8" OD connections
- 4" centers
- Lever handle
- Chrome finish

	Less Pop-up	Metal Pop-up	Builder Pack Metal Pop-up
Cwip #	35178	31443	35189
Mfg.#	501-DST	520-MPU-DST	520-TPM-DST
U/M	Each	Each	Case/6

Delta® Single-Handle Lavatory Faucet

1.5 GPM Aerator

- Copper inlets
- 1/2" IPS connections
- Washerless; 4" centers
- Crystal handle
- Chrome finish

	Plastic Pop-up	Metal Pop-up
Cwip #	13549	26977
Mfg.#	522-DST	522MPU-DST
U/M	Each	Each

Faucet Schematics page 44

Delta® 2-Handle Lavatory Faucet

- Washerless; 6" to 16" centers
- 3/8" O.D. copper inlets with 1/2" IPS adapters
- Crystal handles
- Chrome finish

	Metal Pop-up
Cwip #	23314
Mfg.#	3544WFMPU
U/M	Each

Faucet Schematics page 46

Delta® 2-Handle Lavatory Faucet

- Washerless; 4" centers
- 1/2" IPS shanks
- Acrylic handles
- Chrome finish

	Less Pop-up	Plastic Pop-up	Metal Pop-up
Cwip #	13471	13398	23399
Mfg.#	2502	2522	2522MPU
U/M	Each	Each	Each

Faucet Schematics page 45

Delta® 2-Handle Lavatory Faucet

- Washerless; 4" centers
- 1/2" IPS shanks
- ABS blade handles
- Chrome finish

	Less Pop-up	Plastic Pop-up	Metal Pop-up
Cwip #	13505	13638	26980
Mfg.#	2500	2520	2520MPU
U/M	Each	Each	Each

Faucet Schematics page 45



Delta® 2-Handle Lavatory Faucet

- 4" centers
- 1/2" IPS shanks
- Wrist blade handles
- Chrome finish

	Metal Pop-up
Cwip #	29186
Mfg.#	2529HDM
U/M	Each



Lever Handle Base:
Cwip # 37467 (Pair)
Accents Handle:
Cwip # 37459 (Pair)



Delta® 2-Handle Lavatory Faucet

- 4" centers
- 3-hole installation
- 1/2" Male inlet shanks
- Less handles
- Chrome finish

	Metal Pop-up
Cwip #	37475
Mfg.#	2530LHP
U/M	Each

Faucet Schematics page 46

Single Lever Chrome Tub/Shower Trim Kit

Cwip #	Mfg.#	U/M
34669	T13420	Each

Delta® Single-Handle Pressure Balanced Tub/Shower Faucet

- Monitor® with Scald-Guard® valve
- Universal fittings for 1/2" copper or iron pipe
- Pull-down aerator
- Solid brass body

	Valve Body	Complete Trim Kit	Trim Kit (Less Spout)
Cwip #	38519	38512	34233
Mfg.#	R10000UNBX	T13422PD	T13222
U/M	Each	Each	Each

Economy Single-Handle Pull-Out Kitchen Faucet

- Washerless
- 8" Pull-out faucet
- Soft button hand sprayer
- 3/8" O.D. copper outlets
- Metal loop handle; brushed nickel finish

	Pull-out Spray
Cwip #	33904
Mfg.#	HB8710NK
U/M	Each

Faucet Schematics page 31

Economy Single-Handle Kitchen Faucet

- Ceramic disc
- Pull-out spout sprayer
- For 1 or 3 hole install
- Metal lever handle
- Brushed nickel finish

	Pull-out Spray
Cwip #	37656
Mfg.#	120161
U/M	Each

Economy Single-Handle Kitchen Faucet

- Washerless
- 8" Centers
- Copper inlets
- 1/2" IPS adapters
- Brass spout & waterway

	Less spray		With spray
Cwip #	31233	35895	31232
Mfg. #	HB5710C	HB5710NK	HB5720C
Finish	Chrome	Brushed nickel	Chrome
U/M	Each	Each	Each

Faucet Schematics page 32

Economy Single-Handle Kitchen Faucet

- Copper inlets with 1/2" IPS adapters
- Brass spout & waterway
- Washerless
- 8" Centers

	Less Spray		With Spray	
	A	B	C	D
Cwip #	37062	33823	37070	35280
Mfg. #	HB5610	HB5610NK	HB5620C	HB5620NK
Finish	Chrome	Br. Nickel	Chrome	Br. Nickel
U/M	Each	Each	Each	Each

Faucet Schematics page 31

Economy 2-Handle Kitchen Faucet

- 8" centers
- 1/2" IPS shanks
- Metal handles
- 9" brass spout
- Chrome finish

	Less Spray
Cwip #	36000
Mfg.#	HB1110M
U/M	Each

Faucet Schematics page 32

Economy 2-Handle Kitchen Faucet

- Washerless; 8" centers
- 1/2" IPS connections
- Brass spout & waterway
- Acrylic handles
- Chrome finish

	Less Spray	With Spray
Cwip #	32779	32780
Mfg.#	HB1210	HB1220
U/M	Each	Each

Faucet Schematics page 33

Economy 2-Handle Kitchen Faucet

- Ceramic disc cartridges
- 1/2" IPS pipe shanks
- 8" centers
- 8-3/4" high arch brass spout
- Metal lever handles
- 2.0 GPM

1.5 GPM Aerator

	Less spray			With spray	
Cwip #	39421	30302	31129	36631	30164
Mfg. #	HB3110C	HB3110NK	GHB3110NK	HB3120C	HB3120NK
Finish	Chrome	Brushed Nickel	Brushed Nickel	Chrome	Brushed Nickel
U/M	Each	Each	Each	Each	Each

Faucet Schematics page 33

Economy 2-Handle Kitchen Faucet

- Washerless cartridges
- 8" centers
- 1/2" IPS connections
- White tip lever handles; chrome finish

	With Spray
Cwip #	30124
Mfg.#	HB7520C
U/M	Each

Euro Style Economy Single Loop Handle Lavatory Faucet

- 4" centers
- Zinc die-cast housing
- 4-1/2" metal loop handle
- 1/2" IPS connections

	With Pop-up	
Cwip #	37078	34227
Mfg. #	HB5110C	HB5110NK
Finish	Chrome	Brushed Nickel
U/M	Each	Each

Faucet Schematics page 34

Economy Single-Handle Lavatory Faucet

- 4" centers; zinc die-cast housing
- Lever handle
- Stainless steel ball washerless valve
- 1/2" NPS connections
- Brushed nickel finish

	With Pop-up
Cwip #	35903
Mfg.#	HB5410NK
U/M	Each

Faucet Schematics page 34

Economy 2-Handle Lavatory Faucet

- 4" centers; zinc die-cast housing
- Metal handles
- 90º turn washerless cartridges
- 1/2" IPS pipe shanks
- Chrome finish

	Brass Pop-up
Cwip #	36008
Mfg.#	HB1610M-C
U/M	Each

Faucet Schematics page 34

Economy 2-Handle Lavatory Faucet

- 4" centers; solid brass housing
- Ceramic disc cartridges
- 1/2" NPS connections
- Brushed nickel finish

Cwip #	30168
Mfg.#	HB6011NK
U/M	Each

Faucet Schematics page 35

Economy Two-Handle Lavatory Faucet

- 4" centers
- Zinc die-cast housing
- Metal handles
- Ceramic disc cartridges
- 1/2" NPS connections
- 2.0 GPM

1.0 GPM Aerator

	With Pop-up		
Cwip #	39176	30169	34689
Mfg. #	HB6310C	HB6310NK	GHB6310NK
Finish	Chrome	Brushed Nickel	Brushed Nickel
U/M	Each	Each	Each

Faucet Schematics page 35

Economy Single-Handle Lavatory Faucet

- Washerless
- 4" centers
- 3/8" O.D. copper inlets
- 1/2" IPS adapters
- Acrylic handle
- Chrome finish

	Less Pop-up	With Pop-up
Cwip #	31231	31230
Mfg.#	HB5510LP	HB5510C
U/M	Each	Each

Faucet Schematics page 34

Economy 2-Handle Widespread Lavy Faucet

- 8"–16" wide spread
- Metal handles
- 90º turn ceramic disc cartridges
- 1/2" NPT connections

	Brass Pop-up	
Cwip #	37797	31686
Mfg. #	HB8526CH	HB8526NK
Finish	Chrome	Satin Nickel
U/M	Each	Each

Economy 2-Handle Lavatory Faucet

- 1/4 Turn washerless cartridge
- 4" centers
- 1/2" IPS connections
- Acrylic handles
- Chrome finish

	Less Pop-up	Brass Pop-up
Cwip #	32777	32778
Mfg.#	HB1010LPC	HB1010C
U/M	Each	Each

Faucet Schematics page 34

Economy Single-Handle Tub/Shower Faucet

- Washerless cartridge
- 1/2" universal connections
- Pressure balanced
- Lever handle

	Valve Body	Trim Kits	
Cwip #	37975	37967	33647
Finish	N/A	Chrome	Nickel
Mfg.#	HB5900	TR5920C	TR5920NK
U/M	Each	Each	Each

Faucet Schematics page 35

Sanibel™ 2-Handle Kitchen Faucet

- Ceramic cartridges
- 4 hole mount
- Hi-rise swivel spout
- 1/2" IPS connections
- Metal lever handles; brushed nickel finish

	With Spray
Cwip #	33878
Mfg.#	120171
U/M	Each

Faucet Schematics page 83

Sanibel™ 2-Handle Lavatory Faucet

- 4" centers
- All brass construction
- 1/2" IPS connections
- 2.2 GPM aerator
- Brushed nickel finish

	Brass Pop-up
Cwip #	33846
Mfg.#	120041
U/M	Each

Sanibel™ Single-Handle Tub/Shower Faucet

- Washerless cartridge
- All brass construction
- 1/2" FIP inlets/outlets
- Metal lever handle
- Brushed nickel

Cwip #	33977
Mfg.#	120049
U/M	Each



Gerber Single-Handle Kitchen Faucet

- Ceramic disc cartridge
- 1/2" IPS connections
- 8" Centers
- 8" D-tube spout
- Chrome finish

	Less Spray
Cwip #	35967
Mfg.#	40-110
U/M	Each

Faucet Schematics page 49



Gerber 2-Handle Kitchen Faucet

- Cast-brass body
- Ceramic disc cartridge
- 1/2" IPS connections
- 10" D-tube spout
- Hardwater® chrome handles
- Chrome finish

	Less Spray
Cwip #	36969
Mfg.#	52-000
U/M	Each

Faucet Schematics page 49

A Cast Body



B Cast Body 4-Hole Install

C Cast Underbody

Gerber 2-Handle Kitchen Faucet

- Cast brass spout
- 1/2" IPS connections
- Metal handles
- Chrome finish

	A Less Spray	B With Spray	C Less Spray
Cwip #	26847	28237	22992
Mfg.#	42-116	42-216	42-416
U/M	Each	Each	Each

Faucet Schematics page 50

Gerber 2-Handle Kitchen Faucet

- Cast underbody
- 1/2" IPS connections
- 8" tubular swing spout
- Metal handles
- Chrome finish

	Less Spray
Cwip #	20374
Mfg.#	42-426
U/M	Each

Faucet Schematics page 50

Gerber Single-Handle Lavatory Faucet

- 4" centers
- All brass and copper waterways
- 1/2" IPS shanks
- Ceramic disc cartridge
- Metal lever handle
- Chrome finish

	Metal Pop-up
Cwip #	39645
Mfg.#	40-145
U/M	Each

Faucet Schematics page 51

Gerber 2-Handle Lavatory Faucet

- Cast-brass body
- 4" centers
- 1/2" IPS shanks
- Metal handles
- Chrome finish

	Less Pop-up	Metal Pop-up
Cwip #	21593	25923
Mfg.#	43-411	43-431
U/M	Each	Each

Faucet Schematics page 52

Gerber 2-Handle Lavatory Faucet

- 4" centers; cast-brass body
- Ceramic disc cartridge
- 1/2" IPS shanks
- Hardwater® handles
- Chrome finish

	Less Pop-up	Metal Pop-up
Cwip #	36745	36753
Mfg.#	53-100	53-120
U/M	Each	Each

Faucet Schematics page 52

Gerber Tub Faucet

- 8" centers
- Cast-brass body
- 1/2" IPS connections
- Metal handles
- Chrome finish
- Less shower arm

Cwip #	20038
Mfg.#	48-810
U/M	Each

Faucet Schematics page 53

Gerber Shower Faucet

- 8" centers
- Cast-brass body
- 1/2" IPS connections
- Metal handles
- Chrome finish
- Less spout

Cwip #	26074
Mfg.#	48-220
U/M	Each

Faucet Schematics page 53

Gerber 3-Valve Tub/Shower Faucet

- Cast-brass body
- Ceramic disc crt.
- Sweat sonnections
- Hardwater™handles
- Chrome finish

Cwip #	37449
Mfg.#	58-510
U/M	Each

Gerber 3-Valve Faucet

- With integral stops
- 1/2" IPS connections
- Cast-brass body
- Metal handles
- Chrome finish

Cwip #	27389
Mfg.#	48-034-83
U/M	Each

Faucet Schematics page 54

Gerber 3-Valve Faucet

- Cast-brass body
- Metal handles
- Chrome finish

	IPS/Sweat Combo	Sweat
Cwip #	20354	20728
Mfg.#	48-030	48-031
U/M	Each	Each

Faucet Schematics page 55

Single-Handle Kitchen Faucet

- Washerless
- Solid metal handle
- 1/2" NPT connections
- Swing spout
- Chrome finish

	Less Spray
Cwip #	39776
Mfg.#	CL-100C
U/M	Each

Faucet Schematics page 58

Single-Handle Lavatory Faucet

- Washerless
- 4" centers
- 1/2" NPT connections
- Solid metal handle
- Chrome finish

	Brass Pop-up
Cwip #	39768
Mfg.#	CL-500C
U/M	Each

Faucet Schematics page 58

With Soap Dispenser

Moen Single Control Kitchen Faucet w/Pullout Spout

- 1 or 3 hole install
- Metal construction
- 1/2" IPS connections
- Operates in stream or spray mode
- Stainless finish

Cwip #	35657
Mfg.#	CA87550CSLS
U/M	Each

Faucet Schematics page 59

Moen Single Control Kitchen Faucet w/Pullout Spout

- 1 or 3 hole install
- Metal construction
- 1/2" IPS connections
- Pullout spray with 68" braided hose
- Operates in stream or spray mode
- Chrome finish

Cwip #	31355
Mfg.#	67315C
U/M	Each

Faucet Schematics page 60

Moen Chateau® Single Control Kitchen Faucet

- 8" centers; metal body
- Loop style handle
- 1/2" IPS connections
- Chrome finish

	Less spray	With spray
Cwip #	38079	30154
Mfg.#	7445	7460
U/M	Each	Each

Faucet Schematics page 62

Moen Single-Handle Kitchen Faucet

- 8" centers; metal body
- Ceramic disc cartridge
- Lever handle - Touch Control®
- 1/2" IPS connections
- Chrome finish

	Less spray
Cwip #	30777
Mfg.#	CA87526
U/M	Each

Faucet Schematics page 64

3-Hole Install

Moen Chateau® Single-Handle Faucet

- 8" centers
- Copper inlets with 1/2" IPS connections
- All-brass body
- Chrome finish

	With Spray	With Spray
Cwip #	25142	37804
Mfg.#	7434	67434
U/M	Each	Each

Faucet Schematics page 61

4-Hole Install

Moen Chateau® Single-Handle Kitchen Faucet

- 8" centers
- Metal body
- Copper inlets; 1/2" IPS connections
- Chrome finish

	Less spray	With spray
Cwip #	24816	25141
Mfg.#	67425	67430
U/M	Each	Each

Faucet Schematics page 61

3-Hole Install

Metal Blade Handle

4-Hole Install

Moen® 2-Handle Kitchen Faucet

- 8" centers
- 1/2" IPS connections
- Acrylic or metal handles
- Chrome finish

	Less spray	With spray	Less spray
Cwip #	22577	28314	39240
Mfg.#	67900	67910	67901
Handle	Acrylic	Acrylic	Metal
U/M	Each	Each	Each

1.5 GPM Aerator

Moen® 2-Handle Widespread Lavy Faucet

- Metal construction
- 1/2" IPS connections
- Lever handles

	With Pop-up
Cwip #	31474
Mfg.#	CA84294
U/M	Each

1.5 GPM Aerator

Moen Chateau® Lavy Faucet

- 4" centers
- 1/2" IPS connections
- Chrome finish

	Metal Pop-up
Cwip #	31483
Mfg.#	4621
U/M	Each

1.5 GPM Aerator

Moen® Single-Handle Lavy Faucet

- 4" centers
- 1/2" IPS connections
- With 1.5 GPM aerator
- Chrome finish

	With Pop-up
Cwip #	31487
Mfg.#	CA84502
U/M	Each

1.5 GPM Aerator

Moen® 2-Handle Low Arc Lavy Faucet

- 4" centers
- 1/2" IPS connections
- Chrome finish

	Metal Pop-up
Cwip #	35202
Mfg.#	4551
U/M	Each

Moen Chateau® 2-Handle Lavatory

- 4" centers
- 1/2" IPS shanks
- Clear knob handles
- Chrome finish

	Metal Pop-up	Metal/plastic Pop-up
Cwip #	22578	39014
Mfg.#	64919	64920
U/M	Each	Each

Faucet Schematics page 71

MOEN

Moen Chateau® Single-Handle Lavatory Faucet

- 4" centers, less connections
- All-brass body
- 16" Supplies
- Clear acrylic handle
- Chrome finish

	Metal Pop-up
Cwip #	25047
Mfg.#	64624
U/M	Each

Faucet Schematics page 70

Moen Chateau® Single-Handle Lavatory Faucet

- 4" centers
- 3/8" O.D. copper inlets with 1/2" IPS adapters
- Clear acrylic handle
- Chrome finish

	Less Pop-up	Metal Pop-up	Metal/plastic Pop-up
Cwip #	25134	24817	35463
Mfg.#	4601	64620	64621
U/M	Each	Each	Each

Faucet Schematics page 70

Moen® Single-Handle Lavatory Faucet

- 4" centers; metal body
- Red/blue hot/cold temperature markings on handle
- 1/2" IPS connections
- Polished chrome

	Metal Pop-up
Cwip #	35456
Mfg.#	L4635
U/M	Each

Faucet Schematics page 66

Moen® Single-Handle Lavatory Faucet

- Washerless
- 4" centers
- 1/2" IPS connections
- Chrome finish

	Metal Pop-up
Cwip #	33499
Mfg.#	L4621
U/M	Each

Faucet Schematics page 67

Moen Chateau® Posi-Temp Pressure Balancing Single-Handle Shower Faucet

- Brass body
- Adj. temp. stop
- Acrylic handle
- Chrome finish

Cwip #	35841
Mfg.#	2352
U/M	Each

Faucet Schematics page 76

Moen Chateau® Single-Handle Tub/Shower

- 1/2" wweat connections
- Acrylic handle
- 2.5 showerhead
- Diverter tub spout
- Chrome finish

Cwip #	25122
Mfg.#	2353
U/M	Each

Moen Chateau® 3-Handle Tub/Shower Faucet

- Metal construction
- 1/2" IPS connections
- Acrylic handles
- Chrome finish

Cwip #	30750
Mfg.#	2995
U/M	Each

Faucet Schematics page 74

Moen Chateau® Posi-Temp Single-Handle Tub/Shower Faucet

- Adj. temperature limit stop
- 4-port
- Pressure balancing
- Lever handle and escutcheon
- Chrome

Cwip #	35471
Mfg.#	L2353
U/M	Each

Faucet Schematics page 75

MOEN

Moen Chateau® Posi-Temp Single-Handle Tub/Shower Valve Only

- With escutcheon and handle
- Brass body
- With 4 stops

	Valve Body	Trim Kit
Cwip #	37884	37892
Mfg.#	62370	TL183
U/M	Each	Each

Faucet Schematics page 72

Moen Chateau® Posi-Temp Single-Handle Tub/Shower Valve & Trim

- Ingegral stops; 4-Port
- 1/2" sweat connections
- 1/4 turn stops
- Pressure balancing
- Lever handle and escutcheon
- Chrome finish

Cwip #	37697
Mfg.#	L2361
U/M	Each

Faucet Schematics page 72

Moen Trim Kit Only

- For Posi-Temp tub/shower faucets
- Showerhead: 2.5 gpm
- Chrome/porcelain

Cwip #	Mfg.#	U/M
37999	TL2378CPC	Each

Faucet Schematics page 73

Tub/Shower Trim Kit For Chateau® Posi-Temp® Single-Handle Faucets

For shower valve, **Cwip #** 37884.

- Tub spout: chrome plated ABS; diverter: 1/2" cc slip-fit design
- Showerhead: 2.5 GPM
- Chrome plated

Cwip #	OEM #	U/M
37892	TL183	Each

Price Pfister Faucets

Price Pfister

Price Pfister 2-Handle Kitchen Faucet

- Washerless cartridge
- 1/2" IPS connections
- Metal blade handles; chrome finish

	Less Spray
Cwip #	35210
Mfg.#	G135-2000
U/M	Each

Faucet Schematics page 78

Price Pfister 2-Handle Kitchen Faucet

- Washerless cartridge
- 1/2" IPS connections
- Metal handles; chrome finish

	Less Spray
Cwip #	39300
Mfg.#	135-1000
U/M	Each

Price Pfister 2-Handle Lavatory Faucet

- 4" centers; slant housing
- Washerless cartridge
- 1/2" IPS connections
- Metal handles; polished chrome

	Metal Pop-up
Cwip #	31325
Mfg.#	143-6000
U/M	Each

Price Pfister 3-Valve Tub/Shower Faucet

- 1/2" sweat connections
- Metal verve handles (old style)
- Chrome finish

Cwip #	34450
Mfg.#	01-112
U/M	Each

Faucet Schematics page 81

Price Pfister 3-Valve Tub/Shower Faucet

- 1/2" sweat connections
- Metal verve handles (new style)
- Half-turn ceramic H/C valves
- Chrome finish

		Trim Kit	Integral Stops
Cwip #	20257	19411	34028
Mfg.#	01-111	01-911	01-341
U/M	Each	Each	Each

Faucet Schematics page 81

SAYCO.

Sayco 2-Handle Kitchen Faucet

- 8" centers
- 8" brass tubular spout
- 1/2" IPS connections
- Metal handles
- Chrome finish

	Less spray	With spray
Cwip #	24696	38271
Mfg.#	820	822
U/M	Each	Each

Faucet Schematics page 83

Sayco 2-Handle Lavy Faucet

- 4" centers
- Cast brass body
- Compression stems
- 1/2" IPS connections
- Metal handles
- With 50/50 pop-up drain
- Chrome finish

Cwip #	24697
Mfg.#	402
U/M	Each

Sayco 3-Valve Tub/Shower Faucet

- 8" centers
- 1-piece cast brass body
- Compression stems
- 1/2" IPS connections
- Metal handles
- Chrome finish

Cwip #	38272
Mfg.#	308
U/M	Each

SYMMONS'

Temptrol II Tub/Shower Faucet

- Integral stops
- 1/2" Female IPS conn.
- Lever handle
- Chrome finish

Cwip #	36755
Mfg.#	BP56-2
U/M	Each

UNION BRASS.



A Acrylic Handles



B Acrylic Handles Cast Spout



C Chrome Handles

Union Brass 2-Handle Kitchen Faucet

- Washerless; 8" centers
- 1/2" IPS connections
- Cast brass body
- Chrome finish

	A Less spray	B Less spray	C Less spray
Cwip #	23504	11052	23503
Mfg.#	588	582C	582
Wgt.lb.	4.0	4.0	3.6
U/M	Each	Each	Each



Union Brass 2-Handle Lavatory Faucet

- Washerless; 4" centers
- Cast brass body (solid)
- 1/2" IPS shanks
- Clear acrylic handles
- Chrome finish

	Brass Pop-up
Cwip #	11057
Mfg.#	579A
U/M	Each



Union Brass 2-Handle Lavatory Faucet

- Washerless; 4" centers
- Cast brass body (hollow)
- 1/2" IPS shanks
- Clear acrylic handles
- Chrome finish

	Less Pop-up	Brass Pop-up
Cwip #	23506	11018
Mfg.#	378A	379A
U/M	Each	Each



Union Brass 2-Handle Lavatory Faucet

- Washerless; 4" centers
- Cast brass body (hollow)
- 1/2" IPS shanks
- Metal handles
- Chrome finish

	Brass Pop-up
Cwip #	11017
Mfg.#	370A
U/M	Each

3-Valve Tub/Shower Diverter Faucet

- Washerless
- Cast brass body
- Chrome finish

Cwip #	11946
Mfg.#	590
U/M	Each

Zurn Aquasense® Sensor-Operated Lavy Faucet

1.5 GPM Aerator

- 4" centers
- 30-second time out
- 2-year battery life (batteries included)
- In-line filter

Cwip #	34726
Mfg.#	Z6915-MT
U/M	Each

Union Brass 2-Handle Laundry Faucet

- 4" centers
- 1/2" IPS connections with re-new valves and seats
- Swing spout; hose end
- Chrome finish

Cwip #	13483
Mfg.#	47
U/M	Each



Union Brass 2-Handle Laundry Faucet

- Cast brass body
- Re-new valves
- C-N-L Fitz-all unions
- Swing spout with hose adapter

	Bracket Clamp	Thread Legs	Faucet Only
Cwip #	20666	13578	20057
Mfg.#	42	44	46
U/M	Each	Each	Each

Union Brass Wall Sink Faucet

- 8" centers
- 1/2" female flange
- Re-new valves and seats
- Includes dish

Cwip #	13506
Mfg.#	40A
U/M	Each

Moen 2-Handle Laundry Faucet

- 4" centers
- 2-Hole application
- 1/2" IPS connections
- Chrome finish

Cwip #	25146
Mfg.#	4975
U/M	Each

Water Fountain

Push button with self-closing stop. 3/8" IPS inlet; 3/8" IPS waste.

Cwip #	26759
U/M	Each

American Standard Faucet Repair Parts

Continued »



Engraved hot and cold or diverter.

Cwip #	Type	U/M
11809	H & C	Pair
31475	Diverter	Each



Engraved hot and cold or diverter.

Cwip #	Type	U/M
17926	H & C	Pair
13672	Diverter	Each



Cwip #	Type	U/M
13858	H & C	Pair

Hot Index Button	Cwip # 34400	Ea.
Cold Index Button	Cwip # 21519	Ea.



Engraved hot and cold.

Cwip #	Type	U/M
12666	H & C	Pair



Engraved hot and cold.

Cwip #	Type	U/M
13889	H & C	Pair



Engraved hot and cold or diverter.

Cwip #	Type	U/M
12659	H & C	Pair
31422	Diverter	Each



Bath Handle

Cwip #	Type	Wgt.lb.	U/M
24407	Hot & Cold	.36	Pair

Hot Index Button	**Cwip #** 30308	Ea.
Cold Index Button	**Cwip #** 30306	Ea.



Fit-All Cross Handle

Engraved hot and cold.

Cwip #	Type	Wgt.lb.	U/M
27700	Hot & Cold	.17	Pair



Bath Handle

Cwip #	Broach Dia.	Wgt.lb.	U/M
11651	7/16" Hot/Cold	.50	Pair
24340	3/8" Hot/Cold	.50	Pair
24341	7/16" Diverter	.25	Each



Engraved hot or cold.

Cwip #	Type	Wgt.lb.	U/M
81196	Hot & Cold	.22	Pair



Engraved hot or cold.

Cwip #	Type	Wgt.lb.	U/M
13890	Hot & Cold	.20	Pair



Push-Pull Bath Handle

Cwip #	Mfg.#	Wgt.lb.	U/M
19475	2913302	.30	Each



Aquarian Lavy Handle

Cwip #	A/S Mfg.#	Wgt.lb.	U/M
36310	46-0105	.50	Each



Aquarian Tub Handle

Cwip #	A/S Mfg.#	Wgt.lb.	U/M
36302	46-1105	.50	Each



Aquarian Kitchen Handle

Cwip #	A/S Mfg.#	Wgt.lb.	U/M
26653	77031-55	.37	Each



American Standard "Push-Pull" Parts For Tub/Shower Fixtures

	Cwip #	Mfg. #	Type	U/M
1	*NS	29109-07 (OEM)	Valve Plug	Each
2	14925	(Non-OEM)	O-ring; 13/16" O.D. x 5/8" ID x 3/32" wall	Bx/100
3	*NS	12269-07 (OEM)	Cone Screen	Each
4	29069	03492-07 (OEM)	Single Lever Repair kit	Kit
5	22880	9422-07 (OEM)	Cam & Shaft Sub-Assembly	Each
6	37424	29139-06 (OEM)	Escutcheon with Gasket	Each
7	19475	2913302 (OEM)	Push/Pull Handle	Each



American Standard Tub/Shower Valve Parts For Aquarian

	Cwip #	Mfg. #	Type	U/M
1	26388	(Non-OEM)	Handle	Each
2	*NS	69347-01 (OEM)	Screw - 2" x 10-24	-
3	*NS	57627-02 (OEM)	Escutcheon Cap	-
4	*NS	69041-06 (OEM)	Escutcheon	-
5	*NS	57613-07 (OEM)	Cartridge Screw	-
6	*NS	57583-07 (OEM)	Seal Set	-
7	39005	(Non-OEM)	Cartridge	Each



Aquarian II Cartridge
For American Standard

For lever handles and back-to-back cartridge for knob handle.

Cwip #	Size	U/M
26389	2-3/16"L	Each

8" Swing Spout
For American Standard

Cwip #	U/M
17603	Each



Cadet Nu Seal Diaphragm
For American Standard

Cwip #	U/M
30424	Each

Aqua Seal Diaphragm
For American Standard

Cwip #	U/M
20573	Box/25

B&K Faucet Repair Parts



Acrylic Handle For Kitchen & Lavy Faucets

Clear with index button and screw.

Cwip #	Type	Mfg.#	Wgt.lb.	U/M
36580	Cold	888-709	.01	Each
36572	Hot	888-708	.01	Each



Lavy Index Button For B&K Single Lever

Cwip #	Mfg. #	Type	U/M
35473	888-925	Lavy	Each
34877	889-324	Lavy/Tub	Each

Index Button For B&K 2-Handle

Cwip #	Type	Mfg.#	Wgt.lb.	U/M
36588	Cold	888-712	.01	Each
36596	Hot	888-711	.01	Each



Single Lever Acrylic Lavy/Tub/Shower Handle

Cwip #	Mfg.#	For Faucet:	U/M
34033	888-980	28244	Each



Single Lever Acrylic Lavy Handle For Huntington Brass

Cwip #	Mfg.#	For Faucet:	U/M
34829	0908	31230, 31231	Each

Single Lever Chrome Tub/Shower Trim Kit

Cwip #	Mfg.#	U/M
36399	122-257	Each
Lever Handle (Only)		
34332	888-536	Each



Single Lever Chrome Tub/Shower Trim Kit

Cwip #	Mfg.#	U/M
36383	122-251	Each
Lever Handle (Only)		
34332	888-536	Each

Crystal Handle

Small, clear knob for kitchen, laundry, bar, lavy, and 2-3 handle tub/shower faucets. With button and screw.

Cwip #	OEM #	U/M
14014	H21	Pair
Index Button		
32105	RP18373	Pair



Chrome Blade Handle For Kitchen & Bath

With button and screw.

Cwip #	For Delta #	U/M
13674	H28	Pair
Index Button		
17428	RP2412	Pair



Single Lever Handle Chrome

Fits Delta kitchen and lavatory faucets. With set screw.

Cwip #	OEM #	U/M
14430	RP2393	Each



For Scaldguard Tub/Shower

Single handle with button and screw.

Cwip #	For Delta #	U/M
32892	H71	Each
Index Button		
32106	RP18429	Each

Tub/Shower Handle

Clear knob, with button and screw. For single handle faucet. Offset diamond shaped broach.

Cwip #	OEM #	U/M
Old Style 600 Series		
36292	RP2391	Each
Index Button		
14351	RP2411	Each
New Style 600 Series		
27060	RP17451	Each
Index Button		
37130	RP17446	Each



Lever Handle Base Chrome

Small handle base, for kitchen, bar, lavy, and tub/shower faucets. With screws.

	Cwip #	OEM #	U/M
A	37467	H24	Pair
Chrome Accents Handle			
B	37459	A24	Pair



Crystal Handle For Single Lever Lavy

With button and screw

Cwip #	OEM #	U/M
13826	RP2389	Each
Index Button		
14351	RP2411	Each

Index Buttons

For single handle tub/shower faucets.

Cwip #	OEM #	A Size	U/M
23636	RP3558	1-3/8"	Each
32106	RP18429	1-1/2"	Each

Index Button

New Style, clear, red and blue.

Cwip #	OEM #	U/M
32105	RP18373	Pair

Pop-up Button Plug

For 2500 Delta two handle lavatory faucet

Cwip #	OEM #	U/M
24415	RP6068	Pair

Index Button

Crystal single handle lavatory and bath except Scald-Guard bath.

Cwip #	OEM #	U/M
14351	RP2411	Each

Index Button

For two-handle knobs. Silver insert.

Cwip #	OEM #	U/M
27641	RP19659	Pair

Index Button

For two-handle blade handles

Cwip #	OEM #	U/M
17428	RP2412	Pair

8” Spout Assembly

Fits all two-handle Delex kitchen faucets except waterfall.

	Cwip #	OEM #	Base	U/M
	16004	RP5650	1-1/8”	Each
$	39590	(Non-OEM)		Each
Fits single handle Delta kitchen faucets except waterfall.				
	17675	RP5654	1-1/2”	Each

Spout Nut

For 2-handle Series 2100/2400 kitchen faucets.

Cwip #	OEM #	U/M
17635	RP6070	Each

Cap Assembly

Delta single handle faucets; with one cap and adjusting ring.

	Cwip #	OEM #	U/M
	34182	RP50	Each
$	12461	(Non-OEM)	Each



Ball Assembly

All single lever Delta faucets with chrome handle. Stainless steel.

Cwip #	OEM #	U/M
22663	RP70	Bag/6

For Delta Brass Ball

Single lever chrome handle Delta kitchen faucet—old style.

	Cwip #	U/M
$	11673	Each
$	39574	Bag/6

Ball Assembly Stainless Steel

For all Delta crystal handle lavy and tub faucets. Diamond broach.

Cwip #	OEM #	U/M
23486	RP212	Bag/6

Cam Assembly For Chrome Handles

For New Style lever handles

	Cwip #	OEM #	U/M
	23497	RP61	Bag/6
$	39582	(Non-OEM)	Bag/6
Cwip 39582: Cam and Packing Only			

Cam Assembly For Crystal Handles Except Scald-Guard Bath

Cwip #	OEM #	U/M
23592	RP188	Bag/6

Single-Handle Faucet Parts Kit

Includes: Cam assemblies, o-rings, seats, springs, wrench. Lever or knob.

Cwip #	OEM #	U/M
14164	RP3614	Kit



For Delta New Style Lever Handles

Includes: cam assembly; o-rings; seats; springs and a wrench.

	Cwip #	Mfg.#	U/M
$	17238	PB3614	12 Piece/Kit



Seats & Springs For Delta/Delex Single Lever Faucets

	Cwip #	OEM #	U/M
	29450	Seats Only - RP1806	Bag/24
	29445	Springs Only - RP3427	Bag/24
	39275	Seats/Springs (New Style)	2 Pair/kit
$	13419	(2) New Style Seats & springs	Kit



For Delta New Style Single Lever Acrylic Handles

Includes: cam assembly; seats; springs and a wrench.

	Cwip #	U/M
$	21543	8 Piece/Kit



Stem Unit Assembly For 2-Handle Kitchen/Lavy Faucets

Cwip #	OEM #	U/M
23491	RP1740	Bag/6



Stem Extender & Screws 2-3 Handle Tub/Shower

Cwip #	OEM #	Type	U/M
32587	RP12629	Screws	(2) Each
32588	RP18627	Extender	Each



Stem Unit Assembly With Two Seats

For all Delta Mix and Scald Guard 1600 Series tub/shower single lever faucets except Scald Guard with red hot stop button.

	Cwip #	OEM #	U/M
	27118	RP1991	Each
$	39589	(Non-OEM)	Each

Diverter Assembly For Single Lever Kitchen

Cwip #	OEM #	U/M
17591	RP320	Bag/6

Diverter Assembly For 2-Handle Faucets w/Spray

Cwip #	OEM #	U/M
14061	RP6073	Bag/3



Diverter Assembly For 3-Handle Tub/Shower

Cwip #	OEM #	Wgt.lb.	U/M
23622	RP10799	.60	Each



Diverter Assembly For 3-Handle Tub/Shower

Cwip #	OEM #	Wgt.lb.	U/M
32913	RP17730	.60	Each

Gerber Faucet Repair Parts

Lavy & Kitchen Faucet Handles

Cwip #	U/M
13303	Pair

Tub/Shower Faucet Handles

Cwip #	Type	U/M
32326	H & C (Short Broach)	Pair
13294	H & C (Long Broach)	Pair
13338	Diverter (Long Br.)	Each

Replacement Index Buttons

For above kitchen, lavy and tub/shower handles.

Cwip #	Type	U/M
12517	Hot	Each
12152	Cold	Each
11797	Diverter	Each

Lavy & Kitchen Faucet Handles

Cwip #	OEM #	Type	U/M
36165	97-908	Hot	Each
36157	97-909	Cold	Each

Index Buttons

Cwip #	Type	U/M
36285	Hot	Each
36293	Cold	Each

Lavy & Kitchen Faucet Handle

Cwip #	Type	OEM #	U/M
39835	H/C	97-930	Each
Index Button			
39827	H/C	97-053	Pair



Lavy Wrist Handles

Cwip #	OEM #	Type	U/M
38418	98-879	H & C	Pair



Chrome Escutcheon For Gerber Tub

Cwip #	U/M
30345	Each



Escutcheon Sleeve

Cwip #	Type	U/M
35106	For Gerber	Each
26659	OEM	Each



Brass Nipple For Gerber

Cwip #	Size	U/M
32352	5/8–24	Each



For Gerber Spout

Cwip #	U/M
13372	Each



Ceramic Faucet Cartridge

Fits: 36969, 36745 and 36753

Cwip #	OEM #	Type	U/M
32205	86-987	Hot	Each
37052	86-986	Cold	Each
33838	90-497	Washer	Each

Ceramic Faucet Cartridge

- With limit stop
- Fits Hardwater™ faucets

Cwip #	OEM #	U/M
37455	92-298	Each

Gerber Hardwater Pressure Balancing Assembly

Cwip #	Mfg. #	U/M
37463	97-013	Each

Moen Faucet Repair Parts

Clear Acrylic Handles For Moen Single Lever

	Cwip #	Type	U/M
$	32349	Lavy	Each
$	32350	Tub	Each
Replacement Handle Insert			
	33016	Tear Drop	Each

Moen Chateau Single Lever Handle Kit

Cwip #	OEM #	Type	U/M
20021	96797	Tub/Shower	Each
20221	96791	Lavy	Each



Posi-Temp Tub/Shower Handle

Clear with button.

Cwip #	OEM #	U/M
34313	96884	Each

Posi-Temp Tub/Shower Handle Kit

Clear (knob only)

Cwip #	OEM #	U/M
35158	94514	Each

Single Lever Faucet Handle

Clear knob for Moen Legend faucets

Cwip #	OEM #	Type	U/M
20041	13092	Lavy	Each
20001	13094	Tub/Shower	Each



Tub Acrylic Knob Kit

Clear with hot, cold, and diverter buttons and screws.

Cwip #	OEM #	U/M
33784	100695	Each



Moen Chateau® Acrylic Knob Kit Lavy/Kitchen & Tub/Shower

For 2-handle faucets, clear with hot and cold buttons.

Cwip #	OEM #	U/M
39101	98026	Pair

Moen Chateau® 2-Handle Lavy Index Buttons Hot & Cold

Cwip #	OEM #	U/M
29530	13382	Pair

Moen Lever Handle Mechanism Kit

For Moen Chateau lavy single lever faucets.

Cwip #	OEM #	U/M
35980	101310	Each



Moen Chateau® Handle Cap & Cover

For Moen Chateau kitchen faucets.

	Cwip #	OEM #	U/M
A	32553	Non-OEM	Each
	14625	96790	Each
B	39566	(Non-OEM)	Each
	20281	10927	Each



Handle Adapter & Connection Kit

For single control kitchen faucets except Legend and Manor.

Cwip #	OEM #	U/M
38889	100429	Each

Moen Chateau® 9" Kitchen Spout

Cwip #	Series	OEM #	U/M
20516	7500	739	Each

9" Kitchen Spouts

Cwip #	Type	OEM #	U/M
38498	2-Handle	13411	Each
31173	Single Handle	93973	Each



Single-Handle Cartridges

		Cwip #	Mfg. #	Type	U/M
A		20656	1200	Brass - OEM	Each
	$	32597	-	Brass with Clip	Each

Single-Handle Cartridges

B		20121	1225	Plastic - OEM	Each
	$	28228	-	Plastic	Each

2-Handle Cartridge				
C	23147	1224	OEM	Each
Posi-Temp Cycling Valve				
D	31048	1222	OEM	Each

Nibco/Phoenix Faucet Repair Parts



Phoenix/Nibco Tub/Shower Parts

	Cwip #	Mfg.#	Type	U/M
1	23972	N1300	Cartridge	Each
2	28056	N1301	Tub Handle	Each

Nibco/Phoenix Single Lever Control Cartridge

Includes a non-corroding celcon construction, pressure-assisted, drip-free sealing and non-rotating washerless stem seals.

Cwip #	OEM #	U/M
24026	N1100-5	Each



Phoenix Stem Extension

Two and three handle assembly

Cwip #	OEM #	U/M
26100	2601-4-8	Each



Sleeve f/Nibco Tub Faucet

Cwip #	OEM #	U/M
35796	2601-4-1	Each



For Price Pfister 8" Tubular Spout

Cwip #	U/M
16003	Each

For Price Pfister 7½" Cast Spout

Cwip #	U/M
12663	Each

8" Tubular Spout

	Cwip #	OEM #	U/M
	35969	920-340A	Each
$	16078	(Non-OEM)	Each



9" Kitchen Spout

For 35 Series faucets

Cwip #	OEM #	U/M
34127	920-350A	Each



Contempera Tub Handles Polished Chrome

Cwip #	Type	OEM #	U/M
12320	Hot	940-030A	Each
21078	Cold	940-020A	Each
13727	Diverter	940-040A	Each
21079	Screw	971-600A	Each

Verve New Style Metal Handles

For new style Verve lead free faucets manufactured after 1996.

	Cwip #	OEM #	U/M
A	**Kitchen/Lavy Handle (Only)**		
	33649	940-303	Each
	Insert Cold (Blue)		
	33648	949-306	Each
	Insert Hot (Red)		
	37141	949-303	Each
	Handle Cap Chrome		
	36990	941-303	Each

	Cwip #	OEM #	U/M
B	**Tub Handle (Only)**		
	39908	940-333	Each
	Insert Cold (Blue)		
	39932	949-336	Each
	Insert Hot (Red)		
	39924	949-333	Each
	Insert Diverter (Gray)		
	39940	949-339	Each
	Handle Cap (Chrome)		
	39916	941-333	Each

Old Style Verve Handles Polished Chrome

Cwip #	OEM #	U/M
17940	Sink/Lavy	Each
20222	Tub	Each

Avante® Style Handle

Fits single control lavatory and tub/shower. Index button not included.

Cwip #	OEM #	U/M
35940	940-240	Each

Marquis Tub Faucet Handle

Less insert (sold separately)

Cwip #	Base	U/M
21081	2-1/8"	Each

Lever Handles Polished Chrome Base

Cwip #	Type	Trim Finish	U/M
Lever Only			
37146	Lavy	White Porcelain	Each
Hub Only			
37154	Handle Hub w/Screw & Button		Each



Crown Imperial Lavy Handle Polished Chrome

Cwip #	Size	U/M
21082	Cold	Each
13856	Hot	Each
19567	Button Only	Each



Crown Imperial Tub Handle Polished Chrome

	Cwip #	Size	U/M
A	21516	1-1/2"	Each
	Tub Handle Diverter		
B	22382	1½" x 3/4"H	Each

For Price Pfister Chrome Index Button

Can be used with other brands.

Cwip #	Size	U/M
21519	Cold	Each
34400	Hot	Each



Verve Old Style Acrylic Index Button

For kitchen, lavy, and tub handles:
Cwip #'s 17940 and 20222.

Cwip #	Type	U/M
19571	Cold	Bg/25
19566	Hot	Bg/25
14173	Diverter	Bg/25

Avante® Index Button

Cwip #	Type	U/M
20282	Clear	Each

Chrome Index Button

Cwip #	Type	U/M
19565	Cold	Each
19477	Hot	Each



Replacement Parts For Price Pfister Integral Stops

	Cwip #	Size	U/M
1	23152	Complete Flange Assembly	Each
2	26035	Adapter Only	Bag/25
3	24485	Flange Only	Each
3a	11792	Flange Only	Each
4	16389	Nipple Only - 2¾"L x 5/8" Dia.	Each



Price Pfister OEM Stem Extension

Fits Cwip #'s 34028, 20257 and 34450.

Cwip #	Mfg.#	U/M
38529	910-561	Each

Kitchen/Lavy Handles For Sayco

Cwip #	Type	Wgt.lb.	U/M
13820	H & C - 1-1/4"	.34	Pair
18620	Diverter 1-1/4"	.17	Each
25010	H & C - 1"	.24	Pair

Kitchen/Lavy Handle For Sayco

Cwip #	Size	U/M
17939	Small	Each
Index Buttons		
18803	Hot	Bag/12
18818	Cold	Bag/12
18820	Diverter	Bag/12

For Briggs

Cwip #	Size	U/M
14578	18 pt.	Pair



Acrylic Kitchen/Lavy Handle For Sayco Long Broach

Cwip #	Type	U/M
25626	Hot & Cold	Pair



Sayco Tub/Shower Replacement Parts

	Cwip #	Type	U/M
1	18803	Hot Index Button	Bg/12
	18818	Cold Index Button	Bg/12
	18820	Diverter Button	Bg/12
2	37403	Screw	Bg/25
3	21498	Canopy Handle, large	Each
4	23737	Flange (economy)	Each
	39035	Flange	Each
5	23736	Sleeve (OEM)	Each
	39565	Sleeve (economy)	Each

Sayco 8" Tubular Swing Spout

Cwip #	Mfg. #	U/M
32309	P992	Each

Sayco Oval Tub/Shower Flange

- Chrome plated metal
- Plastic sleeve

Cwip #	Size	U/M
38628	1-1/4" ID	Each

For Sterling Old Style Kitchen Handle Chrome

Engraved hot and cold; plain diverter.

Cwip #	Type	U/M
33316	H & C	Pair
16667	Diverter	Each



For Sterling Old Style Tub Handle

Engraved hot and cold with screws.

Cwip #	Type	U/M
32794	H & C	Pair



For Sterling New Style Chrome Handle

With screws and index buttons.

Cwip #	Type	Wgt.lb.	U/M
33320	Hot & cold	.24	Pair



New Style Chrome Handles

(2) Index buttons (red/blue) and screws.

Cwip #	Description	U/M
Diverter		
32763	Arrow Indicator	Each
Hot & Cold		
33319	With (2) buttons; "H" and "C" letter indicators.	Pair



Compression Handle

For kitchen, lavy, tub and shower.

Cwip #	Type	Wgt.lb.	U/M
32889	Hot & Cold	.24	Pair



Tub/Shower Faucet Clear Handle

With hot, cold and diverter buttons.

Cwip #	U/M
81162	Each



For Single Control Tub Chrome Finish

Cwip #	Type	Wgt.lb.	U/M
27753	New Style	.24	Each

For Sterling Swing Spout

Cwip #	Size	U/M
24926	8"	Each



Washerless Tub/Shower Repair Kit

Includes: O-ring; seat o-ring; bonnet o-ring; left hand renewable seat; right hand renewable seat; main seal; spring; 3-5/8" long stem; 4-1/8" long stem.

Cwip #	OEM #	U/M
24683	5030	Each



Acrylic Handle

With button and screw, 1965 to 1982.

Cwip #	Type	OEM #	U/M
20130	2" H & C	80387, 80388	Pair

Acrylic Tub/Shower Handles

With button and screw and stem adapter.

Cwip #	Type	OEM #	U/M
28078	2.5" Hot	80397	Each
32617	2.5" Cold	80398	Each
28075	2.5" Diverter	80399	Each

Diverter Index Button

Gold inset with white arrow

Cwip #	U/M
27842	Each

Lavatory Handles Chrome Finish

Cwip #	Type	OEM #	U/M
12097	Hot	80377	Each
13746	Cold	80378	Each

Cast Spout Assembly

582A, 583A, 588A, 589A; with lock nut

Cwip #	Type	OEM #	U/M
17636	Spout	80135	Each
16075	Lock Nut	11894	Each



Tub/Shower Fittings

Cwip #	OEM #	U/M
33326	1711	Each
33327	1130	Each
33328	1709	Each

Valley Faucet Repair Parts

Clear Acrylic Handles For Valley

With buttons and screws

Cwip #	Type	U/M
22753	Lavy	Pair
25432	Tub	Pair



Acrylic Teardrop Single Lever Handle For Valley

With buttons and screws

Cwip #	Type	U/M
35649	Tub	Each



3-Valve Diverter Stem

Cwip #	OEM #	U/M
26345	V6856	Each

New Style Stem

For Roman tub faucets after Oct. 1987

Cwip #	OEM #	U/M
35593	V6860	Each

Seats & Springs

For Valley, Valley II and Valleycrest faucets

Cwip #	Type	U/M
19638	Seat & Spring	Each

Single Lever Control Assembly

Includes: retainer o-ring; ball stem driver; retainer; retainer cap; control plate o-ring; control plate.

Cwip #	U/M
18856	Each



Single Control Repair Kit

Includes: spring-seat assembly; inlet seal; hub o-ring; control plate o-ring; retainer o-ring; combination wrench.

Cwip #	U/M
24325	Each

Control Cartridge

For single handle faucets without diverter.

Cwip #	U/M
26724	Each



For Central Brass

Engraved hot or cold

Cwip #	U/M
12651	Pair



For Central Brass

Engraved hot or cold

Cwip #	Type	U/M
12661	Hot & Cold	Pair
17479	Diverter	Each



For Central Brass

Engraved hot, cold or diverter

Cwip #	Type	U/M
38131	Hot & Cold	Pair
38198	Diverter	Each

For Crane

Engraved hot, cold or diverter

Cwip #	Type	U/M
15928	Hot & Cold	Pair
21852	Diverter	Each



For Eljer

Engraved hot or cold; plain diverter

Cwip #	Type	U/M
33169	Hot & Cold	Pair
33171	Diverter	Each

For Kohler

With index button

Cwip #	Type	Hgt. - Type	U/M
15398	Sink	1 9/16" - Hot & Cold	Pair
27598	Tub	2 1/8" - Hot & Cold	Pair

For Kohler

2-1/8"H. With index button

Cwip #	Type	U/M
35006	Hot & Cold	Pair



Kohler Index Buttons

Cwip #	Type	U/M
23192	Cold (blue)	Each
23191	Hot (red)	Each
38033	Diverter arrow (black)	Each



For Nibco

Cwip #	U/M
38038	Each



Nibco Lavatory

Less index button.

Cwip #	U/M
28959	Each
Index Buttons	
29359 (Hot)	Each
29398 (Cold)	Each



For Nibco Tub/Shower

Cwip #	Type	U/M
36740	Hot & Cold	Pair



For Speakman

With index button.

Cwip #	Type	U/M
12003	Hot & Cold	Pair

Fit-All 5-Point Canopy Handles

Cwip #	Type	U/M
22376	Hot & Cold (less insert)	Pair
35986	Fit-All Brass Inserts	Pair
With 4 set screws & wrench		

Chrome Button

Cwip #	Type	U/M
34400	Hot	Each
21519	Cold	Each



Huntington Brass Single-Handle Kitchen Faucets Model HB8710

	Cwip # - Type	U/M
1	Handle	Each
2	Index Button Screw	Each
3	Cartridge Retaining Nut	Each
4	Cap	Each
5	**34781 - Ball Valve Cartridge Assembly**	Each
6	Faucet Body (2-piece)	Each
7	Supply Lines & Spray Connections	Each
8	Check Valve	Each
9	Rubber Ring	Pair
10	Mounting Screw	Each
11	Mounting Nut	Each
12	Mounting Nut	Each
13	Screw Lock Nut	Pair
14	Deck Plate	Pair
15	Hand Sprayer	Each
16	Sprayer Hose	Each
17	Hose Weight	Each



Huntington Brass Single Lever Kitchen Faucets Models HB5610, HB5620, HB5621, HB5621-CS & HB5630

	Cwip # - Type	U/M
1	Handle	Each
2	Index Button	Each
3	Set Screw	Each
4	Cartridge Retaining Nut	Each
5	Cap	Each
6	**34781 - Cartridge Assembly Repair Kit**	Each
7	**34837 - Ball Assembly**	Each
8	Valve Body	Each
9	Supply Connections	Pair
10	Spout	Each
11	Bushing	Each
12	Deck Plate	Each
13	Mounting Screw	Pair
14	Mounting Nut	Pair
15	Aerator	Each



Huntington Brass Single-Lever Kitchen Faucets Models HB5710 & 5720

	Cwip # - Type	U/M
1	**34821 - Handle**	Each
2	Index Button	Each
3	Set Screw	Each
4	Cartridge Retaining Nut	Each
5	Cap	Each
6	**34781 - Cartridge assembly repair kit**	Each
7	**34837 - Ball assembly**	Each
8	Valve Body	Each
9	Supply Connections	Pair
10	Spout	Each
11	Bushing	Each
12	Deck Plate	Each
13	Mounting Screws	Pair
14	Mounting Nuts	Pair
15	Aerator	Each
16	Sprayer	Each



Huntington Brass 2-Handle Kitchen Faucets Models HB1110, HB1120, HB110M, & HB1120M

	Type	U/M
1	Metal Handles	Pair
2	Cap	Each
3	Spout	Each
4	Aerator	Each
5	Deck Plate	Each
6	Cartridge	Pair
7	Valve Body, Water Way	Each
8	Under Plate	Each
9	Rubber Washer	Pair
10	Wing Nut	Pair
11	Sprayer	Each



Huntington Brass 2-Handle Kitchen Faucets Models HB1210, HB1220, HB1210BC & HB1220BC

	Cwip # - Type	U/M
1	**34797 - Acrylic Handle, hot**	Each
	34805 - Acrylic Handle, cold	Each
2	**34757 - Index Button, hot**	Each
	39987 - Index Button, cold	Each
3	Cap	Each
4	**36214 - Spout**	Each
5	Aerator	Each
6	Deck plate	Each
7	**34789 - Cartridge**	Each
	34813 - Cartridge Assembly Repair Kit	Kit
8	**35646 - Spray Diverter**	Each
9	Body, water way	Each
10	Under Plate	Each
11	Rubber Washer	Pair
12	Wing Nut	Pair
13	**35638 - Spray head**	Each



Huntington Brass 2-Handle Kitchen Faucets Models HB3110 & HB3120

	Cwip # - Type	U/M
1	Handle	Pair
2	Cap Lock	Pair
3	**36528 - Cartridge, cold**	Each
	36520 - Cartridge, hot	Each
4	Spout	Each
5	Aerator	Each
6	Spout Flange	Each
7	Deck Plate	Each
8	Body	Each
9	Washer	Each
10	Wing Nut	Each
11	Spray	Each



Huntington Brass
Single-Handle Lavy Faucets
Models HB5410, HB5110, HB5510

	Cwip # - Type	U/M
1	Loop Handle	Each
2	Lever Handle	Each
3	**34829 - Acrylic Handle**	Each
	39995 - Index Button	Each
4	Retention Nut	Each
5	Cap	Each
6	**34781 - Cartridge Assembly Repair Kit**	Each
7	**34837 - Ball Assembly**	Each
8	Housing	Each
9	Aerator	Each
10	Under Plate	Each
11	Screw	Each
12	Mounting Washer	Each
13	Mounting Nuts	Pair
14	Pop-up Assembly	Each



Huntington Brass
2-Handle Lavy Faucets
Models HB1010 & HB1610M

	Type	U/M
1	Metal Handles	Pair
2	Acrylic Handles	Pair
3	Cartridge	Pair
4	Housing	Each
5	Aerator	Each
6	Under Plate	Each
7	Screw	Each
8	Mounting Washers	Pair
9	Mounting Nuts	Pair
10	Pop-up Assembly	Each



Huntington Brass 2-Handle Lavy Faucet Model HB6011NK

	Parts For Cwip # 30168	
	Type	U/M
1	Lever Handles	Pair
2	Cartridge	
3	Body, Spout & Waterway	
4	Aerator	
5	Deck Plate	
6	Rubber Washer	
7	Coupling Nut	
8	Pop-up Assembly	



EconHuntington Brass 2-Handle Lavy Faucet - Model HB6310

	Parts For Cwip #'s 39176, 30169	
	Type	U/M
1	Lever Handles	Pair
2	Cartridge Lock Cap	
3	Cartridge	
4	Body, Spout & Waterway	
5	Deck Plate	
6	Aerator	
7	Coupling Nut	
8	Pop-up Assembly	



Huntington Brass Economy Single-Handle Tub/Shower Faucet Valve Model HB5900

	Cwip # - Type	U/M
1	Shower Flange	Each
2	Shower Arm	Each
3	Shower Head	Each
4	Lever Handle	Each
5	Screws	Pair
6	Face Plate	Each
7	Seal	Each
8	Trim Sleeve	Each
9	Crt. Retaining Sleeve	Each
10	**34608 - Cartridge**	Each
11	Valve Body	Each
12	Tub Spout	Each



American Standard Kitchen Faucet Parts For Aquarian

	Cwip #	OEM #	Type	U/M
1	26653	77031-55	Handle	Each
2	37424	57627-02	Escutcheon Cap	Each
3	26389	57864-07	Cartridge	-
4	*NS	57583-07	Seal Kit	-
5	*NS	77027-02	Spout	-
6	*NS	69332-07	Quad Ring	-
7	*NS	56135-02	Aerator	-
8	*NS	57585-07	Diverter Set	-
9	*NS	69013-07	O-ring	-
10	*NS	57632-07	Diverter	-
11	*NS	57631-07	O-ring	-

Non-stock items, contact your Sales Rep to order.



American Standard "Push-Pull" Parts For Tub/Shower Fixtures

	Cwip #	Mfg. #	Type	U/M
1	*NS	29109-07 (OEM)	Valve Plug	Each
2	14925	(Non-OEM)	O-ring; 13/16" O.D. x 5/8" ID x 3/32" wall	Bx/100
3	*NS	12269-07 (OEM)	Cone Screen	Each
4	29069	69041-06 (OEM)	Single Lever Repair Kit	Kit
5	22880	9422-07 (OEM)	Cam & Shaft Sub-Assembly	Each
6	37424	29139-06 (OEM)	Escutcheon with Gasket	Each
7	19475	2913302 (OEM)	Push/Pull Handle	Each



American Standard Tub/Shower Valve Parts For Aquarian

	Cwip #	OEM Mfg. #	Type	U/M
1	26388	77033-02	Handle	Each
2	*NS	69347-01	Screw - 2" x 10-24	-
3	*NS	57627-02	Escutcheon Cap	Each
4	*NS	69041-06	Escutcheon	-
5	*NS	57613-07	Cartridge Screw	-
6	*NS	57583-07	Seal Set	-
7	39005	46-0029	Cartridge	Each



B&K 2-Handle Kitchen Faucets 122-608, 122-618, 122-628, 122-638 Series

	Parts For Cwip # 30098			
	Cwip #	Mfg. #	Description	U/M
1	36572	888-708	Acrylic Handle, hot	Each
	36580	888-709	Acrylic Handle, cold	Each
2	36596	888-711	Index Button, hot	Each
	36588	888-712	Index Button, cold	Each
3	23491	RP-1740	Stem Unit Assembly	Bag/6
4	29450	RP-1806	Seat - Rubber	Bg/24
5	29445	RP-3427	Spring- Stainless Steel	Bg/24



Schematics not available for these models.

B&K Single-Handle Kitchen Faucets - 122-108, 122-109, 122-118, 122-119 Series

Cwip #	Mfg. #	Type	Wgt.lb.	U/M
34909	889-220	Handle Assy. - Chrome	.20	Each
31361	888-987	Spout	.33	Each
29450	RP-1806	Seat - Rubber	.20	Bg/24
29445	RP-3427	Spring- Stainless Steel	.30	Bg/24
22663	RP-70MBS	Ball Assembly	.22	Bag/6



B&K Single-Handle Kitchen Faucets 122-417, 122-418, 122-419 Series

	Parts For Cwip #'s 36956, 37158 and 36391
	Description
1	Handle Assembly
2	Brass Spout
3	Aerator
4	O-Ring
5	Washer
6	Seats & Springs
7	Escutcheon
8	Lock Nut
9	Coupling Nut
10	Spray Assembly



Schematics not available for these models.

B&K Single-Handle Lavatory Faucets 121-804, 121-814 Series

Cwip #	Mfg. #	Type	Wgt.lb.	U/M
22663	RP70	Ball Assembly	.22	Bag/6
17238	PB3614	Repair Kit	.10	Each
29450	RP-1806	Seat - Rubber	.20	Bg/24
29445	RP-3427	Spring- Stainless Steel	.30	Bg/24
12735	58-1165	Pop-up Stopper - Chrm.	.10	Each
35014	888-985	Mounting Kit	.50	Each

Schematics not available for these models.



B&K 2-Handle Lavatory Faucets 121-604, 121-614, 121-635, 121-615, 121-694 Series

Cwip #	Mfg. #	Type	Wgt.lb.	U/M
36572	888-708	Acrylic Handle, hot	.20	Each
36580	888-709	Acrylic Handle, cold	.20	Each
36596	888-711	Index Button, hot	.02	Each
36588	888-712	Index Button, cold Stem	.02	Each
23491	RP-1740	Unit Assembly	1.3	Bg/6
29450	RP-1806	Seat - Rubber	.20	Bg/24
29445	RP-3427	Spring - Stainless Steel	.30	Bg/24



B&K 2-Handle Lavatory Faucets 122-300, 122-301, 122-302 Series

	Cwip #	Mfg. #	Type	U/M
1	34885	889-301	Button - Acrylic	Pair
2	NS*	-	Screw	-
3	34901	889-300	Handle - Acrylic	Pair
4	NS*	-	Lock Nut - Brass	-
5	NS*	-	Nut - Plastic	-
6	23491	RP-1740	Stem - Plastic	Bg/6
7	29450	RP-1806	Seat - Rubber	Bg/24
8	29445	RP-3427	Spring- Stainless Steel	Bg/24
9	NS*	-	Escutcheon	-
10	NS*	-	Waterway - Brass	-
11	NS*	-	Seat - Rubber	-
12	NS*	-	Body - Brass	-
13	NS*	-	Base Gasket - Plastic	-
14	NS*	-	Screw	-
15	NS*	-	Lock Nut - Plastic	-
16	NS*	-	Seat - Rubber	-
17	NS*	-	Coupling Nut - Brass	-
18	NS*	-	Aerator	-
19	12735	58-1165	Pop-up Stopper	Each

Non-stock items, contact your Sales Rep to order.



B&K Single-Handle Lavatory Faucets Models 121-104, 121-114

Parts For Cwip # 28244				
	Cwip #	Mfg. #	Description	U/M
1	34033	888-980	Acrylic Handle Assembly	Each



B&K Single-Handle Lavy Faucets Model 122-327

Parts For Cwip # 36932	
	Description
1	Index Button
2	Acrylic Handle Assembly
3	Ball Assembly
4	Seats
5	Springs
6	Coupling Nuts



Pressure Balancing Valve

Cwip #	Mfg. #	U/M
36365	122-245	Each

B&K Pressure Balancing Valve Model 122-245

Parts For Cwip #'s 36365 & 35791		
	Cwip #	Description
1	-	Plastic Guard
2	-	Plastic Cap
3	-	Brass Hub
4	33302	Plastic Cartridge
5	30009	Plastic Valve
6	-	Stop Assembly
7	-	Bronze Body
8	-	Plastic Ring
9	-	Brass Plug



B&K Single-Handle Lavatory Faucets
122-326, 122-327, 122-328, 122-329 Series

	Cwip #	Mfg. #	Type	U/M
1	34877	889-324	Button - Plastic	Each
2	NS*	-	Screw	-
3	Disc.	889-298	Acrylic Handle	Each
4	NS*	-	Adjusting Ring - Brass	-
5	NS*	-	Cap	-
6	NS*	-	Cam - Plastic	-
7	NS*	-	Packing - Rubber	-
8	23486	RP212MBS	Ball Assembly	-
9	NS*	-	Escutcheon	-
10	29450	RP-1806	Seat - Rubber	Bg/24
11	29445	RP-3427	Spring - Stainless Steel	Bg/24
12	NS*	-	Screw	-
13	NS*	-	Body - Brass	-
14	NS*	-	Base Gasket - Plastic	-
15	NS*	-	Aerator	-
16	NS*	-	Screw	-
17	NS*	-	Bolt	-
18	NS*	-	Washer - Rubber	-
19	NS*	-	Coupling Nut - Brass	-
20	NS*	-	Lock Nut - Plastic	-
21	12735	58-1165	Pop-up Stopper	Each

Non-stock items, contact your Sales Rep to order.



Cleveland Tub/Shower Pressure Balancing In-Wall Cycling Valve w/Stops Model 45311

Parts For Cwip # 33546				
	Cwip #	Mfg. #	Description	U/M
1	34340	40069	Ceramic Disc Cartridge	Each



Cleveland Single-Handle Kitchen Faucet Model 40512

Parts For Cwip # 38021				
	Cwip #	Mfg. #	Description	U/M
1	34722	40002	Ceramic Disc Cartridge	Each

Parts For Cwip # 37102



Danze 2-Handle Kitchen Faucets - Model D413655

Description	Mfg.#
1-a. Handle Cap (C)	A603801C
1-b. Handle Cap (H)	A603801H
2. Screw	A008033
3-a. Canopy (C)	A018108C
3-b. Canopy (H)	A018108H
4. Metal Handle Insert	A108017
5. Spout Assembly	A666004
6. Spout Seal Kit	A663040N
7. O-Ring	A004096N
8. Retainer Nut	A016002
9. Washer	A200013
10-a. Ceramic Disc Cartridge (C)	A507102N
10-b. Ceramic Disc Cartridge (H)	A507101N
11. Diverter w/ Vacuum Breaker	A501013N
12. Gasket	A011003NF
13. Plug	A603838N
14. Lock Nut	A009007
15. Coupling Nut	A009016
16. Aerator	A500763N
17. Spray Head with Check Valve	A503002N
18. Spray Holder Assembly	A504109
19. Spray Hose	A511000N

Parts For Cwip # 37110



Danze 2-Handle Lavy Faucets - Model D302255

Description	Mfg.#
1-a. Handle Cap (C)	A603801C
1-b. Handle Cap (H)	A603801H
2. Screw	A008233
3-a. Canopy (C)	A018008C
3-b. Canopy (H)	A018008H
4. Metal Handle Insert	A603155
5. Retainer Nut	A016002
6. Washer	A200013
7-a. Ceramic Disc Cartridge (C)	A507102N
7-b. Ceramic Disc Cartridge (H)	A507101N
8. Aerator	A500013N
9. O-Ring	A004005N
10. Clip	A012011
11. O-Ring	A072021N
12. Screw	A008060
13. Gasket	A011012NF
14. Lock Nut	A009007
15. Coupling Nut	A009016
16. O-Ring	A004058
17. Lift Rod	A025011
18. Lift Rod Strap	A663521
19. Washer (outer)	A200009
20. Ball Nut	A009063
21. Spring Clip	A120030
22. Ball Rod (6-5/16"L)	A026004
23. Washer (inner)	A200109
24. Stopper Assembly	A663121
25. Washer and Nut	A663122
26. Pop-up Body	A605222







Delta Single-Handle Kitchen Faucets 140, 440 Series

	Parts For Cwip #'s 36379, 37971			
	Cwip #	Mfg. #	Description	U/M
1	22663	RP70	Ball Assembly	Bag/6
2	39275	RP4993	Seats & Springs (2 pair)	Kit
3	35906	RP25	O-Rings	Cd/2



Delta Single Lever Kitchen 100–450 Series

	Parts For Cwip #'s: 13548, 37971, 38082, 35196, 39100, 36379, 35194, 31469			
	Cwip #	Mfg. #	Type	U/M
1	14430	RP2393	Handle with Screw	Each
2	12461	RP50	Cap Assembly	Each
3	17675	RP5654	8" Spout	Each
4	23497	RP61	Cam Assembly	Bag/6
5	22663	RP70	Ball Assembly Kit	Bag/6
6	29450	RP1806	Seat	Bag/24
7	29445	RP3427	Spring	Bag/24
8	17591	RP320	Diverter Assembly	Bag/6
9	35906	RP25	O-Ring	Card/2
10	38161	RP6001	Nut & Washer	Pair



Delta 2-Handle Kitchen Faucets 2100, 2102, 2400 & 2402 Series

Parts for Cwip #'s: 13504, 13616, 20037, 30053

	Cwip #	Mfg. #	Type	U/M
1	17635	RP6070	Spout Nut	Each
2	14014	H21	Handle Assembly	Pair
3	13674	H28	Handle Assembly	Pair
4	16004	RP5650	8" Spout	Each
5	14061	RP6073	Diverter Stem	Bg/3
6	23491	RP1740	Stem unit Assembly	Bg/6
7	24850	RP2055	O-Ring	Card/3
8	33444	Non-OEM	Lock Nut - 1/2" Plastic	Pkg/10
9	29450	RP1806	Seat	Bg/24
10	29445	RP3427	Spring	Bg/24



Delta 2-Handle Kitchen Faucets 2176LHP Series

Parts for Cwip #: 37483

	Cwip #	Mfg. #	Type	U/M
1	23491	RP1740	Stem Unit Assembly	Bg/6
2	39275	RP4993	Seats & Springs	Kit (2 pair)



Delta Single-Handle Lavatory 500, 501, & 520 Models

Parts for Cwip #'s 35178, 13577				
	Cwip #	Mfg.#	Size	U/M
1	33693	RP17443	Handle with Screw	Each
2	12461	RP50	Cap with Adjusting Ring	Each
3	23497	RP61	Cam Assembly	Bag/6
4	22663	RP70	Ball Assembly	Bag/6
5	39275	RP4993	Seats & Springs	Kit
6	30079	RP6092	Nut & Washer	Kit



Delta Single-Handle Lavatory Faucet 522 Model

Parts For Cwip # 13549				
	Cwip #	Mfg. #	Type	U/M
1	37130	RP17446	Index Button	Each
2	31171	RP17449	Handle Assembly	Each
3	12461	RP50	Cap with Adjusting Ring	Each
4	23592	RP188	Cam Assembly	Bag/6
5	23486	RP212	Ball Assembly	Bag/6
6	29450	RP1806	Seat	Bag/24
7	29445	RP3427	Spring	Bag/24



Delta 2-Handle Lavatory Faucets
2500, 2502, 2520, 2522, 5522 Models

	Cwip #	Mfg. #	Type	Wgt.lb.	U/M
1	13674	H28	Blade Handle Assembly	.28	Pair
2	17428	RP2412	Index Button, hot and cold - Clear	.18	Pair
3	14014	H21	Acrylic Handle Assembly	.28	Pair
4	32105	RP18373	Index Button, hot and cold - New Style	.18	Pair
5	23491	RP1740	Stem Unit Assembly	.26	Bag/6
6	29450	RP1806	Seats	.02	Bag/24
7	29445	RP3427	Springs	.02	Bag/24
8	24415	RP6068	Hole Cap Button	.01	Each
9	17565	RP5651	Pop-up Assembly - Chrome	.90	Each
10	22875	RP6463	Pop-up Assembly - Plastic	.51	Each



Delta 2-Handle Lavatory Faucet 2530 Series

Parts For Cwip # 37475				
	Cwip #	Mfg. #	Type	U/M
1	39275	RP4993	Seats & Springs	Kit



Lever Handle Base

Small handle base, for kitchen, bar, lavy, and tub/shower faucets. With screws.

Cwip #	Mfg. #	U/M
37467	H24	Pair
Accents Handle		
37459	A24	Pair



Delta 2-Handle Lavatory Faucet 3544 Series

Parts For Cwip # 23314				
	Cwip #	Mfg. #	Type	U/M
1	23491	RP1740	Stem Assembly	Bag/6
2	39275	RP4993	Seats & Springs	Kit



Delta Single-Handle Bath Valves 601-602, 606, 611-612, 621-622, 635-636, 641-642 Models

	Cwip #	Mfg. #	Type	U/M
1	33693	RP17443	Handle with Set Screw	Each
2	23592	RP188	Cam & Packing	Bag/6
3	23486	RP212	Ball Assmbly - Stainless Steel	Bag/6
4	23497	RP61	Cam & Packing	Bag/6
5	22663	RP70	Ball assmbly - Stainless Steel	Bag/6
6	34209	RP4993	Seat & Spring	Set
7	29450	RP1806	Seats	Bg/24
	29445	RP3427	Springs	Bg/24
	13419	(Economy)	(2) Seats/Springs (New Style)	Kit
8	35086	RP16213	Stop Stem Assembly	Each
9	27643	RP5649	Push Button Diverter	Each
10	12461	RP50	Cap Assembly	Each
11	37479	RP5883	Escutcheon	Each
12	30734	RP196	Escutcheon Screw	Each
13	37130	RP17446	Index Button	Each



Delta Single-Handle Pressure Balance Bath Valves 1300 & 1400 Series

	Cwip #	Mfg. #	Type	U/M
1	30734	RP196	Escutcheon Screw	Each
2	33457	RP19804	Scald Guard Cartridge	Each
3	(Disc.)	RP19806	Cap Assembly	Each
4	33408	RP19805	Crt. Housing Assembly	Each
5	34761	RP22734	Unplated Bonnet	Each
6	39275	RP4993	Seats & Springs	Kit (2 pair)
7	27643	RP5649	Push Button Diverter	Each
8	35086	RP16213	Stop Stem Assembly	Each



Delta Two or Three Handle Bath Valves 2680 & 2683 Series

	Cwip #	Mfg. #	Type	U/M
1	35086	RP16213	Screwdriver Stop Assembly	Each
2	32913	RP17730	Diverter Assembly	Each
3	32588	RP18627	Extender	Each
4	36172	RP25592	Extender	Each
5	38981	RP18090	Escutcheon	Each
6	34887	RP18276	Escutcheon	Each
7	23491	RP1740	Stem Unit Assembly	Bag/6
8	29450	RP1806	Seats	Bag/24
	29445	RP3427	Springs	Bag/24



Gerber Single-Handle Kitchen Faucet - 40-120 Model

	Parts For Cwip # 35967			
	Cwip #	Mfg. #	Type	U/M
1	*NS	98041	Handle Assembly	-
2		92141	Screw	-
3		92146	Handle Cap	-
4	37455	92298	Ceramic Disc Cartridge	Each
5	*NS	93073	Washer & O-ring Set	-
6		93316	Aerator	-
7		94040	Spray Diverter w/ Check	-
8		97819	Supply Nut	-
9		97902	Mounting Hardware	-
10		A103116	Trim Cap	-
11		A104002	Retainer Nut	-
12		A041026	Sleeve	-
13		A100009N	Spout	-
14		A011305	Putty Plate	-

Contact your Sales Rep to order non-stock items.



Gerber 2-Handle Kitchen Faucets 52-000 Series

	Parts For Cwip # 36969			
	Cwip #	Mfg. #	Type	U/M
1	39835	97930	Handle Assembly	Each
2	39827	97053	Index Button, hot and cold	Pair
3	37052	86986	Ceramic Cartridge, cold	Each
	32205	86987	Ceramic Cartridge, hot	Each
4	*NS	90331	Celcon Washer	-
5		97800	Coupling Nut & Lock Assemblage	-
6		91631	Mounting Nut	-
7		97819	Supply Nuts	-
8		98271	Spout Assembly	-
9		93316	Aerator Assembly	-
10		92730	O-ring Joint	-



Gerber 2-Handle Kitchen Faucets 42-116, 42-216, 42-416, 42-516 Models

Parts For Cwip #'s 26847, 28237, 22992

	Cwip #	Mfg. #	Type	U/M
1	36293	94252	Index Button, cold	Each
	36285	94251	Index Button, hot	Each
2	36165	97908	Handle Assembly, hot	Each
	36157	97909	Handle Assembly, cold	Each
3	13363	(Non-OEM)	Brass Bibb Seat - 5/8" x 20T	Bg/20
4	17773	(Non-OEM)	RH Stem, hot	Bg/6
	15758	(Non-OEM)	LH Stem, cold	Bg/6
5	*NS	91631	Mounting Nut	-
6	*NS	97819	Supply Nut	-
7	*NS	97800	Coupling Nut & Lock Assemblage	-
8	36317	98261	Cast Spout	Each
9	*NS	91752	Aerator	-



Gerber 2-Handle Kitchen Faucet Model 42-426

Parts For Cwip # 20374

	Cwip #	Mfg. #	Type	U/M
1	36293	94252	Index Button, cold	Each
	36285	94251	Index Button, hot	Each
2	36165	97908	Handle Assembly, hot	Each
	36157	97909	Handle Assembly, cold	Each
3	13363	(Non-OEM)	Brass Bibb Seat - 5/8" x 20T	Bg/20
4	17773	(Non-OEM)	RH Stem, hot	Bg/6
	15758	(Non-OEM)	LH Stem, cold	Bg/6
5	*NS	91631	Mounting Nut	-
6	*NS	97819	Supply Nut	-
7	*NS	97800	Coupling Nut & Lock Assemblage	-
8	*NS	92872	Putty Plate	-
9	*NS	98264	Cast Spout	-
10	*NS	93316	Aerator	-

***Contact your Sales Rep to order non-stock items.**



Gerber Single-Handle Lavy Faucets
40-130 40-135 Series

	Parts For Cwip # 39645			
	Cwip #	Mfg. #	Type	U/M
1	*NS	98038	Metal Handle Assembly	Each
2		98048	Plastic Handle Assembly	Each
3		A103021	Trim Cap	-
4		93124	Locking Nut	-
5	37455	92298	Ceramic Disc Cartridge	-
6	*NS	93316	Aerator	-
7		97819	Coupling Nut	-
8		97722	Lift Rod	-
9		43963	Pop-up Assembly	-
		43773	Pop-up Assembly - Plastic	-

Contact your Sales Rep to order non-stock items.



Gerber 2-Handle Lavatory Faucets 53-100, 53-120 Series

	Parts For Cwip #'s 36745, 36753			
	Cwip #	Mfg. #	Description	U/M
1	39827	97-053	Index Button, hot and cold	Pair
2	39835	97-930	Handle, hot or cold	Each
3	*NS	90-331	Celcon Washer	-
4	37052	86-986	Ceramic Cartridge, cold	Each
	32205	86-987	Ceramic Cartridge, hot	Each
5	*NS	91-572	Aerator	-
6	*NS	97-800	Shank Nut & Lock Nut	-
7	*NS	90-741	O-Ring	-
8	13381	97-731	Pop-up Stopper - New Style	Each
9	*NS	90-731	Pop-up Drain Flange, chr.	-
10	*NS	90-832	Packing	-
11	*NS	97-733	Ball, Rod & Nut	-
12	*NS	97-773	Pop-up Drain	-
13	*NS	97-340	Pop-up Extension	-
14	*NS	97-722	Pop-up Knob & Rod	-
15	*NS	97-769	Pop-up Drain	-
16	*NS	95-183	Pop-up Knob	-
17	*NS	43-973	Pop-up Drain Kit	-
18	*NS	43-969	Pop-up Drain Kit	-



Gerber 2-Handle Lavatory Faucets 43-411, 43-431 Series

	Parts For Cwip #'s 21593, 25923			
	Cwip #	Mfg. #	Type	U/M
1	36293 36285	94-252 94-251	Index Button, cold Index Button, hot	Each Each
3	36165 36157	97-908 97-909	Metal Handle, hot Metal Handle, cold	Each Each
5	17773 15758	(Non-OEM) (Non-OEM)	RH Stem, hot LH Stem, cold	Bag/6 Bag/6
6	13363	(Non-OEM)	Bibb Seat - 5/8" x 20T	Bag/20
10	13381	97-731	Pop-up Stopper - New Style	Each

Contact your Sales Rep to order non-stock items.



Gerber 2-Handle Tub/Shower Faucets
48-220, 48-810 Series

	Parts For Cwip #'s 26074, 20038			
	Cwip #	Mfg. #	Type	U/M
1	36229	97-912	Tub Handle, hot	Each
	36237	97-913	Tub Handle, cold	Each
2	36245	97-312	Index Button, hot & cold	Pair
3	*NS	49-209	Showerhead, Arm & Flange Assm.	-
4	*NS	49-199	Showerhead	-
5	*NS	92-012	Shower Arm	-
6	*NS	92-021	Flange	-
7	30345	90-268	Tub Escutcheon	Each
8	32352	(Non-OEM)	Nipple	Each
9	30820	(Non-OEM)	Stem with Bonnet, hot & cold	Bag/6
10	*NS	90-940	Washer	-
11	13361	(Non-OEM)	Bibb Seat - 21/32" x 18T	Bg/20
12	*NS	97-302	Brass Pipe Plug	-
13	*NS	90-275	Spout	-
14	*NS	92-570	Brass Diverter Spout	-
15	*NS	90-173	Adapter	-
16	*NS	96-690	Brass Coupling Nut	-



Gerber Three Handle Tub/Shower Faucets - Model 48-034-83

	Parts For Cwip # 27389			
	Cwip #	Mfg. #	Type	U/M
1	*NS	49-209	Showerhead, Arm & Flange	-
2	*NS	49-199	Showerhead	-
3	*NS	92-012	6" Shower Arm	-
4	*NS	92-021	Flange	-
5	35162	(Non-OEM)	Tub Escutcheon with Screw	Each
6	26659	90-021	Escutcheon Sleeve	Each
7	32324	(Non-OEM)	Diverter Stem with Bonnet	Bag/6
8	*NS	90-940	Washer	-
9	13363	(Non-OEM)	Bibb seat - 5/8" x 20T	Bag/20
10	30820	(Non-OEM)	Stem with Bonnet, hot & cold	Bag/6
11	*NS	90-251	Plate	-
12	*NS	90-263	Escutcheon	-
13	*NS	97-300	Escutcheon Screws	-
14	36245	97-312	Index button, hot & cold	Pair
	36253	97-308	Index button, Diverter	Each
15	36277	97-915	Tub handle, hot (long broach)	Each
	36261	97-916	Tub handle, cold (long broach)	Each
	36269	97-917	Tub handle - Diverter (long broach)	Each
16	*NS	98-671	Stem with Bonnet	-
17	*NS	90-173	Adapter	-
18	*NS	96-690	Brass Coupling Nut	-
19	*NS	90-275	Spout	-
20	14815	(Non-OEM)	Diverter Washer	Bag/6

Non-stock items, contact your Sales Rep to order.



Gerber Three Handle Tub/Shower Faucets - 48-030, 48-031 Series

	Parts For Cwip # 20354, 20728			
	Cwip #	Mfg. #	Type	U/M
1	*NS	49-209	Showerhead, Arm & Flange	-
2	*NS	49-199	Showerhead	-
3	*NS	92-012	6" Shower Arm	-
4	*NS	92-021	Flange	-
5	30345	90-268	Tub Escutcheon	Each
6	*NS	90-066	Diverter Nipple	-
7	32324	(Non-OEM)	Diverter Stem with Bonnet	Bag/6
8	*NS	90-940	Washer	-
9	13363	(Non-OEM)	Bibb seat - 5/8" x 20T	Bag/20
10	30820	(Non-OEM)	Stem with Bonnet, hot & cold	Bag/6
11	32352	(Non-OEM)	Nipple	Each
12	36229	97-912	Tub Handle, hot	Each
	36237	97-913	Tub Handle, cold	Each
13	36245	97-312	Index Button, hot & cold	Pair
	36253	97-308	Index Button - Diverter	Each
14	*NS	90-173	Adapter	-
15	*NS	96-690	Brass Coupling Nut	-
16	*NS	90-275	Spout	-
17	*NS	90-311	Diverter Washer	-

Non-stock items, contact your Sales Rep to order.



Kohler 2-Handle Kitchen Faucet K-11920

	Parts For Cwip # 36868			
	Cwip #	Mfg #	Type	U/M
1	15398	(Non-OEM)	Chrome Handle Assembly	Pair
2	32098	(Non-OEM)	RH/Hot Complete Stem	Bag/6
	32097	(Non-OEM)	LH/Cold Complete stem	Bag/6



Kohler 2-Handle Lavy Faucet
K-11800, K-11802

	Cwip #	Mfg #	Type	U/M
1	15398	99-0184 (Non-OEM)	Chrome Handle Assembly	Pair
2	32098	11-0250 (Non-OEM)	RH/Hot Complete Stem	Bag/6
	32097	11-0250 (Non-OEM)	LH/Cold Complete Stem	



Matco-Norca™ Single-Handle Kitchen Faucet FT-200SEL, 210SEL Models

Parts For Cwip # 39776		
Cwip #		**Description**
*NS	1	Metal Handle
	2	Index Button - Cold/Hot
	3	Locking Nut
	4	Trim Cap
	5	Ball Valve Assembly
	6	Seat & Springs
	7	Spout
	8	O-Ring
	9	Spray Diverter
	10	Cover Plate
	11	Base Mounting Hardware
	12	Mounting Hardware
	13	Aerator
	14	Side Spray
	15	Spray Holder Assembly
	16	Spray Hose
	17	Wrench
	18	Coupling Nuts

Non-stock items, contact your Sales Rep to order.



Matco-Norca™ Single-Handle Lavy Faucet CT-400SEL, 452SEL Models

Parts For Cwip # 39768				
Cwip #		**Description**		**Description**
*NS	1	Housing	13	Adjusting Ring
	2	Bottom Gasket	14	Aerator
	3	Handle	15	Set Screws
	4	Set Screw	16	Set Screws
	5	Body	17	Stud
	6	Pin	18	Washer
	7	Spring	19	Nut
	8	Seat	20	Pop-up Hole Ring
	9	Ball Stem	21	Cone Washer
	10	Cam Assembly	22	Temp Indicator
	11	Cam Assembly	23	Supply Nut
	12	Cap	24	Pop-up



Moen Single-Handle Kitchen Faucet With Pullout Spout - Model CA87550CSLS

Parts For Cwip # 35657				
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	38889	100429	Handle Adapter Kit	Each
2	20596	1883	Retainer Clip	Bag/6
3	20121	1225B	Plastic Cartridge	Each
4	37751	93959	Mounting Hardware Kit	Each



Moen Single-Handle Kitchen Faucet With Pullout Spout - Model 67315C

Parts For Cwip # 31355				
	Cwip #	Mfg. #	Type	U/M
1	38889	100429	Handle Adapter Kit	Each
2	20596	1883	Retainer Clip	Bag/6
3	20121	1225	Plastic Cartridge	Each
4	37751	93959	Mounting Hardware Kit	Each



Moen Chateau® Single-Handle Kitchen Faucet
Models 7434, 67425, 67435

	Parts For Cwip #'s 24816, 25142, 37804			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	38889	100429	Handle Adapter Kit	Each
2	38098	93980	Handle Mechanism Kit	Each
3	20596	1883	Retainer Clip	Bag/6
4	20121	1225B	Plastic Cartridge	Each
5	39989	91192	Collar Diverter	Each
6	31369	115061	Bearing Washer Kit	Each
7	20496	117	O-Ring Kit (36 each)	Cd
8	37751	93959	Mounting Hardware Kit	Each



Moen Chateau® Single-Handle Kitchen Faucet Models 7445, 7460

Parts For Cwip #'s 38079, 30154				
	Cwip #	Mfg. #	Type	U/M
1	38889	100429	Handle Adapter Kit	Each
2	38098	93980	Handle Mechanism Kit	Each
3	31369	115061	Bearing Washer Kit	Each
4	39989	91192	Collar Diverter	Each
5	20496	117	O-Ring Kit (36 each)	Cd
6	20596	1883	Retainer Clip	Bag/6
7	31174	104234	Spray Hose Assembly	Each
8	37751	93959	Mounting Hardware Kit	Each



Moen Chateau® Single-Handle Kitchen Faucet Models 67425, 67430

Parts For Cwip #'s 24816, 25141				
	Cwip #	Mfg. #	Type	U/M
1	38889	100429	Handle Adapter Kit	Each
2	38098	93980	Handle Mechanism Kit	Each
3	20596	1883	Retainer Clip	Bag/6
4	20121	1225B	Plastic Cartridge	Each
5	31369	115061	Bearing Washer Kit	Each
6	20496	117	O-Ring Kit (36 each)	Cd
7	39989	91192	Collar Diverter	Each
8	31174	104234	Spray Hose Assembly	Each
9	37751	93959	Mounting Hardware Kit	Each



Moen Chateau® 2-Handle Kitchen Faucet 7900 Model (New Style)

Parts For Cwip #'s 22577, 28314				
	Cwip #	Mfg. #	Type	U/M
1	29530	13382	Index Buttons, hot & cold	Pair
2	33784	100695	Handle Assembly, H & C Buttons	Each
3	23147	1224B	Replacement Cartridge (plastic)	Each
4	20496	117	Spout O-ring Kit (12 sets/3)	Cd/36



Moen Single-Handle Kitchen Faucet - Model CA87526

Parts For Cwip # 30777			
Cwip #	Mfg. #	Type	U/M
38881	100021	Index/Temperature Button	Each
35563	93989	Handle Kit	Each
38098	39380	Handle Mechanism Kit	Each
39989	91192	Diverter Assembly	Each
20121	1225B	Plastic Replacement Cartridge	Each
20496	117	Spout O-ring (12 sets/3)	Cd/36
20596	1883	Retainer Clip	Each
38889	100429	Handle Adapter Assembly	Kit



Moen Chateau® Single-Handle Kitchen Faucet 67425 & 67430 Models

	Parts For Cwip #'s 24816, 25141			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	38889	100429	Handle Adapter Kit	Each
2	38098	93980	Handle Mechanism Kit	Each
3	20596	1883	Retainer Clip	Bag/6
4	20121	1225	Plastic Cartridge	Each
5	31369	115061	Bearing Washer Kit	Each
6	20496	117	O-Ring Kit (36 each)	Cd
7	39989	91192	Collar Diverter	Each
8	37751	93959	Mounting Hardware Kit	Each



Moen Chateau® Single-Handle Lavy Faucet Models L4635, L4605, L64635

Parts For Cwip # 35456				
	Cwip #	Mfg. #	Type	U/M
1	20121	1225B	Plastic Cartridge	Each



Moen Chateau® Single-Handle Lavy Faucet - Model L4621

Parts For Cwip # 33499				
	Cwip #	Mfg. #	Type	U/M
1	20121	1225B	Plastic Cartridge	Each



Moen Single-Handle Lavy Faucet Models 84500, 84502

Stocked Parts For Cwip # 25224				
	Cwip #	Mfg. #	Type	U/M
1	20121	1225B	Plastic Cartridge	Each



Moen Chateau® Single-Handle Lavatory Faucet 4601 & 4620 Series (Old Style)

	Stocked Parts For Cwip # 25134			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	20221	96791	Handle Assembly	Each
2	38087	91751	Knob Insert Kit	Each
3	20656	1200B	Cartridge - Brass	Each
	20121	1225B	Cartridge - Plastic	Each
4	28808	10709	Stopper - Non-Metallic	Each
5	29625	12689	Pivot Rod/Clip Assembly	Each



Moen Single-Handle Lavy Faucet Models 4621, 4625, 64601, 64620–21, 64624–25

	Parts For Cwip #'s 24817, 25047, 31483			
	Cwip #	Mfg. #	Type	U/M
1	20221	96791	Handle Assembly	Each
2	38087	91751	Knob Insert Kit	Each
3	20656	1200B	Cartridge - Brass	Each
	20121	1225B	Cartridge - Plastic	Each



Moen Chateau® 2-Handle Lavatory With Metal Waste 64919, 64920 Models (Old Style)

	Stocked Parts For Cwip #'s 22578, 39014			
	Cwip #	Mfg.#	Type	U/M
1	29530	13382	Index button, hot and cold	Pair
2	33784	100695	Handle Kit with H & C Buttons	Each
3	23147	1224B	Plastic Replacement Cartridge	Each



Moen Chateau® Single-Handle Tub/Shower Faucet 2625, 2720, 2739 Models

	Cwip #	Mfg.#	Type	U/M
1	20656	1200B	Cartridge - Brass	Each
	20121	1225B	Cartridge - Plastic	Each
2	35142	10089	Stop Tube	Each
3	38093	10399	Handle Extension Kit	Each
4	38989	16090	Escutcheon	Each
5	35352	15528	Escutcheon Screws	Pkg/2
6	20021	96797	Knob Handle Kit	Each
7	38087	91751	Knob Insert Kit	Each



Moen Chateau® Posi-Temp® Tub/Shower Valve Only L2361 Model

Parts For Cwip # 37697				
	Cwip #	Mfg. #	Type	U/M
1	37767	96914	Retainer Clip	Each
2	31048	1222	Cartridge	Each
3	36984	96987	Stop Tube Kit	Each
4	37447	96955	Handle Extension Kit	Each
5	35352	15528	Escutcheon Screws	Pkg/2



Posi-Temp® Tub/Shower Valve Models 2570, 2590, 62370 & 62390

Stocked Parts For Cwip # 37884				
	Cwip #	Mfg. #	Type	U/M
1	37767	96914	Retainer Clip	Each
2	31048	1222	Cartridge	Each
3	36984	96987	Stop Tube Kit	Each
4	37447	96955	Handle Extension Kit	Each

Contact your Sales Rep to order non-stock items.



Moen Single-Handle Posi-Temp® Tub/Shower Faucet Models TL2376, TL2377, TL2378

Parts For Cwip # 37999 (Trim Kit)				
	Cwip #	Mfg. #	Type	U/M
1	37767	96914	Retainer Clip	Each
2	31048	1222	Cartridge	Each
3	35352	15528	Escutcheon Screws	Pkg/2
4	31349	116653	Handle Adapter	Each



Moen 3-Handle Tub/Shower Valve Model 2995

	Parts For Cwip # 30750			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	23147	1224B	Cartridge	Each
2	39981	96217	Escutcheon Sleeve	Each
3	34244	11854	Diverter Handle Screw	Each
4	38196	13769	Escutcheon	Each
5	29530	13382	Index Button, hot & cold	Pair



Moen Chateau® Posi-Temp® Single-Handle Tub/Shower Faucet Models L2353 & L2352

Stocked Parts For Cwip # 35471				
	Cwip #	Mfg. #	Type	U/M
1	37767	96914	Retainer Clip	Each
2	31048	1222	Cartridge	Each
3	36984	96987	Stop Tube Kit	Each
4	35352	15528	Escutcheon Screws	Pkg/2
5	23048	3931	Tub Spout	Each
6	31342	100657	Handle Kit - Chrome	Each
7	31349	116653	Handle Adapter Kit	Each



Moen Chateau® Posi-Temp® Tub/Shower Faucet Model 2352

	Stocked Parts For Cwip # 35841			
	Cwip #	Mfg. #	Type	U/M
1	37767	96914	Retainer Clip	Each
2	31048	1222	Cartridge	Each
3	36984	96987	Stop Tube Kit	Each
4	35352	15528	Escutcheon Screws	Pkg/2
5	35158	94514	Handle Kit	Each
6	38087	91751	Knob Insert Kit	Each
7	37447	96955	Handle Extension Kit	Each

Price Pfister Faucet Schematics *Continued »*



Price Pfister Avante® Single Lever Kitchen Faucet - 33 Series

	Cwip #	Mfg. #	Type	U/M
1	20282	941-480	Index Button (OEM)	Each
2	-	974-690	Yoke	Each
3	32130	940-620A	Chrome Handle (OEM)	Each
4	24094	962-260	Crt. Retainer Ring (OEM)	Each
5	36084	974-292	Cartridge Assembly (OEM)	Each
	18011	46-4292	Cartridge Assembly	Each
6	22976	41-0124	O-Ring (Non-OEM)	Each
7	22978	41-0134	O-Ring (Non-OEM)	Each
8	24628	931-610	Locknut, 1/2" Shank (OEM)	Each



Price-Pfister® Single-Handle Kitchen 34 Series Faucets

	Cwip #	Mfg. #	Type	Wgt.lb.	U/M
1	34768	950-910	O-Ring	.03	Each
2	38375	974-505	Cartridge	.10	Each

Contact your Sales Rep to order non-stock items.



Price Pfister Verve®
2-Handle Kitchen - G35 Series

	Stocked Parts For Cwip #'s 35210, 39300			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	36990	941-303	Index Button f/ Verve Handle	Each
2	33648	949-306	Verve Handle Insert, cold (blue)	Each
	37141	949-303	Verve Handle Insert, hot (red)	Each
3	33649	940-303	Verve Handle	Each
4	12663	(Non-OEM)	Spout	Each
5	16078	(Non-OEM)	Spout	Each
	35969	920-340A	Spout	Each
6	19571	(Non-OEM)	Index Button, cold	Bg/25
7	19566	(Non-OEM)	Index Button, hot	Bg/25
8	17940	940-520A	Verve Handle (Old Style)	Each
9	21079	(Non-OEM)	Handle Screw	Each
10	20195	(Non-OEM)	RH Hot/Cold Stem	Bg/6
11	24628	931-610	Lock Nut	Each



Price Pfister Verve®
2-Handle Lavatory - T43 Series

	Stocked Parts For Cwip #'s 32506, 26711, 36313			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	36990	941-303	Handle Cap - Chrome	Each
2	33648	949-306	Insert, cold (blue)	Each
	37141	949-303	Insert, hot (red)	Each
3	33649	940-303	Handle - Metal	Each
4	21079	72-1211	Handle Screw	Each
5	20195	NY-6040H	RH Hot/Cold Stem	Bag/6
6	23044	949-360	Washer - Hydroseal	Each
7	25535	941-270A	Chrome Knob for Pop-up	Each
8	25536	941-530A	Chrome Rod for Pop-up	Each
9	25534	08-1001	Strap Assembly with Screw	Each
10	12735	58-1165	Pop-up Stopper; Chrome	Each
11	25533	61-4672	Ball Rod Assembly	Each
12	24628	931-610	Lock Nut, 1/2" Shank	Each



Price Pfister 2-Handle Lavatory Faucet - 45 Series

	Parts For Cwip # 37911			
	Cwip #	Mfg. #	Description	U/M
1	39712	910-900	Cartridge Assembly	Each
2	24628	931-610	Lock Nut	Each



Price Pfister Verve® 3-Valve Tub/Shower Diverter - 01 Series (New Style)

	Parts For Cwip #'s 34028, 20257, 34450			
	Cwip #	**Mfg. #**	**Type**	**U/M**
1	23561	(Non-OEM)	Integral Stop Stem Assembly	Each
2	29434	(Non-OEM)	Diverter Stem with Bonnet	Bag/6
3	13361	(Non-OEM)	Bibb Seat	Bg/20
	39532	970-500	Bibb Seat	Each
4	39297	910-030	Ceramic Hot/Cold Cartridge	Each
5	39916	941-333	Handle Cap - Chrome	Each
6	39940	949-339	Handle Insert - Diverter (gray)	Each
7	39924	949-333	Handle Insert, hot (red)	Each
8	39932	949-336	Handle Insert, cold (blue)	Each
9	39908	940-333	Tub Handle - Chrome (New Style)	Each
10	38529	910-561	Stem Extension Kit	Each



Price Pfister Verve®
3-Valve Tub/Shower Diverter
01 Series (Old Style)

	Cwip #	Mfg. #	Type	U/M
1	12511	Non-OEM	Shower Head Assy. - Chrome	Each
2	*NS	Non-OEM	Head Ball Joint Washer	Bag/6
3	23768	Non-OEM	Diverter Stem with Bonnet	Bag/6
4	15582	Non-OEM	Diverter Stem	Bag/6
5	29490	930-020	Packing Nut	Each
6	23769	Non-OEM	Hot/Cold Stem with Bonnet	Bag/6
7	12228	Non-OEM	Hot/Cold Stem	Bag/6
8	13361	Non-OEM	Bibb Seat	Bag/20
9	16389	972-110	Escutcheon Nipple	Each
10	11792	Non-OEM	Escutcheon - Chrome	Each
11	20222	940-510A	Verve handle - Chrome	Each
12	21079	971-600A	Handle Screw	Each
13	19571	941-320	Index Button, cold	Bag/25
14	19566	941-330	Index Button, hot	Bag/25
15	14173	941-340	Index button - Diverter	Bag/25

Non-stock items, contact your Sales Rep to order.



Price Pfister® Two-Handle
Tub & Shower - 02 Series

	Cwip #	Mfg. #	Type	U/M
1	39712	910-900	Ceramic Cartridge	Each
2	34767	974-291	Cartridge	Each
3	35940	940-240	Acrylic Handle	Each



Sanibel™ Single-Handle Kitchen Faucet Model 120171

Parts For Cwip # 33878			
	Description		Description
1	Handle Assembly	10	Split Ring
2	Handle Screw	11	Spout Base Collar
3	Bonnet Nut	12	Spout
4	Cap Gasket	13	Aerator
5	Ceramic Cartridge, hot	14	Spray Diverter
6	Ceramic Cartridge, cold	15	Sprayer
7	Lock Nut	16	Spray Cradle
8	Coupling Nut	17	Spray Hose
9	Spout O-Ring		



Sayco 2-Handle Kitchen Faucet 820 Series

Parts For Cwip #'s 24696, 38271				
	Cwip #	Mfg. #	Type	U/M
1	18818	F191C	Index Button, cold	Bg/12
	18803	F191H	Index Button, hot	Bg/12
2	17939	F057	Canopy Handle	Each
3	32309	P992	8" Spout	Each
4	17787	P068	RH Hot Stem Assy.	Bg/6
	17768	P069	LH Cold Stem Assy.	Bg/6
5	12078	A003	Bibb Seat	Bg/20



Sayco 2-Handle Lavy Faucet Model 402

Parts For Cwip # 24697		
	Cwip # - Mfg.#	Type
1	P737H	Handle Assembly, hot
	P737C	Handle Assembly, cold
	HK2	Metal Handle Kit (2)
2	**18803 - F191H**	Button, hot
	18818 - F191C	Button, cold
3	F055	Screw
4	P068	RH Compression Ctr.
	P069	LH Compression Ctr.
5	A003EP	Seat
6	E016GR	Underside Plate Gray
7	D020P	Plastic Nut
8	D018	Coupling Nut
9	D009	Aerator



Sterling 2-Handle Lavatory Faucet Models 20114 & 20170

	Cwip #	Mfg. #	Type	U/M
1	39842	(Non-OEM)	Ball Rod Assembly	Each



Union Brass® 2-Handle Kitchen Faucet 580 Series

	Cwip #	Mfg. #	Type	U/M
1	17636	80135	Cast Spout	Each
2	20130	80387 & 80388	Handle Assembly, H & C	Pair
3	16151	80079	RH Stem, hot	Each
4	16195	80080	LH Stem, cold	Each
5	16075	11894	Swing Spout Nut	Each



Union Brass® 2-Handle Lavatory Faucet - 370 Series

	Cwip #	Mfg. #	Type	U/M
1	12097	80377	Handle assembly, hot	Each
2	13746	80378	Handle assembly, cold	Each
3	16151	80079	RH stem, hot	Each
	16195	80080	LH stem, cold	Each
4	13365	(Non-OEM)	Bibb seat	Bg/20
5	20130	80387 & 80388	Handle Assm., H & C	Pair



Union Brass® 2-Handle Lavatory Faucet 570 Series

	Cwip #	Mfg. #	Type	U/M
1	20130	80387 80388	Handle Assembly, hot Handle Assembly, cold	Pair
2	12097	80377	Metal Handle, hot	Each
	13746	80378	Metal Handle, cold	Each
3	16151	80079	RH stem, hot	Each
4	16195	80080	LH stem, cold	Each



Union Brass Tub/Shower Fittings

Cwip #	Mfg.#	U/M
33326	11711	Each
33327	11130	Each
33328	11709	Each



Valley Single-Handle Lavatory Faucets - NA830 Models

	Cwip #	Mfg.#	Description	U/M
1	32009	V5002	Handle Assembly	Each



Valley 2-Handle Lavatory Faucets TC805, TC830 Models

	Cwip #	Mfg.#	Type	U/M
1	35593	V6860	Stem (New Style)	Each
2	24324	V6804	Control Assembly	Each
3	19638	V7059	Seal & Spring Repair Kit	Each



Valley 2-Handle Kitchen Faucets - TC1038, TC1148, TM1038, TM1148

	Cwip #	Mfg.#	Description	U/M
1	24324	V6804	Control Assembly	Each
2	19638	V7059	Seal & Spring Repair Kit	Each



Valley® Single-Handle Kitchen Faucet Models NL1038, NL1039

	Cwip #	Mfg.#	Description	U/M
1	19638	V7059	Seal & Spring Repair	Each



Valley Three Handle Tub/Shower Faucets TC491, TC994, TC996 Models

	Cwip #	Mfg.#	Type	Wgt.lb.	U/M
1	35593	V6860	Control Assembly	.10	Each
2	26345	VP6856	Diverter Stem Assembly	.30	Each
3	25432	95-7815	Acrylic Handles - H & C	.90	Pair

Assorted Tub/Shower Faucet Repair Parts

Shower/Urinal Valve Chrome Plated

Cast brass with self-closing pull chain. For use with outdoor showers and wall hung urinals.

Cwip #	Size	U/M
37850	1/2" IPS	Each

Parts for Powers Hydroguard 400/410 Models



Balancing Cartridge Kits

Cwip #	Type	Mfg. #	U/M
25809	3-Port	410-183	Each
38980	4-Port	401-175	Each



Gasket & Disc Replacement Kit

Cwip #	Mfg. #	U/M
30239	410-182	Each



Throttling Stem/Plate Replacement Kit

Cwip #	Mfg. #	U/M
39914	410-378	Each

Stem Replacement Kit

Powers Valves Series 400, 410 and 2000.

Cwip #	Mfg. #	U/M
33440	401-176	Each



Mixet® Pressure Balancing Valve Repair Parts

	Cwip #	Mfg. #	Size	U/M
1	*NS	MULTRH	Single Lever Volume Control Handle	-
2	*NS	MULTLH	Single Lever Temp. Control Lever Handle	-
3	*NS	MS9RNC	Stem Retainer Nut	-
4	38856	SWD0405	Escutcheon	Each
5	*NS	MLH-HH	ADA Volume Control Handle	-
6	*NS	MDXRH	Deluxe Volume Control Handle	-
7	35040	MLH-CP	Temp. Control Handle with Limit Stop	Each
8	*NS	MSPAK	Escutcheon Screws	-
9	*NS	MS9AT C	Stem	-
10	*NS	MCHK	Spring Check	-
11	*NS	MSPL	Balancing Spool	-



Mixet Tub/Shower Repair Parts

	Cwip #	Mfg. #	Type	U/M
1	25848	MS5AT	Cartridge Valve	Each
2	36452	MDXRH	Acrylic Handle	Each
3	32167	71	Tub Spout	Each
4	25847	MTR	Clear Knob Assm.	Each
5	30249	MTH	Clear Handle	Each
	31197		Smoke Handle	Each
6	27845	MRH	Clear Handle	Each
	29194		Smoke Handle	Each
7	37124	MLF	Flange - Chrome	Each



Symmons Repair Parts

	Cwip #	Mfg.#	Size	U/M
1	35708	TA-4	Seat Repair Kit	Each
2	37600	TA-9	Repair Kit	Each
3	34070	TA-10	Spindle Assembly	Each
4	30412	TA-25A	Diverter Spindle	Each



Mixet Tub/Shower Balancing Spool

Stainless steel.

Cwip #	U/M
36444	Each



Symmons Lever Handle For Temptrol II

	Cwip #	Mfg. #	U/M
1	36724	T-64	Each
2	36732	T-65	Each

Fit-All Shower Arm Escutcheon Steel

Cwip #	Size	U/M
33338	1/2" ID	Bg/25

Shower Arm Flange

ABS with set screw.

Cwip #	Size	U/M
82271	1/2" ID	Each

Split Escutcheons Plastic w/Chrome Finish

Cwip #	Size	U/M
38147	½" IPS - ⅝" OD	Each
33615	1-1/2" IPS	Each



For American Standard

For tubs; chrome plated

Cwip #	Size	Wgt.lb.	U/M
12139	2-1/2" O.D.	.03	Each

For American Standard

For faucets; chrome plated

Cwip #	Size	Wgt.lb.	U/M
35843	3" Dia.	.03	Each



For Sterling

For faucets; chrome plated

Cwip #	Size	Wgt.lb.	U/M
33198	2-11/16" Dia.	.03	Each



For Gerber

With set screw; chrome plated

Cwip #	Size	Wgt.lb.	U/M
35162	2-3/4" Dia.	.14	Each



For Speakman

With set screw; chrome plated

Cwip #	Size	Wgt.lb.	U/M
37970	2-7/8" Dia.	.14	Each



For Central Brass, Price Pfister & Sterling

With set screw; chrome plated

Cwip #	Wgt.lb.	U/M
27220	.14	Each



Moen Tub Escutcheon

Cwip #	Size	U/M
38196	2-3/4" O.D.	Each



For Briggs

Tapped 5/8"-24; 2-7/8" dia. at the wall

Cwip #	Wgt.lb.	U/M
35078	.15	Each

Low Pattern Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
12974	3/8" IPS	.01	Each
20333	1-1/2" IPS	.34	Bx/10

Escutcheon

For American Standard, Speakman, Central shower bodies

Cwip #	Size	Wgt.lb.	U/M
15743	Long pattern	.16	Each
27430	Old style	.16	Each

Bell Pattern Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
21686	3/8" IPS	.04	Each
15570	1/2" IPS	.04	Each



For American Standard Chrome Plated

Cwip #	Wgt.lb.	U/M
34803	.14	Each



For Central Brass

Cwip #	U/M
38123	Each



For Gerber Tub

Cwip #	Size	U/M
30345	5/8" IPS	Each



For Nibco/Phoenix

Cwip #	U/M
38562	Each



For Kohler

Cwip #	U/M
38120	Each

For Kohler

Cwip #	U/M
33350	Each



For Price Pfister Chrome Plated

Cwip #	Size	U/M
11792	5/8" IPS	Each



Universal Escutcheon

Cwip #	Size	U/M
17651	5/8" Thread	Each



Delta Chrome Shower Plate

For single handle tub/shower valves. Includes mounting hardware.

Cwip #	Mfg. #	Wgt.lb.	U/M
35131	RP29827	.35	Each



Delta 2-Handle Tub Escutcheon

For Models 2600 and 2800 Series

Cwip #	Mfg. #	Wgt.lb.	U/M
38981	RP18090	.20	Each



For American Standard Chrome Plated

Cwip #	U/M
36954	Each

For Sterling Chrome Plated

Cwip #	ID x OD x H	U/M
30128	1¼" x 3⅛" x 3/8"	Each

Notes



	Cwip #	Type	U/M
A	33197	For Eljer	Each
B	35176	For Universal Rundle	Each
C	33154	For American Standard	Each
D	22040	American Standard Colony	Each
E	35106	For Gerber	Each
	26659	OEM Gerber (#90-021)	Each
F	27359	For Price Pfister	Each
G	27593	For Sayco	Each
H	27219	For Sterling	Each
I	38022	For Sterling Diverter	Each
J	16603	For Sterling	Each
K	37978	For Speakman	Each





Short Pattern
For American Standard.

Cwip #	U/M
27877	Each

Pop-up Drain Stoppers



For American Standard

Cwip #	Mfg.#	U/M
12645	Non-OEM	Each



For American Standard

Cwip #	Mfg.#	U/M
19998	Non-OEM	Each



For American Standard

Cwip #	Mfg.#	U/M
12721	Non-OEM	Each

For Central Brass

Cwip #	Mfg.#	U/M
12749	Non-OEM	Each



Delta OEM

	Cwip #	Mfg.#	U/M
	16336	RP5648	Each
$	39581	Non-OEM	Each



Gerber

	Cwip #	OEM #	U/M
	13381	97-731	Each
$	39558	Non-OEM	Each



Moen OEM

Cwip #	Mfg.#	U/M
29115	12314	Each



For Milwaukee

Cwip #	U/M
39163	Each



For Moen

Cwip #	U/M
27865	Each

Moen OEM

Cwip #	Mfg.#	U/M
28808	10709 (plastic)	Each



For Price Pfister, B&K & Economy

Cwip #	U/M
12735	Each



For Sayco

Cwip #	Mfg.#	Wgt.lb.	U/M
12708	58-1171	.04	Each



Sterling OEM

Cwip #	Mfg.#	Wgt.lb.	U/M
16677	99B2048	.10	Each



For Sterling & Elkay

Cwip #	Mfg. #	Wgt.lb.	U/M
12745	58-1172	.06	Each

For Valley

Cwip #	Mfg. #	Wgt.lb.	U/M
28568	58-1185	.04	Each



One-Piece P.O. Plug & Stopper

Basin drain with chain and stopper. Chrome plated.

Cwip #	Size	Gauge	Wgt.lb.	U/M
23907	1-1/4" x 5"	17	.52	Each
15115	1-1/4" x 5"	22	.36	Each
16355	1-1/4" x 8"	22	.62	Each

Two-Piece P.O. Plug & Stopper

16409	1-1/4" x 8"	22	.50	Each



	Cwip #	Mfg.#	Type	Wgt.lb.	U/M
A	**Snap'n Pop Drain Assembly**				
	22875	RP6463	Plastic	.51	Each
B	**Pop-up Drain Assembly**				
	17565	RP5651	Chrome	.90	Each
C	**Ball Rod For Pop-up**				
	26625	RP12517		.13	Each
D	**Knob/Rod Assembly For Pop-up**				
	29544	RP6146		.13	Each
E	**Pivot Seat & Gasket**				
	29191	RP6130		.05	Each



Price Pfister Lavatory Pop-up

Cwip #	Mfg. #	U/M
31670	972-022A	Each



Moen Lavatory Pop-up Assembly - Chrome

Non-metallic plug; metal seat

Cwip #	Mfg. #	U/M
32757	96497 - Pop-up Assy.	Each
36294	11985 - Pivot Rod	Each



Universal Lavatory Pop-up Brass Drain Assembly

Cwip #	U/M
12690	Each



PVC Universal Lavatory Pop-up

Cwip #	U/M
30437	Each



Lavatory Pop-up Assembly

Cwip #	Mfg.#	U/M
11821	9004	Each

Replacement Parts

	Cwip #	Size	U/M
1	15605	Lift Knob	Each
2	81595	Lift Rod	Each
3	81497	Set Screw	Each
4	21340	Stopper	Each
5	NS*	Rubber Washer	Each
6	13193	Lift Link	Each
7	81496	Packing Nut	Each
8	81593	Ball Rod	Each
	39389	Ball Rod (New Style)	Each
9	16150	Packing Ring	Each
10	81594	Speed Clip	Each

Economy Speed Clip

Cwip #	U/M
39573	Each

Needle Spray Water Efficient Vandal Resistant Aerators

- Brass housing
- Even spray pattern
- Chrome plated finish

MOEN

GPM	Type	Cwip #	Water and Energy Savings vs. 2.2 GPM Aerators
0.5	Dual Thread	31653	*Saves 77% more water and energy*
	Female Thread	31660	
1.0	Dual Thread	38714	*Saves 55% more water and energy*
	Female Thread	31655	
1.5	Dual Thread	33071	*Saves 40% more water and energy*
	Female Thread	31651	
	All Moen kitchen and bath faucets, except Icon™and Rothbury.	31471	

A

B


C $

D Snap Fitting

Standard Dual Thread Aerators - 15/16M, 55/64F

	Cwip #	GPM	U/M
A	32972	2.2	Bag/10
B	25369	2.2	Bag/10
C	24000	2.0	Bag/10
D	22615	2.2	Bag/10

Vandal Proof

A Female

B Male

C Small Male

D Small Female

E Small Male


F Small Female

Male & Female Aerators

	Cwip #	Type	GPM	U/M
A	26122	55/64F 27 Thread	2.5	Each
B	26114	15/16M 27 Thread	2.5	Each
C	26121	13/16M 27 Thread	2.5	Each
D	32975	13/16M 27 Thread	2.2	Bag/10
E	32976	3/4F 27 Thread	2.0	Bag/10
F	30391	3/4F 27 Thread	2.5	Each

Variable Spray Swivel Aerator

Dual spray, double ball joint and brass top ball with in and out thread.

Cwip #	GPM	U/M
32771	2.5	Each



Swivel-Action Dual Thread Aerator 15/16M - 55/64F

Cwip #	GPM	U/M
18227	2.2	Each

Aerator Adapter

Size: 13/16" - 27 male thread x 55/64" - 27 male thread

Cwip #	U/M
82117	Each

Aerator Adapter

Female size is 3/4". Male size is 15/16" and converts a 3/4" male spout to a 15/16" female spout. Chrome plated brass.

Cwip #	U/M
16292	Each



Brass Hose Nipple

3/4" Male IPS x 3/4" x male hose

Cwip #	U/M
20297	Each

Aerator Wrench For Vandal Proof

For use with vandal proof aerators

Cwip #	Size	U/M
30961	1" x 1"	Each



For American Standard

Cwip #	Type	Wgt.lb.	U/M
16839	Diverter Stem Only	1.7	Bag/6
17745	Bonnet	1.3	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15317	Barrel	.96	Bag/6
17625	Escutcheon Nipple	.04	Each
11865	Cap Thread Gasket	.01	Bag/25
39274	Bonnet Packing	.01	Each
16385	Bibb Seat - Dia. 5/8";Thread 20	.54	Bag/20
34806	Packing Nut	.10	Each



For Central Brass

Cwip #	Type	Wgt.lb.	U/M
33523	Complete Diverter Stem	1.7	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13183	Cap Gasket	.10	Each
34973	Bonnet Packing	.15	Pkg/10
15504	3/8M Flat Bibb Washer	.30	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
34997	Bibb Seat - Dia. 5/8"Thread 24	.50	Bag/20
34957	Diverter Washer	.18	Pkg/10
17625	Escutcheon Nipple	.10	Each
34965	Packing Nut	.25	Each



For Briggs-Republic

Cwip #	Type	U/M
15401	Diverter Stem Only	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13183	Cap Thread Gasket	.01	Each
20531	1/4" Flat Bibb Washer	.24	Bx/100



For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
12228	RH Hot/Cold Stem	1.6	Bag/6
22688	RH H/C Stem with Bonnet	3.3	Bag/6
23769	RH H/C Stem with Bonnet Less Threads	2.9	Bag/6
OEM			
39524	RH H/C Stem with Bonnet	3.5	Each
36236	RH H/C Stem w/Bonnet less thread	3.3	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13468	Cap Thread Gasket	.10	Bx/100
16073	Bonnet Packing	.01	Each
15314	3/8L Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24"	.72	Bx/144
13361	Bibb Seat - Dia. 21/32" Thread 18	.44	Bag/20
39532	Bibb Seat - OEM	.05	Each



For American Standard

Cwip #	Type	U/M
21460	Complete Diverter Stem	Bag/6

Replacement Parts

Cwip #	Type	U/M
-	Bonnet Packing (2-piece)	-
16184	Sleeve O-ring - 3/4"x 5/8"x 1/16"	Bx/100
23366	Top Bibb Gasket	Each
-	Top Bibb Ring (need 2)	-
11485	Top Bibb Wave Ring	Bag/25
15839	Diverter Washer	Each
12322	Bibb Screw - 3/8" x 8/32	Bag/50



For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
15582	Diverter Stem Only	1.6	Bag/6
22695	Diverter Stem with Bonnet	3.3	Bag/6
23768	Diverter Stem with Bonnet Less Escutcheon Threads	3.1	Bag/6
OEM			
36228	Diverter Stem w/Bonnet less thread	3.1	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20461	Cap Thread Gasket	.02	Each
16073	Bonnet Packing	.01	Each
15314	3/8L Flat Bibb Washer	.24	Bx/100
14454	Diverter Washer	.02	Bag/10
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13361	Bibb Seat - Dia. 21/32" Thread 18	.44	Bag/20
39532	Bibb Seat - OEM	.05	Each





For Briggs-Republic

Cwip #	Type	Wgt.lb.	U/M
14604	RH Hot/Cold Stem Only	1.5	Bag/6
21439	Bonnet - Hot/Cold	1.4	Bag/6

Replacement Parts

Cwip #	Type	U/M
13183	Cap Thread Gasket	Each
-	Bonnet Packing	Each
15314	3/8L Flat Bibb Washer	Bx/100
11720	Bibb Seat - Dia. 5/8"Thread 20	Bag/20



For Gerber

Cwip #	Type	U/M
32324	Complete Diverter Stem	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20461	Cap Thread Gasket	.01	Each
15955	Bonnet Packing	.01	Each
20531	1/4 Flat Bibb Washer	.24	Bx/100
14815	Diverter Washer	.10	Bag/6
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13363	Bibb Seat - dia. 5/8"Thread 20	.46	Bag/20



For Sterling

Cwip #	Type	Wgt.lb.	U/M
33488	Complete Diverter Stem	3.3	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15955	Bonnet Packing	.01	Each
20491	1/4L Flat Bibb Washer	.01	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2"Thread 24	.24	Bag/20
20461	Cap Gasket	.01	Each
14815	Diverter Washer	.10	Bag/6
34822	Brass Escutcheon Nipple w/Nut	.12	Each



For Sterling

Cwip #	Type	Wgt.lb.	U/M
18233	RH Hot/Cold Complete	3.3	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15955	Bonnet Packing	.01	Each
20491	1/4L Flat Bibb Washer	.01	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2"Thread 24	.24	Bag/20



For Kohler

Cwip #	Type	Wgt.lb.	U/M
15774	Diverter Complete	2.9	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15114	Bonnet O-ring - 7/8" x 11/16" x 3/32"	.14	Bx/100
-	Diverter Washer	.01	Each



For American Standard

Cwip #	Type	Wgt.lb.	U/M
16978	RH Hot Stem Only	1.5	Bag/6
19598	LH Cold Stem Only	1.6	Bag/6
12277	Bonnet - Hot/Cold	1.7	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
17625	Brass Escutcheon Nipple	.04	Each
11865	Cap Thread Gasket	.01	Bag/25
39274	Bonnet Packing	.01	Each
17579	O Flat Bibb Washer	.24	Bx/100
15447	RH Hot Barrel	.62	Bag/6
15610	LH Cold Barrel	.62	Bag/6
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
34806	Packing Nut	.10	Each





For American Standard

Cwip #	Type	Wgt.lb.	U/M
15326	Diverter Stem Only	1.5	Bag/6
21449	Bonnet - Diverter	1.7	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
17625	Brass Escutcheon Nipple	.04	Each
13613	Cap Thread Gasket	.25	Bag/25
39274	Bonnet Packing	.01	Each
17579	O Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13334	Bibb Seat - Dia. 9/16" Thread 18	.34	Bag/20





For Gerber

Cwip #	Type	U/M
30820	RH H/C Complete Stem	Bag/6

Cwip #	Type	Wgt.lb.	U/M
22195	Cap Thread Gasket	.01	Each
15955	Bonnet Packing	.01	Each
20491	1/4L Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13363	Bibb Seat - Dia. 5/8" Thread 20	.46	Bag/20





For American Standard

Cwip #	Type	U/M
32762	RH H/C Complete Stem	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing (2 piece)	.12	Bag/25
23366	Top Bibb Gasket	.01	Each
-	Top Bibb Ring (need 2)	.02	Bx/100
11485	Top Bibb Wave Ring	.02	Bag/25
17579	O Flat Bibb Washer	.24	Bx/100
24208	Washer Retainer	.02	Each
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13347	Bibb Seat - Dia. ½" Thread 20	.24	Bag/20





For Central Brass

Cwip #	Type	Wgt.lb.	U/M
34284	RH Hot Stem Complete	2.0	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
34973	Bonnet Packing	.20	Pkg/10
15314	3/8L Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
34989	Bibb Seat - Dia. 5/8" Thread 24	.24	Bag/20
17625	Escutcheon Nipple	.04	Each
34965	Packing Nut	.02	Each





For Kohler

Cwip #	Type	Wgt.lb.	U/M
27856	Diverter Stem Complete	.35	Each

Replacement Parts

Cwip #	Type	U/M
14945	O-ring - 1/2" x 3/8" x 1/16"	Bx/100
14925	O-ring; 13/16" O.D. x 5/8" ID x 3/32" Wall	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
12099	Flat bibb Washer - 3/8s	Bx/100
12077	Bibb Seat - Dia. 1/2" Thread 27	Bag/20
-	Escutcheon Nipple	Each
34933	Diverter Washer	Each





For American Standard

Cwip #	Type	Wgt.lb.	U/M
35148	Complete Stem w/Bonnet	1.7	Each
15325	RH Hot/Cold Stem Only	1.4	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
17625	Brass Escutcheon Nipple	.04	Each
13613	Cap Thread Gasket	.25	Bag/25
39274	Bonnet Packing	.01	Each
17579	O Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13334	Bibb Seat - Dia. 9/16" Thread 18	.34	Bag/20
-	Packing Nut	.10	Each





Sterling - OEM

Cwip #	Type	Wgt.lb.	U/M
24731	Diverter with Bonnet	.35	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2" x Thread 24	.24	Bag/20





For Sterling

Cwip #	Type	Wgt.lb.	U/M
25315	Diverter Stem Complete	1.4	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15019	Stem O-ring - 7/16" x 5/16" x 1/16"	.04	Bx/100
15114	Bonnet O-ring	.14	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2" Thread 24	.24	Bag/20





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
12598	RH Hot/Cold Stem	1.5	Bag/6
OEM			
13277	RH Hot/Cold Bonnet	1.7	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
16073	Bonnet Packing	.01	Each
15314	3/8L Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13361	Bibb Seat - Dia. 21/32" Thread 18	.44	Bag/20





For Sayco

Cwip #	Type	U/M
16041	Bonnet	Bag/6

Replacement Parts

Cwip #	Type	U/M
20471	OO Flat Bibb Washer	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
12078	Bibb Seat - Dia. 1/2" Thread 20	Bag/20



For American Standard

Cwip #	Type	Wgt.lb.	U/M
21425	RH Hot Stem Only	1.2	Bag/6
21427	LH Cold Stem Only	1.2	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
17625	Brass Escutcheon Nipple	.04	Each
17579	O Flat Bibb Washer	.24	Bx/100
15447	RH Hot Barrel	.62	Bag/6
15610	LH Cold Barrel	.62	Bag/6
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
-	Packing Nut	.10	Each



For American Standard

Cwip #	Type	Wgt.lb.	U/M
22920	Diverter Stem Complete	2.1	Bag/6
OEM			
39011	Diverter Stem w/Bonnet	.35	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing (2-piece)	.12	Bag/25
16184	Sleeve O-ring - 3/4" x 5/8" x 1/16"	.06	Bx/100
23366	Top Bibb Gasket	.01	Each
-	Top Bibb Ring (need 2)	1.0	Bx/100
11485	Top Bibb Wave Ring	.02	Bag/25
15839	Diverter Washer	.01	Each
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50





For Savoy

Cwip #	Type	U/M
31113	RH Hot & Cold Complete Stem	Bag/6

Replacement Parts

Cwip #	Type	U/M
22195	Cap Thread Gasket	Each
35038	Bibb Seat - Dia. 17/32"Thread 20	Bag/20





For Eljer

Cwip #	Type	U/M
32646	Diverter Complete Stem	Bag/6

Replacement Parts

Cwip #	Type	U/M
13478	Cap Thread Gasket	Each
20531	1/4 Flat Bibb Washer	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
37899	Bonnet Packing	Bag/10
12321	Bibb Seat - Dia. 1/2"Thread 27	Bag/20
23604	Diverter Washer	Bag/10



For Central Brass

Cwip #	Size	U/M
37472	Hot/Cold Stem Complete	Each

Replacement Parts

Cwip #	Size	U/M
-	Bibb Washer	Each
-	Cap Gasket	Each



For Central Brass

Cwip #	Size	U/M
38773	Diverter Stem Complete	Each

Replacement Parts

Cwip #	Size	U/M
-	Bibb Washer	Each
-	Cap Gasket	Each





For Sayco

Cwip #	Type	Wgt.lb.	U/M
32918	RH H/C Stem Complete	.90	Bag/6
16041	Bonnet - Hot/Cold	1.1	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
12078	Bibb Seat - dia. 1/2"; Thread 20	.26	Bag/20





For Crane

Cwip #	Type	Wgt.lb.	U/M
15962	RH Hot/Cold Stem Only	1.6	Bag/6
34838	Bonnet	1.0	Bag/6
Crane OEM			
39083	RH Hot/Cold Stem	.37	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
23603	Bonnet Packing	.20	Bag/25
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
16350	Bibb Seat - Dia. 9/16" Thread 18	.26	Bag/20





For Crane

Cwip #	Type	Wgt.lb.	U/M
15924	Diverter Stem Only	1.3	Bag/6
21429	Bonnet	.94	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20438	Cap Thread Gasket	.01	Each
15110	Bonnet O-ring - $^{9}/_{16}$" x $^{7}/_{16}$" x $^{1}/_{16}$"	.09	Bx/100
20531	1/4 Flat Bibb Washer	.24	Bx/100
20418	Diverter Washer	.02	Bag/10
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
16350	Bibb Seat - Dia. 9/16" Thread 18	.26	Bag/20





For Crane

Cwip #	Type	U/M
34894	Diverter Complete Stem	Each

Replacement Parts

Cwip #	Type	U/M
16350	Bibb Seat - Dia. 9/16" Thread 18	Bag/20
12322	Bibb Screw - 3/8" x 8/32	Bag/50





For Crane

Cwip #	Type	U/M
34902	H/C Complete Stem	Each

Replacement Parts

Cwip #	Type	U/M
16350	Bibb Seat - Dia. 9/16" Thread 18	Bag/20
12322	Bibb Screw - 3/8" x 8/32	Bag/50





For Eljer

Cwip #	Type	U/M
32645	RH Hot Complete Stem	Bag/6
32647	LH Cold Complete Stem	Bag/6

Replacement Parts

Cwip #	Type	U/M
13478	Cap Thread Gasket	Each
20531	1/4 Flat Bibb Washer	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
37899	Bonnet Packing	Bag/10
12321	Bibb Seat - Dia. 1/2" Thread 27	Bag/20



For Eljer

Cwip #	Size	U/M
33224	RH Hot Stem Complete	Bag/6
23211	RH Hot Stem Only	Bag/6
23212	LH Cold Stem Only	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
20531	1/4 Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
31493	Bibb Seat - Dia. 1/2" Thread 20	.22	Bag/20





For Crane

Cwip #	Type	Wgt.lb.	U/M
13570	RH Hot/Cold Stem Only	7.8	Bag/6
34838	Bonnet	1.0	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing	.24	Bx/25
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
16350	Bibb Seat - Dia. 9/16" thread 18	.26	Bag/20





For Sterling

Cwip #	Type	Wgt.lb.	U/M
33945	Complete Diverter Stem	2.8	Bag/6
16648	Diverter Stem Only	1.2	Bag/6
21448	Bonnet	1.6	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
35109	Cap Thread Gasket	.01	Each
39274	Bonnet Packing	.01	Each
20491	1/4L Flat Bibb Washer	.24	Bx/100
14815	Diverter Washer	.01	Bag/6
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. ½" Thread 24	.26	Bag/20





For Sterling

Cwip #	Type	Wgt.lb.	U/M
33946	Complete Hot/Cold Stem	2.8	Bag/6
11758	RH Hot/Cold Stem Only	1.2	Bag/6
16697	Bonnet Hot/Cold	1.5	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13613	Cap Thread Gasket	.01	Bag/25
39274	Bonnet Packing	.01	Each
20491	1/4L Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2" Thread 24	.24	Bag/20





For Sayco

Cwip #	Type	Wgt.lb.	U/M
22691	RH Hot Stem Complete	1.4	Bag/6
30975	LH Cold Stem Complete	1.4	Bag/6

Replacement Parts

Cwip #	Type	U/M
-	Bonnet Packing Nut	Each
16184	Cap Thread O-ring; 3/4" x 5/8" x 1/16"	Bx/100
11890	Bonnet Packing	Bag/25
20471	OO Flat Bibb Washer	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
12078	Bibb Seat - Dia. 1/2" Thread 20	Bag/20





For Sayco

Cwip #	Type	Wgt.lb.	U/M
11983	Diverter Stem Only	.98	Bag/6
22983	Complete Diverter Stem	1.5	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing Nut	.02	Each
-	Diverter Extension	.02	Each
-	Brass Escutcheon Nipple	.06	Each
16184	Cap Thread O-ring; 3/4" x 5/8" x 1/16"	.06	Bx/100
11890	Bonnet Packing	.06	Bag/25
14945	O-ring - 1/2" x 3/8" x 1/16"	.16	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13962	Diverter Ring (New Style)	.01	Each
31115	Diverter Ring (Old Style)	.01	Each
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
12078	Bibb Seat - dia. 1/2" Thread 20	.26	Bag/20





For American Standard

Cwip #	Type	Wgt.lb.	U/M
21459	Diverter Stem Complete	5.0	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15112	Cap Thread O-ring; 5/8" x 7/16" x 3/32"	.10	Bx/100
15114	Bonnet O-ring - 7/8" x 11/16" x 3/32"	.14	Bx/100
17579	O Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13334	Bibb Seat - Dia. 9/16" Thread 18	.34	Bag/20



For American Standard

Cwip #	Type	U/M
22684	RH H/C Complete Stem	Bag/6
OEM		
39013	RH H/C Stem with Bonnet	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing (2)	.12	Bg/25
23366	Top Bibb Gasket	.01	Each
11485	Top Bibb Wave Ring	.02	Bg/25
17579	O Flat Bibb Washer	.24	Bx/100
24208	Washer Retainer	.01	Each
12322	Bibb Screw - 3/8" x 8/32	.16	Bg/50
13347	Bibb Seat - Dia. 1/2" Thread 20	.24	Bg/20
23232	Stem Repair Kit	.20	Each



For Harcraft

Cwip #	Type	Wgt.lb.	U/M
17776	RH H/C Stem Complete	1.2	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
15110	O-ring - 9/16" x 7/16" x 1/16"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
14979	Bibb Seat - Dia. 9/16"Thread 20	.18	Bag/20



Symmons Temptrol Spindle Assembly - TA-10

Cwip #	Type	U/M
34070	Hot/Cold	Each





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
12474	RH Hot/Cold Stem Only	1.3	Bag/6
29435	RH H/C Stem with Bonnet	2.6	Bag/6
OEM			
13277	RH H/C Bonnet with Threads	1.7	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13468	Cap Thread Gasket	.10	Bx/100
16073	Bonnet Packing	.01	Each
15314	3/8L Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13361	Bibb Seat - Dia. 21/32"Thread 18	.44	Bag/20





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
16865	Diverter Stem Only	1.3	Bag/6
29434	Diverter Stem with Bonnet	2.9	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20461	Cap Thread Gasket	.01	Each
16073	Bonnet Packing	.01	Each
15314	3/8L Flat Bibb Washer	.24	Bx/100
14454	Diverter Washer	.02	Bag/10
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13361	Bibb Seat - Dia 21/32"Thrd 18	.44	Bag/20





For Eljer

Cwip #	Type	Wgt.lb.	U/M
23647	Diverter Stem Complete	2.3	Bag/6

Replacement Parts

Cwip #	Type	U/M
13478	Cap Thread Gasket	Each
20531	1/4 Flat Bibb Washer	Bx/100
23604	Diverter Washer	Bag/10
12322	Bibb Screw - 3/8" x 8/32	Bag/50
12321	Bibb Seat - Dia. 1/2" Thread 27	Bag/20
37899	Bonnet Packing	Bag/10



For Sterling

Cwip #	Type	Wgt.lb.	U/M
30606	RH H/C Stem Complete	.25	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
18051	Cap Thrd O-ring; 13/16" x 11/16" x 1/16"	.18	Bx/100
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - dia. 1/2" Thread 24	.24	Bag/20
20471	OO Flat Bibb Washer	.24	Bx/100





For Kohler

Cwip #	Type	Wgt.lb.	U/M
15670	RH Hot Stem Only	.94	Bag/6
15444	LH Cold Stem Only	.94	Bag/6
27857	RH Hot Stem Complete	.39	Each
27855	LH Cold Stem Complete	.39	Each
16060	RH Cold Bonnet less sleeve	1.46	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
12077	Bibb Seat - Dia. 1/2" Thread 27	.18	Bag/20



For Speakman

Cwip #	Type	Wgt.lb.	U/M
34723	RH H/C Stem Complete	1.5	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
14967	Cap Thread O-ring 15/16" x 3/4" x 3/32"	.18	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13273	Bibb Seat - Dia. 7/16" Thread 27	.18	Bag/20



For Speakman

Cwip #	Type	U/M
15613	RH H/C Stem Only	Each



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13315	Bonnet Packing	.01	Each
20471	OO Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13273	Bibb Seat - Dia. 7/16" Thread 27	.20	Bag/20



Union Brass - OEM

Cwip #	Type	Wgt.lb.	U/M
26008	Diverter Stem w/ Bonnet	.25	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13613	Cap Thread Gasket	.25	Bag/25
20531	Bibb Washer - 1/4"	.24	Bx/100
-	O-ring - 11/16" x 9/16" x 1/16"	.08	Bx/100
-	Bibb Seat - dia. 9/16" Thrd 18	.08	Each



For American Standard

Cwip #	Type	Wgt.lb.	U/M
-	RH Hot Stem Only	1.1	Bag/6
15794	LH Cold Stem Only	1.1	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
17625	Brass Escutcheon Nipple	.01	Each
39274	Bonnet Packing	.24	Each
17579	1/4S Flat Bibb Washer	.72	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.44	Bx/144
-	Packing Nut	.10	Each
15447	Barrel RH Hot	.62	Bag/6
15610	Barrel LH Cold	.62	Bag/6



Union Brass

Cwip #	Type	Wgt.lb.	U/M
19505	RH H/C Stem w/ Bonnet	.20	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100





For American Standard-Schaible

Cwip #	Type	U/M
15716	LH Cold Stem Only	Bag/6

Cwip #	Type	U/M
-	Top Bibb Ring	Bx/100
17579	1/4S Flat Bibb Washer	Bx/100
13391	Bibb Screw - 3/8" x 10/24	Bx/144
13347	Bibb Seat - Dia. 1/2" Thread 20	Bag/20



For American Standard

Cwip #	Type	Wgt.lb.	U/M
16626	RH Hot/Cold Stem Only	.86	Bag/6
16040	Bonnet - Hot/Cold	.86	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
39274	Bonnet Packing	.01	Each
17579	1/4S Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
12220	Bibb Seat - Dia. 9/16" Thread 24	.32	Bag/20



For Sterling

Cwip #	Type	Wgt.lb.	U/M
32896	RH Hot Stem Complete	1.2	Bag/6
32897	LH Cold Stem Complete	1.2	Bag/6



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.04	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.01	Bag/50
13362	Bibb Seat - Dia. 1/2" Thread 24	.24	Bag/20



For Bradley

Cwip #	Type	U/M
38968	RH Hot Stem Complete	Each
38976	LH Cold Stem Complete	Each



For American Standard

Cwip #	Type	Wgt.lb.	U/M
16732	RH Hot Stem Only	.78	Bag/6
17028	LH Cold Stem Only	.78	Bag/6
16040	Bonnet	.86	Bag/6

Replacement Parts

Cwip #	Type	U/M
17579	1/4S Flat Bibb Washer	Box/100
13353	Bibb Screw - 1/2" x 10/24	Box/100





For Kohler

Cwip #	Type	Wgt.lb.	U/M
21631	LH Hot Stem Complete	1.1	Bag/6
21632	RH Cold Stem Complete	1.1	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15112	O-ring - 5/8" x 7/16" x 3/32"	.10	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
11628	Bibb Seat - Dia. 9/16" Thread 24	.36	Bag/20



For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
15642	RH H/C Stem w/ Bonnet	.80	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144





For American Standard

Cwip #	Type	Wgt.lb.	U/M
24914	RH Hot Stem Complete	.92	Bag/6
24922	LH Cold Stem Complete	.92	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
16006	Bonnet Packing	.10	Bag/25
-	Top Bibb Ring (need 2)	1.0	Bx/100
17579	1/4S Flat Bibb Washer	.24	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.12	Bag/25
13347	Bibb Seat - Dia. 1/2" Thread 20	.24	Bag/20





For American Standard

Cwip #	Type	Wgt.lb.	U/M
-	LH Cold Stem Only	.74	Bag/6
16040	Bonnet - Hot/Cold	.32	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
39274	Bonnet Packing	.01	Each
17579	1/4S Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100
12220	Bibb Seat - Dia. 9/16" Thread 24	.32	Bag/20

For Phoenix/Nibco



Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
24051	RH H/C Cartridge w/ Bonnet	.04	Each
14967	Cap Thread O-ring 15/16" x 3/4" x 3/32"	.06	Bx/100
14945	O-ring - 1/2" x 3/8" x 1/16"	.06	Bx/100





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
17033	RH H/C Stem w/ Bonnet	.70	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring; 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100
13290	Bibb Seat - Dia. 1/2"Thread 20	.18	Bag/20



For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
16848	RH H/C Stem w/ Bonnet	.70	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100



American Standard Ultramix Tub/Shower
Pressure Balanced Cartridge

Cwip #	Mfg.#	Type	Wgt.lb.	U/M
37156	051337-0070A	Crt. Assembly	.33	Each



American Standard Ultramix Tub/Shower
Pressure Balanced Cartridge

Cwip #	Mfg.#	Type	Wgt.lb.	U/M
37172	77171-0070A	Crt. Assembly	.20	Each



Economy Hot/Cold Faucet Cartridge

Cwip #	Type	Wgt.lb.	U/M
34380	Cartridge Assembly	.10	Bag/6





For American Standard

Cwip #	Type	Wgt.lb.	U/M
15402	RH Hot Stem Complete	.90	Bag/6
15714	LH Cold Stem Complete	.90	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
14925	Bonnet O-ring; 3/16" x 5/8" x 3/32"	.14	Bx/100
14945	O-ring - 1/2" x 3/8" x 1/16"	.06	Bx/100
15110	O-ring - 9/16" x 7/16" x 1/16"	.24	Bx/100
17579	1/4S Flat Bibb Washer	.02	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.72	Bg/25
13310	Bibb Seat - Dia. 7/16"Thread 24	.44	Bag/20
34878	Lock Nut	.12	Bag/6



For Delta-Peerless

Cwip #	Type	Wgt.lb.	U/M
17784	RH H/C Stem w/ Bonnet	.18	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Cap Hot/Cold	.01	Each
-	Cap Thread Gasket	.01	Each
18051	Cap Thrd. O-ring; 13/16" x 11/16" x 1/16"	.08	Bx/100





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
17823	RH Hot Stem w/ Bonnet	.66	Bag/6
17804	LH Cold Stem w/ Bonnet	.66	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13290	Bibb Seat - Dia. 1/2"Thread 20	.18	Bag/20



For Price-Pfister Integral Stop

Cwip #	Type	Wgt.lb.	U/M
23561	Stem with Bonnet	.98	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13468	Cap Thread Gasket	.10	Bx/100
15314	3/8L Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100





For Schaible American Standard Shirley-Tracy

Cwip #	Type	Wgt.lb.	U/M
16940	RH Hot Stem Only	.72	Bag/6
17027	LH Cold Stem Only	.72	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13337	Bonnet Packing	.01	Each
20531	1/4 Flat Bibb Washer	.24	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.12	Bag/25





For Sterling

Cwip #	Type	Wgt.lb.	U/M
15407	RH Hot Stem Complete	.92	Bag/6
15674	LH Cold Stem Complete	.92	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2" Thread 24	.24	Bag/20





For Sterling

Cwip #	Type	Wgt.lb.	U/M
17788	RH Hot Stem Complete	.82	Bag/6
17808	LH Cold Stem Complete	.82	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13362	Bibb Seat - Dia. 1/2" Thread 24	.24	Bag/20



Valley II - OEM

Cwip #	Type	Wgt.lb.	U/M
24324	Control Assembly	.04	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
18051	Cap Thrd. O-ring $^{9}/_{16}$" x $^{3}/_{8}$" x $^{3}/_{32}$"	.08	Bx/100
15066	Stem O-ring $^{9}/_{16}$" x $^{3}/_{8}$" x $^{3}/_{32}$"	.09	Bx/100



For American Standard

Cwip #	Type	Wgt.lb.	U/M
35385	RH Hot Stem Complete	.76	Bag/6
38066	LH Cold Stem Complete	.76	Bag/6

Replacement Parts

Cwip #	Type	U/M
34870	Bibb Seat - $^{7}/_{16}$" x 24 Thread	Bag/20
30424	Bibb Washer	Each





For American Standard

Cwip #	Type	Wgt.lb.	U/M
16991	RH Hot Stem Complete	.76	Bag/6
17781	LH Cold Stem Complete	.76	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20573	Aqua seal washer	.14	Bx/25
14945	O-ring - 1/2" x 3/8" x 1/16"	.06	Bx/100
13310	Bibb Seat - 7/16" x 24 Thread	.24	Bag/20
34878	Lock Nut	.12	Bag/6





For Gerber

Cwip #	Type	Wgt.lb.	U/M
17813	RH Hot Stem Complete	.98	Bag/6
15538	LH Cold Stem Complete	.98	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20531	1/4 Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100
13363	Bibb Seat - 5/8" x 20 Thread	.46	Bag/20



For Gerber

Cwip #	Type	Wgt.lb.	U/M
21414	RH H/C Stem Complete	.82	Bag/6





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
17790	RH H/C Stem w/ Bonnet	.62	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100
13290	Bibb Seat - 1/2" x 20 Thread	.18	Bag/20





For Price-Pfister - (Washerless)

Cwip #	Type	Wgt.lb.	U/M
20195	RH H/C Stem	.64	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
23044	Seat Washer	.01	Each
-	Cap Thread Hasket	.01	Each
13290	Bibb Seat - 1/2" x 20 Thread	.18	Bag/20





For Sterling

Cwip #	Type	Wgt.lb.	U/M
16698	RH Hot Stem Complete	.82	Bag/6
16649	LH Cold Stem Complete	.82	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.12	Bag/25
13362	Bibb Seat - 1/2" x 24 Thread	.24	Bag/20





For Savoy

Cwip #	Type	Wgt.lb.	U/M
15408	RH Hot Stem Complete	.86	Bag/6
16215	LH Cold Stem Complete	.86	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20531	1/4" Flat Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10-24	.72	Bg/100
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
-	Bibb Seat - 9/16" x 20 Thread	.34	Bg/20





For American Standard

Cwip #	Type	Wgt.lb.	U/M
15536	RH Cold Stem Only	.52	Bag/6
15715	LH Hot Stem Only	.52	Bag/6
16872	Bonnet - Hot/Cold	.40	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Bonnet Packing (2-piece)	.12	Bag/25
16006	Bonnet Packing (as shown)	.10	Bag/25
-	Top Bibb Ring (2)	1.0	Bx/100
17579	1/4S Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
13347	Bibb Seat - 1/2" x 24 Thread	.24	Bag/20





For American Standard

Cwip #	Type	Wgt.lb.	U/M
15755	RH H/C Stem Complete	.70	Bag/6
OEM			
39016	RH H/C Stem w/ Bonnet	.37	Each

Replacement Parts

Cwip #	Type	U/M
14925	Cap Thread O-ring 13/16" x 5/8" x 3/32"	Bx/100
15066	O-ring - 9/16" x 3/8" x 3/32"	Bx/100
17579	1/4S Flat Bibb Washer	Bx/100
12322	Bibb Screw - 3/8" x 8/32	Bag/50
13347	Bibb Seat - 1/2" x 20 Thread	Bag/20





For Central Brass

Cwip #	Type	Wgt.lb.	U/M
13295	RH Hot Stem Complete	.76	Bag/6
13390	LH Cold Stem Complete	.76	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
17579	1/4S Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
12501	Bibb Seat - 1/2" x 24 Thread	.29	Bag/20





For Central Brass

Cwip #	Type	Wgt.lb.	U/M
17815	RH Hot Stem Complete	.62	Bag/6
17782	LH Cold Stem Complete	.62	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
17579	1/4S Flat Bibb Washer	.24	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.12	Bag/25
12501	Bibb Seat - 1/2"x 24 Thread	.92	Bag/20





For Crane-Repcal

Cwip #	Type	Wgt.lb.	U/M
15539	RH Hot Stem Complete	.78	Bag/6
15405	LH Cold Stem Complete	.78	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20531	1/4 Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
-	Bibb Seat - 9/16" x 28 Thread	.30	Bag/20





For Gerber

Cwip #	Type	Wgt.lb.	U/M
32631	RH Hot Stem Complete	.78	Bag/6
32630	LH Cold Stem Complete	.78	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13525	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20531	1/4 Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.12	Bx/100
13363	Bibb Seat - 9/16" x 28 Thread	.46	Bag/20





For Gerber

Cwip #	Type	Wgt.lb.	U/M
17773	RH Hot Stem Complete	.86	Bag/6
15758	LH Cold Stem Complete	.86	Bag/6
OEM			
39004	RH Hot Stem w/ Bonnet	.20	Each
39001	LH Cold Stem w/ Bonnet	.20	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13525	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20531	1/4 Flat Bibb Washer	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.12	Bx/100
13363	Bibb Seat - 9/16" x 28 Thread	.46	Bag/20



For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
17789	RH Hot Stem Complete	.58	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
11471	1/4 Bevel Flat Bibb Washer	.22	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100





For Speakman

Cwip #	Type	Wgt.lb.	U/M
15331	RH Hot Stem Complete	.84	Bag/6
15332	LH Cold Stem Complete	.84	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
20471	OO Flat Bibb Washer (New Style)	.24	Bx/100
13353	Bibb Screw - 1/2" x 10/24	.72	Bx/100
13273	Bibb Seat - 7/16 x 27 Thread	.20	Bag/20





For Price-Pfister

Cwip #	Type	Wgt.lb.	U/M
15643	RH Hot Stem Complete	.60	Bag/6
15676	LH Cold Stem Complete	.60	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
13391	Bibb Screw - 3/8" x 10/24	.72	Bx/144
13290	Bibb Seat - 1/2" x 20 Thread	.18	Bag/20





For Sayco

Cwip #	Type	Wgt.lb.	U/M
17787	RH Hot Stem Complete	.62	Bag/6
17768	LH Cold Stem Complete	.62	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
-	Cap Thread O-ring: 11/16" x 9/16" x 1/16"	.08	Bx/100
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
12322	Bibb Screw - 3/8" x 8/32	.16	Bag/50
12078	Bibb Seat - 1/2" x 20 Thread	.26	Bag/20





For Kohler

Cwip #	Type	Wgt.lb.	U/M
32098	RH Hot Stem Complete	.66	Bag/6
32097	LH Cold Stem Complete	.66	Bag/6

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100
20471	OO Flat Bibb Washer	.24	Bx/100
37403	Bibb Screw - 3/8" x 8/32	.12	Bag/25
12077	Bibb Seat - 1/2" x 27 Thread	.18	Bag/20



Union Brass - OEM

Cwip #	Type	Wgt.lb.	U/M
16151	RH Hot Stem Complete	.10	Each
16195	LH Cold Stem Complete	.10	Each

Replacement Parts

Cwip #	Type	Wgt.lb.	U/M
13478	Cap Thread Gasket	.01	Each
15066	O-ring - 9/16" x 3/8" x 3/32"	.09	Bx/100



Barrel For American Standard

Cwip #	Type	U/M
15447	RH Hot Barrel	Bag/6
15610	LH Cold Barrel	Bag/6



Barrel For Kohler

Cwip #	Type	U/M
15489	RH Hot Barrel	Bag/6
15753	LH Cold Barrel	Bag/6

Bibb Seats For American Standard











	24 Thread	24 Thread	24 Thread	20 Thread		20 Thread
Cwip #	81293 (Monel)	13310	20441	13347	39006 (OEM)	24722 (Monel)
Wgt.lb.	.02	.24	.26	.24	.02	.24
U/M	Each	Bag/20	Bag/20	Bag/20	Each	Bag/20









	18 Thread	24 Thread	20 Thread	24 Thread
Cwip #	13334	12220	16385	20441
Wgt.lb.	.34	.32	.54	.26
U/M	Bag/20	Bag/20	Bag/20	Bag/20

For Briggs Republic



	24 Thread	20 Thread
Cwip #	11622 (Monel)	11720
Wgt.lb.	.33	.80
U/M	Bag/20	Bag/20

For Crane Repcal



	18 Thread
Cwip #	16350
Wgt.lb.	.26
U/M	Bag/20

For Eljer



	27 Thread
Cwip #	12321
Wgt.lb.	.28
U/M	Bag/20

Gerber



20 Thread

	For Gerber	Monel
Cwip #	13363	24852
Wgt.lb.	.46	.46
U/M	Bag/20	Bag/20

For Harcraft



	20 Thread
Cwip #	14979
Wgt.lb.	.18
U/M	Bag/20

For Kohler



	No Threads	27 Thread	27 Thread
Cwip #	11628	12077	11756
Wgt.lb.	.36	.18	.22
U/M	Bag/20	Bag/20	Bag/20

For Luxor

	24 Thread
Cwip #	32412 (Monel)
Wgt.lb.	.02
U/M	Each

For Price Pfister



	20 Thread		18 Thread	
Cwip #	13290	80104 (Monel)	13361	81223 (Monel)
Wgt.lb.	.18	.22	.44	.40
U/M	Bag/20	Bag/20	Bag/20	Bag/20

Sayco



	20 Thread	20 Thread
Cwip #	12078	23020 (Monel)	16315
Wgt.lb.	.26	.26	.48
U/M	Bag/20	Bag/20	Bag/20

Savoy



	20 Thread
Cwip #	35038
Wgt.lb.	.35
U/M	Bag/20

For Speakman Kent Rheem



	27 Thread	28 Thread
Cwip #	13273	11484
Wgt.lb.	.20	.40
U/M	Bag/20	Bag/20

Sterling



	24 Thread	
Cwip #	13362	39051 (Monel)
Wgt.lb.	.24	.01
U/M	Bag/20	Each

For Union Brass



	18 Thread
Cwip #	13365
Wgt.lb.	.30
U/M	Bag/20

Bibb Seat Gauge

Cwip #	U/M
32055	Each

Bibb Screw Kit

300 Brass bibb screws;
9 assorted sizes.

Cwip #	U/M
35256	Kit

Bibb Screws

	Cwip #	Head / Size	U/M
Brass	12322	#4 - 8/32 x 3/8”	Bag/50
	37403	#8 - 8/32 x 3/8”	Bag/25
	13391	#8 - 10/24 x 3/8”	Bx/144
	13353	#8 - 10/24 x 1/2”	Bx/100
Monel	14153	#8 - 8/32 x 3/8”	Bag/24
	14026	#8 - 8/32 x 1/2”	Bag/24
	13920	#8 - 10/24 x 3/8”	Bag/24

Faucet Handle Screws

	Cwip #	Head / Size	U/M
Chrome Plated Brass	13873	Oval - 8/32 x 1/2”	Each
Oval	13741	Oval - 8/32 x 3/4”	Each
	13775	Oval - 8/32 x 7/8”	Each
	13795	Oval - 10/24 x 5/8”	Bx/100
Truss	13719	Truss - 8/32 x 3/8”	Each
	13755	Pan - 8/32 x 1/2”	Bag/12
Pan Head	38162	**Assorted** - 300 pieces	Bx/300

Cap Thread Gaskets (Actual Size)



Cwip #	Type	U/M
13478	#30; Sayco, Central Brass, Dick Brothers, Gerber, Price-Pfister, Milwaukee, Speakman, Univ. Rundle, Streamway, Union Brass, Harcraft	Each
13525	#43; Gerber, Sterling, Briggs, Kohler, Indiana Br, Barnes Western, Grand Haven	Each
22195	#7; Kohler, Gerber, Savoy, Crane, Spkman, Elkay, Briggs, Sears, Federal Huber, Logan	Each

Cwip #	Type	U/M
13613	#26; Spkman, Case, Sterling, Sayco, Mueller, A/S	Bg/25
20438	#15; Eljer, McDonald, Sterling, Spkman, Crane	Each
13183	#2; A/S, Eljer, Briggs, Gerber, Central Brass, Crane, Union Brass, Kohler, Salter, McDonald	Each
13468	#44; Gerber, Price-Pfister, A/S	Bx/100
20461	#22; Speakman, Price Pfister, Eljer, Central Brass, Crane, Gerber, Briggs-Republic	Each



1/16" Wall

Cwip #	O.D.	I.D.	Wgt.lb.	U/M
15019	7/16"	5/16"	.06	Box/100
14945	1/2"	3/8"	.06	Box/100
15110	9/16"	7/16"	.06	Box/100
16184	3/4"	5/8"	.08	Box/100
18051	13/16"	11/16"	.08	Box/100
14904	15/16"	13/16"	.09	Box/100



3/32" Wall

Cwip #	O.D.	I.D.	Wgt.lb.	U/M
15066	9/16"	3/8"	.09	Box/100
15112	5/8"	7/16"	.10	Box/100
14899	3/4"	9/16"	.12	Box/100
14925	13/16"	5/8"	.14	Box/100
15114	7/8"	11/16"	.14	Box/100
14967	15/16"	3/4"	.18	Box/100
14948	1-1/2"	1-5/16"	.20	Box/100

1/8" Wall

Cwip #	O.D.	I.D.	Wgt.lb.	U/M
15087	1-1/16"	13/16"	.26	Box/100
15020	1-1/2"	1-1/4"	.38	Box/100



O-Ring Assortment Kits

Cwip #	Pieces	Size	U/M
14971	100	12 Sizes	Kit
14983	225	12 Sizes	
16346	250	16 Sizes	

O-ring Pick

Cwip #	U/M
39068	Each



Packing Grease Packet

Cwip #	U/M
32596	Each



Flat Teflon Faucet Washers

Withstands temps from -200°F to 600°F

Cwip #	Size	Dia.	Wgt.lb.	U/M
23018	OO	1/2"	.12	Bx/25
24220	O	17/32"	.22	Bx/100
23540	1/4	9/16"	.26	Bx/100
24221	1/4L	19/32"	.30	Bx/100
23019	3/8L	11/16"	.20	Bx/50

$ Neoprene Flat Faucet Washers

SBR formula for resistance to hot or cold water

Cwip #	Size	Dia.	Wgt.lb.	U/M
20471	OO	1/2"	.24	Bx/100
17579	1/4S	17/32"	.24	Bx/100
20531	1/4	9/16"	.24	Bx/100
20491	1/4L	19/32"	.20	Bx/100
12099	3/8S	5/8"	.24	Bx/100
15504	3/8M	21/32"	.26	Bx/100
15314	3/8L	11/16"	.24	Bx/100
39794	5/8	13/16"	.17	Bx/100
15589	**Assorted Sizes**		.16	Bx/100



$ Neoprene Beveled Faucet Washers

SBR formula for resistance to hot or cold water.

Cwip #	Size	Dia.	Wgt.lb.	U/M
18070	OO	1/2"	.20	Bx/100
13914	O	17/32"	.22	Bx/100
11471	1/4	9/16"	.22	Bx/100
20411	3/8	5/8"	.30	Bx/100
15649	1/2	3/4"	.18	Bx/50
15343	**Assorted Sizes**		.24	Bx/100



24" Teflon Cord Stem Packing

Cwip #	Size	Wgt.lb.	U/M
15721	3/32"	.02	Each

Graphite Valves Stem Packing

Cwip #	Size	Wgt.lb.	U/M
14457	1/8"	.25	Roll



- OA size: 25" x 22"
- Self-rimming
- 3-1/2" drain
- Bowl size: 21" x 15-1/2"
- Cut out: 24-1/4" x 21-1/4"

3-Hole Single Bowl Stainless Steel Sinks

Sound deadening on sink underside

	Cwip #	Gauge	Bowl Depth	U/M
$	26944	23	6"	Each
$	35316	22	6-1/4"	Each
$	37494	20	8"	Each



- OA size 25" x 22"
- Self-rimming
- 3-1/2" drain
- Bowl size: 21" x 15-1/2"
- Cut out: 24-1/4" x 21-1/4"

4-Hole Single Bowl

With effective sound absorbing pad on sink underside

	Cwip #	Gauge	Bowl Depth	U/M
$	29308	23	6"	Each
$	35332	22	6-1/4"	Each
$	39804	20	8"	Each

- OA size 25" x 22"
- Self-rimming
- Bowl size: 21-1/4" x 16"
- Cut out: 24-3/8" x 21-3/8"

4-Hole Single Bowl 22 Gauge

ADA approved sink with rear drain

Cwip #	Type	U/M
30945*	Left Rear Drain	Each
35761	Right Rear Drain	Each

***Left rear drain shown.**



- OA size: 17" x 22"
- Self-rimming
- 3-1/2" drain
- Bowl size: 14" x 15-1/8"
- Cut out: 16-1/4" x 21-1/4"

3-Hole Single Bowl 22 Gauge

Nickel bearing stainless steel ledgeback sink. Under-coated (asphalt based material); seamless construction.

Cwip #	Bowl Depth	U/M
21745	7"	Each



- OA size: 33" x 22"
- Self-rimming, 6" depth
- 3-1/2" drain
- Bowl size: 13-3/4" x 14-3/4"
- Cut out: 32-1/4" x 21-1/4"

4-Hole Double Bowl

Recessed stainless steel sink. Undercoated asphalt based material with a satin buffed finish.

Cwip #	Type	U/M
23220	23 Gauge	Each

With soap depressions (not shown).

Porcelain Enameled Steel Lavatory

Countertop mounted self-rimming. Acid-resisting round self-rimming lavatory with front overflow and two soap depressions.

Cwip #	Color	Size	U/M
17061	White	19" Dia. Round	Each
31372	Blue		Each
34311	Bone		Each
22531	White	20" x 17" Oval	Each
33116	Bone		Each



Porcelain Enameled Steel Lavatory

Self-rimming round design, with sculpted soap areas.

Cwip #	Color	Size	U/M
19534	White	19" Round	Each

Vitreous China Wall Hung Lavatory

Extra-large bowl with front over-flow and two integral soap dishes. With one-piece fast-aligning wall hanger.

Cwip #	Color	Size	U/M
17234	White	19" x 17"	Each

Vitreous China American Standard Wall Hung Lavatory

With wall hanger, rear overflow and soap depression. For 4" center faucets.

Cwip #	Color	Size	U/M
22331	White	19" x 17"	Each



Vitreous China Self-Rim Lavatory

Self-rim design with large oval bowl and front overflow.

Cwip #	Color	Size	U/M
34098	White	20" x 17"	Each



Vitreous China Self-Rim Lavatory

Self-rim design with large bowl, front overflow, and roomy ledge with two integral soap dishes.

Cwip #	Color	Size	U/M
23800	White	19" Round	Each

Stainless Steel Sink Frame

• Max. 1/4" ledge countertop: 3/4" 7/8" For installation of porcelain steel and stainless steel bowls. Supplied with bolts and combo lugs.

Cwip #	Size	U/M
28355	20" x 18"	Each



Sterling Vikrell™ Lavatories

Self rimming, drilled to accommodate 4" faucets and include factory supplied overflow drain. Easy cleaning swirl gloss finish.

Cwip #	Color	Size	Wgt.lb.	U/M
32067	White	19" Round	20	Each

White Vitreous China Pedestal Lavatory

- Concealed front overflow
- Two-piece metal hanger included
- 4" faucet center

Cwip #	O.A. Sink Size	U/M
36288	24-7/8" x 18-7/8"	Set

22 Gallon Single Bowl Utility Tub

Made of durable fiberglass and high strength resins. Fiberglass legs, two molded-in self-draining soap dishes, drain assembly, stopper and hardware included. (Faucet not included.)

Cwip #	Size	U/M
21651	23⅜" x 22⅛"	Each

44 Gallon Double Bowl Utility Tub

Includes twin waste and drain assemblies, a molded-in wash board, and one set of fiberglass legs with hardware. (Faucet not included.)

Cwip #	Size	U/M
27386	23⅜" x 45⅜"	Each

Lavatory Legs

Stainless steel with chrome finish and escutcheons

Cwip #	Wgt.lb.	U/M
80191	1.6	Set



Assembly Fastener

For installing Sterling stainless steel sinks only

Cwip #	Wgt.lb.	U/M
13231	.26	Pkg/10



7" Sink Hanger

Double notch; C/L; one-piece pattern.

Cwip #	U/M
17688	Each



Lavy Sink Hanger For American Standard

Cwip #	U/M
23794	Each

Duo Sink Strainer

Heavyweight double cup stainless steel strainer. Brass knob, deep cut threads and brass plated locknut and slipnut.

Cwip #	Wgt.lb.	U/M
31450	.25	Each



Duo Sink Strainer Brass Body

Cwip #	Wgt.lb.	U/M
25222	.25	Each



Basket Strainer Stainless Steel

Long Shank - Deep Pattern

Fits sinks with 3-1/2".

Cwip #	Wgt.lb.	U/M
37834	.32	Each



Duo Sink Strainer Stainless Steel

Triangular retainer and thumb screws.

Cwip #	Wgt.lb.	U/M
32295	.92	Each



Basket Strainer Stainless Steel

Stick post crumb cup with rolled edge. Fits sinks with 3-1/2" to 4" opening. 4-1/2" Flange diameter.

Cwip #	Wgt.lb.	U/M
18966	1.0	Each

Basket Strainer Stainless Steel

Positive acting stick post crumb cup with rolled edge. Fits sinks with 3-1/2" to 4" opening. 4-1/2" flange diameter.

	Cwip #	U/M
$	15220	Each



Strainer Insert Stainless Steel

Rubber stopper creates a watertight seal. Retracting post within a cylindrical guide. Fits 3-1/2" or 4" strainers.

Cwip #	U/M
15257	Each

Strainer Insert

Stationary post and neoprene seat. Fits 3-1/2" or 4" strainers.

Cwip #	U/M
20627	Each

EZ ON Basket Strainer

- Stainless steel body & basket
- Polished drain flange
- Fits sink openings of 3-1/2" to 4"

Cwip #	U/M
39127	Each

Sink & Tub Strainer Nickel Plated Brass

Cwip #	Size	Wgt.lb.	U/M
20313	1-3/8" Dia.	.02	Each

Sink Strainers Nickel Plated Brass

Cwip #	Size	Wgt.lb.	U/M
13109	1-1/4"	.20	Box/12
14718	1-1/2"	.70	Box/24

Rubber Washer For Basket Strainers

Size: 1/8" x 4-1/2" x 3-1/2"

Cwip #	Wgt.lb.	U/M
23550	.04	Each

3-Prong Strainer Nickel Plated Brass

Cwip #	Size	Wgt.lb.	U/M
16625	1-5/8"	.06	Box/12
16748	1-7/8"	.22	Box/24

Flat Drain Protector With Clip - Polished Aluminum

Cwip #	Size	Wgt.lb.	U/M
17382	3" Dia.	.48	Box/25

Flat Strainer Nickel Plated Brass

Cwip #	Size	Wgt.lb.	U/M
17507	1" Dia.	.02	Box/12



Flat Strainer For Gerber

Cwip #	Size	U/M
30359	3" Dia.	Each
Strainer Screws Cwip # 33517 - Pkg/10		

Faucet Hole Cover Stainless Steel

	Cwip #	Size	Wgt.lb.	U/M
A	15197	1-3/4" Dia.	.72	Box/12
B	32606	2" Dia.	.85	Bag/25

Snap-In Hole Cover Stainless Steel

Cwip #	Size	U/M
20687	1-1/2" Hole	Box/12
33759		Each

Deck Faucet Spray Heads

Standard head attaches to any existing hose.

	Cwip #	U/M
$	20667	Each
	30325	Each

Pull-Out Spray Heads

	Cwip #	Finish	U/M
A	37879	Chrome	Each
B	35873	Brushed Nickel	Each

Spray Hose

4 Foot braided hose with 1/8" IPS male connector. Includes extra 1/4" x 1/8" IPS coupling.

Cwip #	U/M
14297	Each

Rinse Quick Hose Guide

Cwip #	Finish	U/M
36209	Black	Each

Whirlaway® High-Speed Disposer Model 291

Energy efficient motor. Heavy gauge steel cutting assembly. Corrosion-proof drain housing and hopper. With stainless steel anti-jam swivel impellers.

Cwip #	Type	U/M
19629	1/2 HP	Each



Whirlaway® High-Speed Disposer Model 384

- 2600 RPM high speed motor
- Stainless steel grinding components

Cwip #	Type	U/M
34958	1/2 HP	Each

Whirlaway® High-Speed Disposer Model 191

Permanent magnet motor that pulverizes waste in seconds. Removable splash guard and Plumb E-Z mounting system, sink flange gaskets, waste elbow and all hardware included.

Cwip #	Type	U/M
23507	1/3 HP	Each
With Conversion Adapter Replaces unit without changing the sink mount.		
25000	1/3 HP	Each



Whirlaway® Model 191 & 291 Disposal Parts

	Cwip #	Type	Wgt.lb.	U/M
1	26673	Stopper	.03	Each
2	32348	Splash Guard and Stopper	.08	Set
3	29689	Sink Flange Assembly	.63	Each
4	30816	Sink Flange Gasket	.01	Each
5	29690	Gasket - Waxed	.02	Each
6	29691	Support Ring	.02	Each
7	29688	Mount Ring	.20	Each
8	26976	Cushion Ring	.05	Each

Description	Model 191 & 291
MOUNT ASSEMBLY	**249C022S94**
*1 Stopper	174C068P01
*2 Splash Guard	614C069P01
*3 Sinkflange & Cap Assembly	249C014S84
*4 Rubber Gasket	269C031P01
*5 Fiber Gasket (Waxed)	269C033P01
*6 Support Ring	614C072P01
*7 Mount Ring	614C064P01
8 Cushion Mount Ring	469C004P02
9 Outlet Screw	636C017P03
10 Outlet Flange	249C009P01
11 Outlet Elbow	673C015P01
12 Rubber Outlet Gasket	269C038P01
13 Grind Ring	614C066P03
DRAIN HOUSING ASSEMBLY	**311C080S01**
*14 Drain Housing	311C080P01
*15 Thrust Washer	789C041P01
*16 Water Seal	645C006P01
*17 Spacer Seal	102C005P01
*18 Slinger	789C034P04
TURNTABLE ASSEMBLY	**258C032S01**
*18 Slinger	789C034P04
*19 O-ring	645C004P01
*20 Turntable	258C032P01
21 Hopper	311C077P01
	MODEL 291 - 311C076S01
22 Hopper Screw	636C023P01
23 Washer	789C035P02
24 Armature Assembly	626C035P02
	MODEL 291 - 626C035P03
25 Motor Stud	687C003P01
26 Motor Stud	687C003P02
27 Motor Shell Assembly	681C031S12
ENDBELL ASSEMBLY	**311C081S01**
	MODEL 291 - 311C081S02
*28 Endbell	311C081P01
*29 Motor Brush & Spring Assembly	027C029S02
30 Nut	479C019P01
31 Inspection Plate	554C032P01
32 Nut	479C021P01
33 Shell Screw	636C029P02
34 Lower Shell	806C044P03

Contact your Sales Rep to order non-stock items.

Badger I Disposer

Includes galvanized steel shredder ring. Stainless steel sink flange resists corrosion. Self-service wrenchette frees simple jams.

Cwip #	Type	U/M
21705	1/3 HP	Each

Badger V Disposer

Includes galvanized steel rotating shredder with two stainless steel impellers for faster grinding. Self-service wrenchette frees simple jams.

Cwip #	Type	U/M
21712	1/2 HP	Each



Badger 5 XP Disposer

Corrosion-resistant stainless steel rotating shredder with two stainless steel impellers. Self-service wrenchette frees simple jams. (Model 444.)

Cwip #	Type	U/M
21714	3/4 HP	Each

Emerson E-10 Disposer

Quick-lock mounting, hardened, galvanized steel grinding elements with two 360° stainless steel swivel impellers, stainless steel sink flange and galvanized shredder ring. Includes dishwasher drain connection and one-piece plastic stopper. Overload protection switch with manual reset.

Cwip #	HP	U/M
16000	1/3 HP	Each

FWD-1 & FWD-2 Disposers

Quick-lock mounting for fast, easy installation. With a hardened steel shredder ring, continuous feed and sound silencing baffle. Built especially for the apartment house industry.

Cwip #	Mfg. #	HP	U/M
23000	FWD-1	1/3 HP	Each
17000	FWD-2	1/2 HP	Each

Economy Garbage Disposers

- Galvanized grinding components
- EZ-install—replaces any disposer
- Mounts to existing In-Sink-Erator flange assembly

	Cwip #	Mfg.#	Type	U/M
$	37542	86701	1/2 HP	Each



Disposal Parts For Badger I & V

	Cwip #	Size	U/M
1	21377	Stopper	Each
2	Non Stock	Sink Flange	-
3		Fiber Gasket	-
4		Backup Ring	-
5		Mounting Ring	-
6		Screws (3)	-
7		Snap Ring	-
8		Mounting Gasket/Splash Baffle	-
9		Lower Mounting Ring	-
10		Dishwasher Inlet	-
11		Discharge Outlet	-
12		Wrenchette	-
13		Bolts (2)	-
14		Discharge Tube	-
15		Flange	-
16	13321	Washer	Bag/6
17	22827	Tailpipe Accessory Kit (Old Style)	Kit
18	37828	Tailpipe Accessory Kit (New Style)	Kit

Disposer Replacement Parts & Tools

Fit-All Stoppers

Cwip #	Size	U/M
13179	Plastic, 4½"	Bag/10
20151		Each

Splash Guard

Stainless steel ring provides a snap fit. Fits most disposals.

Cwip #	Type	U/M
13242	Black Rubber	Bg/6

Garbage Disposal Fresheners

Kills odor naturally, 100% biodegradable.

	Cwip #	U/M
	34219	Pkg/12

Splash Guard Mounting Gasket

Fits Badger/Emerson disposals

Cwip #	U/M
13128	Each

Mounting Collar

Fits Badger/Emerson disposals

Cwip #	U/M
21823	Each

White Plastic Strainer

Fits most disposals.

Cwip #	U/M
31108	Each

Disposal Wrenchette

Cwip #	U/M
31021	Each

Disposal Wrench

Frees jammed disposal blades without endangering hands. Nickel plated steel.

Cwip #	U/M
23673	Each

Eco-Friendly Water Saving Toilets

Gerber Avalanche™ 1.28 GPF Toilets

- XP3 flush technology
- Enlarged 3" flush valve
- 2" Glazed trapway
- Dual-fed siphon jet

C	Cwip #	Color	Type	Rough-In	U/M
	34769	White	**Tank**	12" RI	Each
	34810		**Round Bowl**	10–14" RI	Each
	34751		**Elongated Bowl**	10–14" RI	Each

Flapperless® EcoLogic™ .8 GPF & 1.28 GPF Toilets

Maintenance-free, leak-free and no double-flushing. Oversized to cover unsightly wall exposure. Opposable handle positioning and a fully glazed 2" trap way.

G	GPF	Cwip #	Color	Type	Rough-In	U/M
	.8	35620	White	**Tank**	10–12" RI	Each
		35617		**Round Bowl**	10–12" RI	Each
		36721		**Elongated Bowl**	10–12" RI	Each
	1.28	31196	White	**Tank**	10–12" RI	Each
		31200		**Round Bowl**	10–12" RI	Each
		31216		**Elongated Bowl**	10–12" RI	Each

1.6 GPF Flapperless™ Toilet

One flush thoroughly empties the bowl every time. Maintenance free, no flapper, chain or lever to replace. Fits both 10"-12" rough-ins.

Cwip #	Color	Type	Rough-In	U/M
37126	White	**Tank**	12" RI	Each
37118		**Round Bowl**	12" RI	Each
36719		**Elongated Bowl**		Each

Replacement Parts on page 134.

1.6 GPF Toilet

Made of vitreous china. Close coupled round front bowl and tank. Sanitary bar on bowl helps keep dirt from getting under tank.

Cwip #	Color	Type	U/M
30483	White	Bowl - 12" RI	Each
30482	White	Tank - 12-14" RI	Each

1.6 GPF Backflush Toilet

Vitreous china, close-coupled combination with siphon action, regular rim, wall outlet bowl. Tank with pressure regulator and backflow preventer.

Cwip #	Color	Type	U/M
36153	White	Tank	Each
36160	White	Bowl	Each

1.6 GPF Wall Hung Toilet

- Wall mounted with back outlet
- Elongated Bowl
- Siphon Action

ADA compliant when mounted at rim height of 17".

Cwip #	Color	Type	U/M
35172	White	Tank	Each
39854	White	Bowl	Each



Gerber 1.6 GPF Toilets

Ultra Flush® 1.6 GPF Pressure-Assist Toilet Round Bowl

- Pressurized flushing action
- Close-coupled flushometer tank
- Siphon jet

Cwip #	Color	Size	U/M
36679	White	Tank - 12" RI	Each
36671		Bowl - 12" RI	Each
ADA Bowl			
33586	White	Bowl - 10–12" RI; 17" High	Each

Cwip #	Color	Type	U/M
Maxwell® Series - Standard Bowls Gravity-fed toilet flushes up to 400 grams of bulk waste per 1.6 gallon flush.			
$ 34801	White	Tank - 10" RI	Each
$ 49045		Tank - 12" RI	Each
$ 32629		Tank - 14" RI	Each
$ 49052		Bowl - 10–14" RI	Each
36221		**Tank Lid for above tanks.**	Each
Maxwell® Series - Elongated Bowls			
30453	White	Bowl - 10-14" RI	Each
Maxwell® Series - ADA Bowl			
37214	White	Bowl - 10–12" RI; 17" High	Each
Viper® Series - Standard Bowls Gravity-fed toilet flushes up to 800 grams of bulk waste per 1.6 gallon flush.			
34029	White	Tank - 10" RI	Each
30591		Tank - 12" RI	Each
30611		Tank - 14" RI	Each
34011		Bowl - 10–14" RI	Each
33959	Beige	Tank - 12" RI	Each
33978		Bowl - 10–14" RI	Each
33962	Bone	Tank - 12" RI	Each
33956		Bowl - 10–14" RI	Each
33957	Blue	Tank - 12" RI	Each
33972		Bowl - 10-14" RI	Each
33960	Pink	Tank - 12" RI	Each
33986		Bowl - 10-14" RI	Each
Viper® Series - Elongated Bowls			
30584	White	Bowl - 10–14" RI	Each
33992	Beige	Bowl - 10–14" RI	Each
33999	Bone	Bowl - 10–14" RI	Each
Viper® Series - ADA Bowl			
34077	White	Bowl 10–12" RI	Each

Mansfield

1.6 GPF Toilets

Vitreous china, round front gravity feed two piece tank and bowl. Powerful and quiet flush design.

Cwip #	Color	Type	U/M
Round Front Bowls			
$ 36240	White	Tank - 10-12" RI with Fluidmaster	Each
36256		Tank - 14" RI	Each
36272		Bowl - 10" RI	Each
$ 36248		Bowl - 12" RI	Each
Elongated Bowl			
36264	White	Bowl - 12" RI	Each

Mansfield Tank Lid	Cwip # 36296	Each
Fits Bowl Models: 130, 131, 135, 137, 137NS, 138		

Tank Leak Detector

Tablets contain only FDA-certified, non-toxic, non-carcinogenic pigments–not harmful if swallowed. Packaged in moisture-resistant packs.

Cwip #	U/M
31296	Pair



Commercial Top Spud Bowl

- Low consumption 1.6 GPF
- Elongated bowl
- Siphon jet
- 10" rough-In
- 1½" spud for flushometer valve

Cwip #	Size	U/M
37159	17"H	Each



Commercial Back Spud Bowl

- Low consumption 1.6 GPF
- Round bowl
- Siphon jet
- 10" rough-In

Cwip #	Size	U/M
37966	14⅞"H	Each

Top Spud Urinal

- Low consumption 1.0 GPF
- Integral flush spreader
- Half stall size
- For exposed flushometer (top spud)
- 1" x 3/4" inlet (not included)

Cwip #	W x H x D	U/M
37167	18" x 26" x 14-1/4"	Each

Kohler White Waterless Urinal

- Vitreous china
- 14-3/4" extended rim

Includes: removable strainer, universal mounting bracket, outlet spud, hangers and sample bottles of Kohler waterless urinal sealing liquid and cleaner.

	Cwip #	U/M
	35241	Each

Waterless Urinal Cleaner

Controls odors and build up in waterless urinals.

Cwip #	Size	U/M
31499	32 oz.	Each

Waterless Urinal Sealing Liquid

Ensures long-lasting durability and service. For use with Steward™ waterless urinal.

Cwip #	U/M
35229	Gallon

Toilet Tank Repair Parts *Continued »*

Side Mount Lever Eljer Replacement

Chrome plated die cast handle with plastic spud

Cwip #	Size	U/M
31117	9" Brass Rod	Each

Economy Tank Lever

Chrome plated die cast lever with metal spud

Cwip #	Size	U/M
15282	8" Brass Arm	Each

Side Mount For Kohler

Cwip #	Mfg. #	U/M
31489	9404	Each

Universal Fit

4" Plastic arm.

Cwip #	U/M
39438	Each



Tank Lever

Single action chrome plated handle with plastic spud

Cwip #	Type	U/M
25936	8" Brass Arm	Each



Tank Lever

Single action chrome plated handle with metal spud

Cwip #	Type	U/M
33510	8¼" Brass Arm	Each

Tank Handle For American Standard

Cwip #	Type	U/M
19425	4" Arm	Each
33029	9-1/2" Arm	Each

Mansfield Tank Lever

Single action chrome plated handle

Cwip #	Mfg.#	U/M
27971	43	Each
25155	41	Each
28434	35-51 (Blue)	Each

Fluidmaster® Sure-Fit White Tank Lever

Bends and/or trims for a perfect fit.

Cwip #	Size	U/M
37885	8”	Each



Fluidmaster® Tank Levers

Chrome plated handle. Fits most Eljer®, American Standard®, Kohler Wellworth® and Mansfield® toilets.

	Cwip #	Mfg.#	U/M
A	39112	PRO61	Each
B	39088	PRO64 (Euro)	Each

Gerber White Tank Lever

Cwip #	Mfg. #	U/M
31158	99586	Each



NIAGARA CONSERVATION

Flapperless Toilet Tank Repair Parts

	Cwip #	Mfg.#	Type	U/M
A	34970	N2216RK2	Parts Kit for **Cwip # 37126:**	Kit
		C2216-11	O-Ring	
		C2216-1	Supply Pipe Assembly	
		C2216-12	Rubber Washer	
		C2216-13	Plastic Nut	
B	34430	C2216-28	Tank-to-Bowl Gasket	Each
C	34357	N2216RK1	Tank Lever	Each
D	37477	C2216-9	Flush Valve	Each



Fit-All Toilet Tank Cover

High-impact plastic. Tension spring adjusts cover to fit round or beveled corner tanks, wall hung or free standing. Top has recess styling.

Cwip #	Color	U/M
20212	White	Each

Fluidmaster® PRO45 Fill Valve

- Ultra quiet operation
- Minimal water hammer
- Code approved
- (Replaces 400A)

Cwip #	U/M
15652	Each
33836	GREEN BOX

Fluidmaster® 400LS Pro Leak Guard

Prevents automatic refilling of a leaky tank and allows leaks to be known and reported immediately to prevent costly water loss.

	Cwip #	U/M
	32476	Each

Fluidmaster® PRO45B Fill Valve

- Brass shank
- Durable and ultra quiet

Cwip #	U/M
39064	Each

Fluidmaster® PRO45C Combo Kit

Includes the PRO45 fill valve and the PRO55 flapper.

Cwip #	U/M
39080	Each

Fluidmaster® PRO45K Combo Kit

Complete kit, including:

- PRO45 fill valve
- PRO57 flush valve
- PRO61 tank lever

Cwip #	U/M
39026	Each

Fluidmaster® PRO57 Flush Valve

With adjustable flapper and kink-free stainless chain.
Fits most tanks; easy to install.

Cwip #	U/M
37440	Each
PRO57K Kit Includes PRO55 adjustable flapper with float and bolts and gaskets.	
39022	Each

HydroClean® 660 Toilet Valve

Designed to save up to 5 quarts of water with each flush. Patented Turbujet Technology removes rust and sediment from the tank. Also detects leaks and provides an audible signal if a leak is found.

	Cwip #	U/M
	34026	Each



Fluidmaster® 400A Replacement Parts

	Cwip #	Mfg.#	Type	U/M
1	21797	385	Cap Assembly for PRO45	Each
	34101	350	Cap Assembly for 400A **Fits Cwip # 33836** (Green Box)	Each
2	24535 15665	242 (212)	Seal f/100,200,200A,400A	Bag/50 Bag/10
3	14915	218	Refill Tube Assembly f/100-400A	Each
4	28443	213	Refill Tube f/100,200,200A	Each
5	25833	234	Supply Nut f/100-400A	Bag/20

HydroRight™ Dual Flush Conversion Kit

Uses up to 70% LESS WATER for Liquids & Paper

- Installs without tools in 5-10 minutes
- Tank removal not required
- Works with all standard flush valves
- Eliminates flapper problems

	Cwip #	Mfg.#	U/M
	31429	HYR270	Each

Fluidmaster® PRO15 Ballcock

Easy-to-install replacement 12" ballcock with brass arm.

Cwip #	U/M
39018	Each

Fluidmaster® PRO15C Ballcock Combo Kit

Professional grade kit includes:
- PRO15 ballcock
- PRO53 universal-fit flapper

Cwip #	U/M
39017	Each

Fluidmaster® PRO53 Flapper

Heavy duty flapper with a strong, kink-free metal chain. Replaces most worn flapper or tank ball units.

Cwip #	U/M
39003	Each

Fluidmaster® PRO54 Flapper

Ultra durable, chlorine resistant heavy duty flapper with a strong, kink-free metal chain. Will not wear in harsh water.

Cwip #	U/M
39136	Each

Fluidmaster® PRO55 Flapper

Adjustable heavy duty flapper with float. Can be adjusted to the volume of water which allows for optimal flush volume.

	Cwip #	Mfg.#	U/M
	39128	PRO55	Each
	39120	PRO55R	Pkg/3

Fluidmaster® Flusher Fixer® Kit

Renews leaking flush valve seat. Complete with plastic seat, frame, vinyl flapper, chain and no-wait sealant.

Cwip #	Mfg. #	U/M
16894	555C	Kit

Toilet Tank Flush Valve

- Includes Bull's Eye® super flapper
- Fits most tanks, easy to install
- Future repairs are easy, snap on flapper model 500, 501 or 502 to replace

Cwip #	Mfg.#	U/M
37440	507A	Each



Anti-Siphon Ballcock

Cwip #	Size	U/M
30057	10" High	Each



Coast 1B1 Repair Kit

Cwip #	U/M
15266	Kit



Flush Valve For Niagara Toilets

(Fluidmaster #703.)

Cwip #	U/M
37477	Each



Mansfield 208/209 Flush Valve Seal

Cwip #	Mfg. #	U/M
13233	4837	Each



Mansfield 210/211 Flush Valve & Parts

	Cwip #	Mfg.#	Type	U/M
A	27318	#8	Flush Valve	Each
B	27236	630-0030	Seal	Each
C	31083	225-5907-100	Cap Stop	Each



Korky® Anti-Siphon Toilet Tank Fill Valve

Fully enclosed, anti-siphon fill valve; extend with twist-lock adjustment to fit most tanks. Float or rod is not required.

Cwip #	U/M
30167	Each

Plastic Flush Valve Douglas Pattern

Complete with flapper tank ball. Made of non-corrosive plastic. Easily installed.

Cwip #	Type	U/M
80086	Flush Valve	Each
22548	2" Plastic Nut	Each

Seal American Standard Flush Valve Series N-3055

Cwip #	U/M
16842	Bag/12



Sub-Assembly Actuating Unit For American Standard

Cwip #	Type	U/M
24787	Sub-Assembly #4	Each
OEM with snap-on disc		
25914	Chain Kit Only	Each



Seat Disc For American Standard Actuating Unit

Cwip #	Type	U/M
16420	Snap-on	Each
17432	Threaded	Each
25216	OEM - Threaded	Each
27181	OEM - Snap-on	Each





Sub-Assembly Actuating Units For American Standard

with snap-on disc

	Cwip #	Type	U/M
A	20443	Series 3158, #5	Each
B	17271	Series 3159, #6	Each



Fluidmaster Seat Disc For American Standard

Fits all American Standard actuator flush valves. Snap-on or thread-type actuators.

Cwip #	Mfg. #	U/M
39980	5103	Each



Amerline Ballcock Repair Kit

Cwip #	U/M
22778	Each

Kohler® Flapper

Cwip #	Mfg. #	U/M
35102	85160	Each



Eljer Touch Flush Assembly

Cwip #	U/M
22733	Each

Korky® Original Black Flapper

- Best quality
- Fits all brands

Cwip #	Mfg. #	U/M
25999	54	Each

Korky® Plus Red

- Premium quality
- Resists harsh chemicals
- Fits all brands
- Made from Chlorazone®

Cwip #	Mfg. #	U/M
30849	2001	Each

Korky® Classic Red

- For 5 & 7 (old style) gal. toilets
- Premium quality
- Resists harsh chemicals
- Fits all brands
- Made from Chlorazone®

Cwip #	Mfg. #	U/M
38914	2000	Each

Korky® Plus Adjustable Red Flapper

Easily adjusts to save water or a bigger flush. Fits most brands.

Cwip #	Mfg. #	U/M
37134	2004BP	Each

Hornet Tank Flapper

Yellow vinyl; fits most toilet tanks.

Cwip #	Mfg.#	U/M
29655	BCT005P	Each

Frugal-Flush Flapper

Saves up to 50% of water used for each flush. Great for 3.5 and 5 gallon toilets.

Cwip #	U/M
37294	Each

Fluidmaster® Bull's Eye® Super Flapper

Replaces tank ball or flapper. Will not rot in harsh water. Hinged to rigid frame for better alignment.

Cwip #	Mfg.#	U/M
30982	501	Each

Fluidmaster® 3" Universal Flapper

Fits all current and future flapper-style 3" flush valves.

Cwip #	Mfg.#	U/M
34395	5403	Each



Crane Flapper Tank Ball Poly Float

Cwip #	Mfg. #	U/M
15948	057	Each

Anchor Tank Flapper

Fits old and new style flush valves.

Cwip #	Mfg. #	U/M
14820	B257	Each

Sealmaster Tank Flapper

Buoyant; provides a positive seal.

Cwip #	Mfg. #	U/M
15623	B264	Each

Tank Flapper Seal-O-Matic

Fits all conventional flush valves.

	Cwip #	Mfg. #	U/M
$	15454	B260	Each



Coast Foundry Blue Vinyl w/Chain

Cwip #	Mfg. #	U/M
34043	53376	Each

Triple Seal Tank Ball

Quality rubber will not stick to valve seats, swell, or lose its shape.

Cwip #	Type	U/M
16407	Standard	Each
16274	3"	Bx/12



Tank Float

Seamless, leakproof, plastic.

Cwip #	U/M
16950	Each

Fit-all Tank Ball

Fits the curvature of all flush valves. Flexibility insures perfect seating.

Cwip #	U/M
14446	Each



Brass Universal Fit Tank Ball Guide

Cwip #	U/M
17709	Each

Brass Overflow Tube

Cwip #	Size	U/M
16683	1" x 1⅛" x 10" Dual thread	Each

Brass Float Rod

Cwip #	Size	U/M
16749	8" Long	Each
13186	9" Long	Each

Solid Brass Upper Lift Wire

Cwip #	Size	U/M
17467	8" Long	Bag/12

Solid Brass Lower Lift Wire

Cwip #	Size	U/M
17346	5½" Long	Bag/12



Economy Wood Toilet Seats Regular Bowl

Closed front with cover and top-mount hinge. Classic molded wood with durable baked enamel finish. Easy to install with corrosion-free nylon hinge posts.

	Cwip #	Color	U/M
$	17830	White	Case/6
	18830		Each
	28414	Bone	Each
	14496	Fawn Beige	Each
	14843	Harvest Gold	Each
	17721	Venetian Pink	Each

Cwip #	Color	U/M
15498	Yellow	Each
16383	Platinum Gray	Each
31424	Dresden Blue	Each
16556	Regency Blue	Each
32628	Avocado	Each

Premium Wood Toilet Seats

Enhanced paint process assures a bright, hard final finish. Factory-installed top tite hinge, stable, heavy-duty bolts with molded-in washers. Corrosion proof nylon nuts and bolts.

Regular Bowl

Cwip #	Color	U/M
38430	White	Case/6
36271	White	Each

Toilet Seat Bolts w/Nuts

Heavy duty white plastic.

Cwip #	Size	U/M
38845	2½" Long	Pair

CHURCH

Wood Toilet Seat

Molded wood with closed front end cover. Wide back design features rounded cover and color-matched bumpers on seat and cover. With color-matched hinges and non-corrosive studs and wing nuts.

Cwip #	Color	U/M
Regular With Easy Clean™ Lift-Off™ Hinge		
24299	White	Case/6
32693	Beige	Case/6
32625	Gray	Case/6
Elongated		
32963	White	Case/6

Plastic Toilet Seat Regular Bowl

High-impact, stain-resistant plastic seat with a closed front and cover. Sculptured cover with molded permanent bumpers. With top mount hinges and corrosion free nylon hinge posts.

Cwip #	Color	U/M
Economy		
36050	White	Case/6
36049		Each
Premium		
35784	White	Case/6
29109		Each

Elongated Toilet Seats



Premium Wood Closed Front w/Cover

	Cwip #	Color	U/M
	38438	White	Each
	34574	Bone	Each
$	17770	White	Each



Plastic Closed Front With Cover

Cwip #	Color	Wgt.lb.	U/M
33841	White	38.2	Each



Wood Open Front With Cover

Cwip #	Color	Wgt.lb.	U/M
15545	White	7.5	Each



Wood Open Front Without Cover

Cwip #	Color	Wgt.lb.	U/M
11437	White	3.9	Each

Toilet Baseplate

Covers unsightly cracked tiles or bare floor underneath a new or old toilet.

Cwip #	U/M
30593	Each

Toilet Bowl Shims

Cwip #	U/M
35255	Pgk/8

Toilet Bolt Cap Round Plastic Base

Cwip #	Color	U/M
23246	White	Pair

Toilet Bolt Cap Oval Plastic

Cwip #	Color	U/M
16084	White	Bag/25

Twister Plastic Toilet Caps

Screw-on

Cwip #	Color	U/M
30758	White	Pair

Tank-to-Bowl Bolts

Cwip #	Type	Size	U/M
16969	Brass plated	5/16" x 3"	Pair
38907	Solid brass	5/16" x 3"	Pair



Offset Tank-to-Bowl Bolts

Cwip #	Size	U/M
18868	2" Adj.	Set/2



Toilet Floor Flange Bolts Steel Brass Plated

Cwip #	Size	U/M
17041	5/16" x 2¼"	Pair
20317	1/4" x 3½"	Pair

EZ Snap Toilet Bolts w/Nuts & Washers

Cwip #	Size	U/M
36536	5/16" x 2¼"	Pkg/2

Tank-to-Bowl Gasket Sponge Rubber

Regular pattern.

Cwip #	OD x ID x H	U/M
15141	3⅜" x 2⅛" x 1⅜"	Box/12
Gerber pattern.		
15173	3⅜" x 2⅛" x 1⅜"	Box/12
Fits American Standard & Crane		
20338	3½" x 2⅞" x 1⅝"	Box/12

Tank-to-Bowl Washers

Cwip #	Type	U/M
15233	Rubber	Bx/50
15188	Steel	Bx/50



Rubber Flanged Spud Washer

Cwip #	Size	U/M
13787	1-1/2"	Bx/12
13731	2"	Bx/12

Tank-to-Bowl Gasket Double Thick - Sponge Rubber

With hex recess fits most close-coupled toilets.

Cwip #	OD x ID x H	U/M
30184	3½" x 2⅛" x 1⅛"	Each

Rubber Flush Valve Shank Washer

Beveled standard.

Cwip #	OD x ID x H	U/M
16784	3" x 2⅜" x ⅜"	Box/12

Gerber Tank-to-Bowl Gasket

Cwip #	Mfg.#	U/M
37493	99-582	Each

Rubber Ballcock Shank Washer

Cwip #	OD x ID x H	U/M
15321	1 11/16" x 15/16" x 7/16"	Bx/25

PVC Cast Iron Closet Flange Replacement

Slides into cast iron or SCH40 existing flange. Stainless screws allow for adjustment from above.

Cwip #	Size	U/M
35369	4"	Each

PVC Twist-N-Set® Closet Flange

- Replaces broken cast iron closet flanges
- Installs easily without tools

Cwip #	Size	U/M
33283	3"	Each
39600	4"	Each

Closet Flange Notched & Slotted

Cwip #	Type	U/M
34005	3" x 3" PVC DWV	Each
24122	4" x 2" Cast iron	Each
32233	4" x 3" PVC	Each
16876	4" x 4" Cast iron	Each
81991	4" x 6" Cast iron	Each



Fluidmaster® Wax-Free Toilet Bowl Gasket

Cwip #	Size	U/M
38004	3"	Each
37996	4"	Each

Spanner Flange

For broken cast iron and plastic flange rings

Cwip #	U/M
23423	Each

Fernco® Wax-Free Toilet Seals

- Easy to install, 1-piece design
- Gas & water tight
- Seals to the toilet flange below the floor

Cwip #	Size	U/M
33910	3"	Each
33923	4"	Each



Closet Flange Spacer

Flange spacer for ABS or PVC closet flanges

Cwip #	Size	U/M
30379	1/4" Deep	Each

Flanged Wax Bowl Ring

With polyethylene flange. Wax gasket reinforced with urethane foam. For floor and wall bowls; not for Crane wall bowls. Guaranteed for 10 years.

Cwip #	Size	U/M
25401	For 3"—4" lines	Each

Standard Wax Bowl Ring

Cwip #	Type	U/M
14736	Wax Ring Only	Each
36061	With (2) ¼" x 2¼" Brass Plated Closet Bolts	Each

Neoprene Bowl Ring

Cwip #	Outside Dia.	U/M
30446	5-1/4"	Each

Flanged Bowl Ring

One-piece, with polyethylene horn. Fits both 3" and 4" soil pipe.

Cwip #	Type	U/M
17409	Flange/Gasket Only	Each
36027	With (2) ¼" x 2¼" Brass Plated Bolts	Each

Urinal Wax Gasket

- Fits 2" outlet on wall mounted urinals
- Forms a gas-tight, odor-tight and water-tight seal
- Will not harden,deteriorate or rot like sponge–guaranteed for 10 years.

Cwip #	U/M
36893	Each

Sloan Royal Closet Flush Valve

Cwip #	Mfg.#	U/M
20748	110	Each

Sloan Royal Urinal Flush Valve

Cwip #	Mfg.#	U/M
20768	186	Each

Closet Body Repair Kit



	Cwip #	Mfg.#	U/M
	20549	A-36-A Code No. 3301036	Kit
	Replacement Parts		
1	13197	A-19-AC Relief Valve	Each
2	15203	A-15-A; Disc	Each
3	18201 Code No. 3301188	A-156-A Segment Diaphragm w/ Copper Gasket	Each
4	18122	A-163-A, Plastic Guide Assembly	Each

Urinal Body Repair Kit



	Cwip #	Mfg.#	U/M
	13196	A-37-A Code No. 3301037	Kit
	Replacement Parts		
1	13164	A-19-AU Relief Valve	Each
2	15203	A-15-A; Disc	Each
3	18201	A-156-A Segment Diaphragm w/ Plastic Gasket	Each
4	18122	A-163-A, Plastic Guide Assembly	Each

Cwip #	Mfg.#	U/M
31652	3372004	Each
Fits Cwip # 20748		

Dual-Flush Retrofit Handle Kit (Less Valve)

- 1.6 gpf/6.0 lpf diaphragm kit for exposed water closet flushometers
- Retrofits to most existing valves
- Lifting handle "up" initiates reduced flush (1.1gpf/4.2 lpf), eliminating liquid and paper waste, saving 1/2 gallon
- Pushing handle "down" initiates full flush, eliminating solid waste and paper.

NOTE: NOT recommended for use on bowls with a flush volume greater than 1.6 gpf/6.0 lpf.

Hands-Free Retro-Flush® Flush Valve Retrofit Kits

- Sensor equipped with a 6V DC solenoid, battery holder and 4 "AA" batteries
- Tempered glass replaceable lens
- Switchable 24 hour automatic flush or courtesy flush,
- Maintenance override
- Low battery indicator
- Fits Zurn or Sloan Regal and Royal flush valves

Cwip #	Type	U/M
34762	Closet	Each
34763	Urinal	Each

Hands-Free E-Z Flush™ Flush Valve Retrofit Kit

- Slides over existing handle operated flush valve and converts to a sensor-operated flush valve unit
- Installs in less than 5 minutes (no diaphragm)
- Works on both urinal and closet flush valves
- Fits Zurn and Sloan valves

Cwip #	Type	U/M
34752	Urinal & Closet	Each

Sloan Parts For Exposed Royal & Crown Flush Valves

B-50-A Handle Repair Kit



**Contact your Sales Rep to order non-stock items.*

	Cwip #	Mfg.#	Type	U/M
Kit	13215	B-50-A	Code No. 3302305	Kit
	Component Parts			
1	*NS	B-8-A	Plunger	
2	*NS	B-10	Spring	
3	*NS	B-40	Bushing	
4	81207	B-39	Seal	Bag/12
5	12563	A-31	Handle Gasket	Each

C-64-A Repair Kit



**Contact your Sales Rep to order non-stock items.*

	Cwip #	Mfg.#	Type	U/M
Kit	21337	C-64-A	Code No. 3303396	Kit
	Component Parts			
1	*NS	B-8-A	Plunger	
2	*NS	B-10	Spring	
3	*NS	B-49	Bushing	
4	81207	B-39	Seal	Bag/12
5	12563	A-31	Handle Gasket	Each

Handle Assembly



**Contact your Sales Rep to order non-stock items.*

Kit	17020	B-32-A-CP	Code No. 3302279	Kit
	Component Parts			
1	*NS	B-7-A	Handle Socket	
2	*NS	B-32	Grip	
3	*NS	B-8-A	Plunger	
4	*NS	B-10	Spring	
5	*NS	B-40	Bushing	
6	81207	B-39	Seal	Bag/12
7	12563	A-31	Gasket	Each

1-1/2" Flush Valve Spud Coupling Assemblies



F-5-ACP



F-2-A

Kit	22359	F-5-ACP	Code No. 0306146	Kit
Kit	16362	F-2-A	Code No. 0306093	Kit

Sloan Parts For Inside Body & Handle

Royal Flush Valve Closet/Urinal Washer Kit



	Cwip #	Mfg.#	Type	U/M
Kit	20557	A-56-AA	Code No. 3301176	Kit
	Component Parts			
1	15203	A-15-A	Disc	Each
2	*NS	A-56-A	Segment	-
		w/A-29	Diaphragm with Copper Gasket	-
3	81207	B-39	Seal	Bg/12
4	12563	A-31	Gasket	Each

Contact your Sales Rep to order non-stock items.



Vacuum Breakers Chrome Plated

	Cwip #	Mfg. #	U/M
1	13596	V-500-A	Kit
	18333	V-500-AA - 1-1/4" x 9"	Kit
	13533	V-500-AA - 1-1/2" x 9"	Kit
2	13143	V-551-A Repair Kit	Kit



Tailpiece & Repair Parts

	Cwip #	Mfg.#	Type	U/M
1	*NS	H-500	Coupling for Adj. Tall Code # 0308676	-
2	23466	H-551-A-CP	2-1/16" Adj. Tall Assembly Code # 0308801	Each
3	*NS	H-552	Lock Ring Code # 3308381	-
4	14933	H-553	O-ring Code # 3308696	Bg/24

Sloan Screwdriver Stop Repair Kits

	Cwip #	Mfg.#	Type	U/M
For H-600A, H600-AG, H-540-A, and H-540-AG3/4" control stops.  Kit	21343	H-543-AA	Code No. 3308856	Kit
For H-540, 1" and H-600, 1" series control stops.  Kit	21331	H-541-AA	Code No. 3308853	Kit

5-Piece Bathtub Wall Kit

High-impact copolymer plastic with textured finish. Installs without trimming. Back panel can be cut for window opening. Resists mold and mildew.
- 2 shelves at corners
- Fits 49" to 60-1/2" across the back
- 27" to 30-1/2" across the ends

	Cwip #	Color	Size	U/M
$	23916	Bone	58"H	Each
$	26018	White	58"H	Each

5-Piece Bathtub Wall Kit

High gloss white, high-impact copolymer plastic. Thicker corners provide strength and durability.
- 6 shelves with 2 towel bars
- Fits alcoves up to 60"W x 32" deep
- Trimmable

Cwip #	Size	U/M
38927	58"H	Each

5-Piece Bathtub Wall Kit

- High gloss white
- 6 shelves and 2 towel bars
- Requires no trimming

Cwip #	Size	U/M
37143	61" x 80"H	Each

5-Piece Bathtub Wall Kit

High-impact copolymer plastic installs without trimming. Easy installation over ceramic tile, the back panel can be cut for window opening. Resists mold and mildew.
- 1 shelf in center with clear towel bar
- Fits 49"–60-1/2" across the back
- 28" to 30-1/2" across the ends

Cwip #	Color	Wall Size	U/M
24402	White	58" High	Each

5-Piece Bathtub Wall Kit

High-impact copolymer plastic with a high gloss appearance. Thicker corners provide strength and durability. Permanent, waterproof, colorfast panels are easy to clean—resistant to mold and mildew. Overlapping panel system adjusts without cutting.
- 6 shelves
- Fits 49 to 60.5" across back
- Fits 28 to 31" across ends

Cwip #	Finish	Size	U/M
24167	Hi-Gloss White	58"H	Each

3-Piece Bathtub Wall Kit

- Heavy-gauge design
- 3 shelves
- 2 towel bars
- Fits alcoves 60" wide x 30" deep
- Back panel is easy to trim for window openings

Cwip #	Finish	Size	U/M
31176	White	58"H	Each

3-Piece Bathtub Wall Kit

- Heavy-Gauge Design
- 3 shelves
- 2 towel bars
- 61" overall width x 30" deep

Cwip #	Finish	Size	U/M
34709	Bone	58"H	Each



3-Piece Bathtub/Shower Wall Tile Kits

High-lustre, PVC finish is easy to clean and resists stains, mold and mildew. Rounded corners, bullnose edges and engraved, white grout lines offer a real ceramic tile appearance. Panels can be cut for window openings.

Cwip #	Color	Fits Alcoves:	U/M
35938	White	**A**-60"W **B**-38½" **C**-72¾"	Each
34586	White	**A**-60"W **B**-30" **C**-60"	Each
34260	Granite	**A**-60"W **B**-30" **C**-60"	Each



Sterling 3-Piece Vikrell® Tub Wall Kit

- Wall kit with two end walls and back wall
- Easy assemblage
- 2 Shelves and 18" towel bar

Cwip #	Finish	Finished Size	Wgt.lb.	U/M
36668	Swirl gloss	60" x 29⅜" x 72"	62	Each

Tub Only

Cwip #	Color	Type	U/M
36660	White	Left Hand Tub	Each
36652	White	Right Hand Tub	Each



60" Sterling Tubs & Tub/Shower Wall Kit

- Compression molded from solid Vikrell™ material
- Tongue-and-groove "snap together" design for easy installation
- Durable high gloss finish

3-Piece Wall Set (Only)

Cwip #	Color	Size	U/M
34919	White	60"W x 30"D x 72"H	Each

Tub (Only)

Cwip #	Color	Type	U/M
34935	White	Left Hand Tub	Each
34927	White	Right Hand Tub	Each



Sterling By-pass Tub/Shower Doors With Towel Bar

Clean track system, nylon faced rollers, hammered tempered glass panels and anodized aluminum towel bars. Center panel guide system keeps doors on slanted track that does not trap dirt. Anodized aluminum frames won't rust or corrode. Do-it-yourself installation. Adjustable for out-of-plumb walls.

Cwip #	Max.Open	Height	Frame	U/M
26646	59"	56-7/16"	Satin Aluminum	Each
34381	48"	70-1/8"	Silver	Each



Pivot Swing Shower Doors

- Tempered safety glass; non-corroding anodized aluminum frame
- Installs right or left handed
- Textured glass with a natural color
- Full-length magnetic door latch
- Slanted threshold which directs water back into the shower

Cwip #	Open Size	Height	Frame	U/M
Pebbled Glass				
37489	Min: 36", Max: 42"	66"	Silver	Each
37955	Min: 31¼", Max: 36"	66"	Silver	Each

- Cast pull handle provides easy opening
- Drip rail attachment directs water back into the shower and minimizes soap or lint build up.

Hammered Glass				
35110	Min: 23½", Max: 25"	64"	Silver	Each
36586	Min: 29", Max: 30½"	64"	Silver	Each
36594	Min: 31", Max: 32½"	64"	Silver	Each

White Bathtub Enameled Steel

Slip-resistant bottom. A full length bath for recess tub applications. Free standing on fully-bonded support pad.

Cwip #	Type	Size	U/M
23795	RH Drain	60" x 30" x 14¼"	Each
23855	LH Drain	60" x 30" x 14¼"	Each



Tub Wall Window Trim Kit

Fits around recessed window openings up to 36" wide and 6" deep. Includes: left side panel; right side panel; sill panel; double-sided foam tape.

Cwip #	U/M
38085	Each



- Height: 44"
- Bottom: 9½"
- Top: 4½"

Spraymaid® Shower Guard

Keeps water inside the bathtub and shower curtain. Self-adhesive backing no tools or hardware needed.

Cwip #	Color	U/M
24054	White	Set/2



- Height: 7"
- Bottom: 7"

Mini-Spraymaid®

- Keeps water inside bathtub
- Protects walls, floors, and carpets

Cwip #	Color	U/M
15102	White	Set/2



- Height: 11"
- Bottom: 7¼"

Shower Splash-Ender®

Durable ABS plastic. Splash-enders end costly floor and wall repairs.

Cwip #	Color	U/M
25813	White	Pair



One-Piece Corner Shower Rod

Polished aluminum with jumbo flanges

Cwip #	Type	Wgt.lb.	U/M
23336	1" x 5'	1.1	Each
26348	**Flanges only**		Pair

Ceiling Support

- Furnished with loop and flange
- Chrome finish

Cwip #	Size	U/M
24116	30" Rod	Each
23397	18" Rod	Each

Aluminum Shower Rod

Cwip #	Size	U/M
16924	5' Long	Each
19532	6' Long	Each
Metal Shower Rod Flanges		
17817	-	Pair

Adjustable Shower Tension Rod

White, tensioned rod adjustable 40" to 60".

Cwip #	U/M
35991	Each



Adjustable Plastic Shower & Closet Rod Holder

Knurled collar locks bar in place. No screws required. Protective rubber caps.

Cwip #	Size	U/M
14356	1"–1¼" Rod	Each

Stainless Steel Curved Shower Rod

Increases elbow room in shower

Cwip #	Size	U/M
37087	60"	Each

White Shower Rod Cover

Cwip #	Size	U/M
24740	5' Long	Cs/144
26251	5' Long	Each



White Magnetic Vinyl Shower Liner

3 Magnets hold liner to tub.

Cwip #	Size	U/M
35975	70" x 72"	Each

White Shower Curtain Hook

Pre-attaching button-up rings, retaining button holds curtain in place.

Cwip #	U/M
35983	Pkg/12



Nose End Thread Tub Spout

Fits standard 1/2" IPS thread nose connect. Chrome plated zinc.

	Cwip #	U/M
$	12179	Each



Diverter Tub Spout

Connects to 1/2" IPS thread at nose end of snout.

Cwip #	U/M
24545	Each

Universal Diverter Tub Spout

Fits standard 1/2" IPS thread nose connect. Chrome plated zinc.

Cwip #	U/M
34330	Each

Slide Connector Tub Spout

Push over pipe and tighten set screw. Chrome plated zinc.

Cwip #	U/M
33226	Each
29222	Each
1/2" die cast for copper	



Slide Connector Diverter Tub Spout

Adjustable telescoping fit over 1/2" tube with a 5/8" outside diameter wall connect. Chrome plated zinc. 1/2" Die cast for copper.

Cwip #	U/M
22981	Each

Adjustable Brass Diverter Tub Spout

- Brass body
- Adjusts up to 1"
- With 3/4" to 1/2" IPS reducing bushing

Cwip #	U/M
30819	Each



Mixet Quikspout® Diverter Tub Spout

1/2" slip-fit connection for copper pipe. Chrome finish.

Cwip #	U/M
32167	Each

Moen Diverter Spout Concentric Base

ABS plastic and 1/2" copper slip fit connection. 5-1/2" Long. Chrome finish.

Cwip #	Mfg. #	U/M
23048	3931	Each

Delta Diverter Spout Pull Down Diverter

1/2" CWT or 1/2" IPS.

Cwip #	Mfg. #	U/M
33446	RP17453	Each



Diverter Tub Spouts

Thread is 3/4" -14 NPT. Includes 3/4" to 1 /2" reducer bushing to fit standard 3/4" IPS and 1/2" IPS pipe wall connect. Chrome plated, non-metallic body.

	Cwip #	U/M
$	12041	Each
	33228	Each



Diverter Spout w/Swivel Nut On Top

3/8" IPS swivel nut. 3/4" x 1/2" Face bushing. Chrome plated; zinc die casting.

Cwip #	U/M
28054	Each



Delta Diverter Tub Spout - Non-Metallic

Cwip #	Mfg.#	U/M
24283	RP5834	Each



Solid Brass Diverter Tub Spout

IPS of 3/4" with a 1/2" bushing.

Cwip #	U/M
32786	Each

Water Saver Showerhead

ABS thermoplastic body with 1/2" IPS connections and an adjustable setting. White body with chrome plated brass nut.

Cwip #	Mfg.#	GPM	U/M
31371	N2825	2.5	Each

Massage Water Saver Showerhead

ABS thermoplastic body with 1/2" IPS connections and an adjustable setting from spray to pulse. White body with chrome plated brass nut.

Cwip #	Mfg.#	GPM	U/M
31271	N2925N	2.5	Each

Earth™ Massage Showerheads

- Adj. spray: gentle needle spray to forceful jet
- Self-cleaning
- Non-aerated spray
- Plastic body
- Standard 1/2" inside threads

	Cwip #	GPM	Finish	U/M
	36311	2.0	White	Each
	30536	1.5	Chrome	Each



Massage Showerhead Chrome

	Cwip #	GPM	U/M
$	38332	2.5	Each



Forged Brass Showerhead

Solid brass, adjustable spray with canopy handle. Chrome finish.

Cwip #	GPM	U/M
30251	2.5	Each

Moen® Massage Showerhead

- 4 spray patterns: massage, full, vigorous, combination
- 1/2" IPS connection
- Chrome finish

Cwip #	GPM	U/M
30513	2.5	Each



Showerhead Chrome Plated Plastic

Swivel ball joint with 1/2" IPS female thread. Adjustable stream from fine to coarse. With a black faceplate and chrome brass swivel ball.

Cwip #	GPM	U/M
14720	2.5	Each



Showerhead Chrome Plated Plastic

Adjustable, ball joint and 1/2" IPS connections.

	Cwip #	GPM	U/M
$	17816	2.5	Each



Showerhead Chrome Plated

Adjustable spray, brass ball joint, and 1/2" IPS connections.

Cwip #	GPM	U/M
17831	2.75	Each



Water Saver Showerhead

All brass water saver showerhead with a metal ball and 1/2" IPS connects. Chrome finish.

Cwip #	GPM	U/M
39069	2.25	Each



Shower Anti-Scald Device

Senses scalding water and immediately reduces flow to a trickle. When scald subsides, normal flow resumes.

Cwip #	GPM	U/M
32955	2.5	Each



Vandal Proof Showerhead With Key

Ball joint and 1/2" IPS connects. Chrome plated brass.

Cwip #	GPM	Wgt.lb.	U/M
25486	2.5	.20	Each

Price Pfister Showerhead Polished Chrome

Cwip #	GPM	U/M
12511	2.5	Each

Delta Showerhead Polished Chrome

Cwip #	GPM	U/M
30857	2.5	Each

Delta Touch-Clean® Showerhead Polished Chrome

Cwip #	GPM	U/M
34248	2.5	Each

8-Jet Shower Head Polished Chrome

Eight jets provide 48 powerful streams. Full spray pattern and all brass construction.

Cwip #	GPM	U/M
34232	2.5	Each

6” Rainflurry Showerhead Polished Chrome

Cwip #	U/M
36244	Each



Hand Held Shower Unit - Chrome

With swivel connector, shower arm mounting system and 60” shower hose.

Cwip #	U/M
26785	Each

Down Pour Rain-Shower Showerhead

- Extra large full spray pattern delivered by 127 spray jets
- Chrome plated heavy gauge brass
- Fits standard shower arms
- Extends 18" from shower arm
- Spray head swivels 180°
- 3-1/2" diameter head

Cwip #	GPM	U/M
30364	2.5	Each

Earth™ Massage Showerheads

- Greater force at low pressure
- 9-Jet turbo massage: forceful to gentle
- Non-aerating spray
- Self-cleaning
- 72”Tangle-free hose

Cwip #	Type	GPM	U/M
30615	Hand-Held	1.5	Each
30536	Head Only	1.5	Each

Bent Shower Arm

- 1/2” IPS
- Chrome plated brass

Cwip #	Length	U/M
17764	6”	Each
17281	8”	Each
Flanges		
33338	Steel	Bg/25
82271	Plastic	Each

S-Shaped Shower Arm

- Raises showerhead by 8”
- Standard 1/2” MIP connections
- Heavy duty chrome plated brass

Cwip #	Size	U/M
36336	10” x 8-1/2”	Each

Flexible Metal Hose Chrome Plated Brass

Use with bath spray and shower units. 1/2” IPS double female.

Cwip #	Length	U/M
24849	6”	Each

WatcoFlex® Push Pull® Bath Drain

Designed to handle misalignment problems—eliminates all cutting and fitting and takes just minutes to install. Includes 16" of flex tubing for standard tubs, fits most 14—16" tubs.

Cwip #	Watco #	U/M
38200	916	Each

Watco Universal Trip Lever

20 gauge, brass trip lever with chrome trim. Fits most 14" to 16" tubs.

Cwip #	Mfg.#	U/M
82134	502-TQ	Each

Chain & Stopper Bath Drain

- Fit-all drain in tee
- 1 1/2" brass tubing
- Cast brass shoe plug

Cwip #	Gerber	U/M
36739	41-895	Each

Trip Lever Bath Drain

Brass drain, 20 gauge trip lever bath drain. Pre-adjustable linkage

Cwip #	Gerber	U/M
30220	41-718	Each



Watco Foot Actuated Bath Drain

20 gauge, brass trip lever with chrome trim. Fits most 14" to 16" tubs.

Cwip #	Mfg. #	U/M
82323	502-FA	Each



Watco Lift & Turn™ PVC Bath Drain

- Chrome trim
- 1 1/2" to 11 1/2" strainer body thread

Cwip #	Mfg. #	U/M
30374	600-LT	Each



Quick-Turn Bath Drain

Fitz-All, heavy pattern, lift type stopper, male tee, reversible, fits end outlet tubs. Union Fits all cast iron, steel, or fiberglass tubs.

Cwip #	Mfg. #	U/M
11060	55	Each

Bath Waste & Overflow Shoe Less Chrome Trim

Cwip #	Size	U/M
12906	1-1/2"	Each

Tub Shoe Strainer Chrome Plated Brass

Cwip #	Size	U/M
14685	1-5/8"—1-1/2"	Each



Foot Actuated Stopper Chrome Plated

Cwip #	U/M
12180	Each

Overflow Screws	Cwip # 38576	Pair

Bath Waste Plates

Flange depth 1/2"

Cwip #	Type	Finish	U/M
38401	1-Hole	Brushed Nickel	Each
20621		Chrome	Each
30552	2-Hole	Brushed Nickel	Each
19433		Chrome	Each

Bath Waste Plate w/Trip Lever

Square handle

Cwip #	Type	Finish	U/M
36300	2-Hole	Brushed Nickel	Each
11047		Chrome	Each



Faceplate w/Trip Lever

For American Standard

Cwip #	Type	U/M
36487	2-Hole	Each



Overflow Plate & Bolt Chrome

3-1/8" bath waste overflow plate

Cwip #	Type	U/M
82135	Plate Only	Bx/12
82136	Bolt Only	Each



Watco Nufit Presflo™ Tub Trim Kit - Chrome

1-1/2" thread size. Includes overflow plate, adapter bar, attachment screw, body with stopper and a suction cup to remove stopper and epoxy packet.

Cwip #	Mfg.#	U/M
35465	48100-CP	Kit



Rapid-Fit Bath Drain Stopper - Chrome

Includes stopper, 1-3/8"- 16 thread brass strainer, 1-hole overflow plate and brass screw.

Cwip #	U/M
23359	Kit



Watco Tub Trim Kit Chrome

Thread size 1½" x 16 (fine) or 1½" x 11½" (coarse), with bushing. Push pull design with extra large overflow plate.

Cwip #	Mfg.#	U/M
28315	38190-CP	Kit



Watco Slip Lock Tub Trim Kit

With dome strainer, less strainer body and drop cylinder. For use with existing drop cylinder. Chrome finish.

Cwip #	Mfg.#	U/M
30224	39100-CP	Each



Watco NuFit™ Lift & Turn Trim Kit

Brass body, metal overflow plate, adapter bar and screw. Epoxy packet. Comes with crossbars in body.

Cwip #	Mfg.#	U/M
38014	48400-CP	Each



Bucket & Linkage For Price Pfister

For trip lever waste and overflow.

Cwip #	Size	U/M
21993	6' Long	Each



For Gerber Complete Linkage Assembly

Cwip #	Wgt.lb.	U/M
30358	.45	Each



For Price Pfister Pop-up Waste & Overflow

Replacement parts for 21 series.

	Cwip #	Size	U/M
1	23087	Clevis with Cotter Key & Nut	Each
2	23086	Spring with Eye Bolt	Each
3	-	Stopper - Polished Chrome	Each
4	15174	Linkage Assembly	Each



Push-Pull Stoppers

Cwip #	Mfg.#	Size (Body depth)	U/M
Fine thread; thread size: 1.6" OD - 16. Trade size: 1-3/8" - 16.			
28990	38301-CP	1-1/4"	Each
Coarse thread; thread size: 1.865" OD - 11.5. Trade size: 1.5" - 11.5			
28987	38305-CP	1-1/4"	Each

Push-Pull Stopper

Theft resistant solid brass stopper and shaft. Stainless steel friction ring. Pull to open, push down with foot or hand to close. Chrome finish.

Cwip #	Mfg.#	Size	U/M
25752	38516-CP	5/16" & 3/8" thread	Each



No-Caulk/Solvent Weld Shower Drain

- Stainless steel
- Fits over 2" PVC pipe
- Uses elastomeric seal

Cwip #	U/M
30101	Each



Flip-it Tub Stopper Chrome Finish

Cwip #	U/M
27168	Each

Sayco Lift & Spin Stopper

Cwip #	Mfg.#	Wgt.lb.	U/M
13659	P232	.46	Each



B&K Lift Lock Drain Chrome Finish

- Fits tubs with 1 7/8" to 2 1/4" opening
- 2 7/8" flange diameter
- Thread: 2 1/2" x 1 1/2"

Cwip #	Mfg.#	Wgt.lb.	U/M
32692	132-205	.41	Each



For Price Pfister Waste & Overflow Turnstop Polished Chrome

	Cwip #	Type	U/M
A	20322	Turnstop Stopper	Each
B	12249	Stopper w/ Flange	Each



Rapid-Fit Toe Touch Stoppers - Chrome Finish

Cwip #	Mfg.#	Fits	U/M
23115	RFT203C	3/8" for 1" Deep	Each
22729	RFT201C	3/8" for 1-1/4"	Each

Flat Rubber Waste/Overflow Tub Shoe Washers

Cwip #	Size	U/M
17397	2$^{9}/_{16}$" OD x 1$^{7}/_{8}$" ID	Bx/24

Beveled Rubber Waste/Overflow Washers

Cwip #	Size	U/M
11721	3¼" OD x 2¼" ID	Bx/25
17438	3$^{3}/_{16}$" OD x 2$^{3}/_{8}$" ID	Bx/25

Waste/Overflow Plate Screw - Chrome

Slotted, oval head. Plated brass.

Cwip #	Size	U/M
38576	1/4-20 x 2"	Pair
35054	1/4-20 x 2$^{5}/_{16}$"	Bg/50

Fit-All Tub/Sink Stopper

Cwip #	Type	Wgt.lb.	U/M
12684	Tub - 1½"–2"	1.3	Bg/12
12717	Sink - 1"–1$^{3}/_{8}$"	.60	Bg/10

Flat Suction Sink Stopper

Cwip #	Size	Wgt.lb.	U/M
38299	4-1/2"	.10	Each

Solid Tub/Sink Stoppers

Cwip #	Size	Wgt.lb.	U/M
14929	1"	.30	Bx/12
14970	1-1/4"	.72	Bx/12
15045	1-3/8"	.74	Bx/12
14902	1-1/2"	.78	Bx/12
14928	1-5/8"	.94	Bx/12



Drain Covers

Cwip #	Drain Size	Drain Top Width	U/M
29518	2”	4-7/8”	Each
13717	3”	6-3/16”	Each
18903	4”	7-3/16”	Each



Cesspool Plate Cast Iron

Cwip #	Size	U/M
12866	6”	Each

Galvanized steel flanges with molded rubber gaskets.

Test Plug Expansion Drain Stoppers

Cwip #	Size	U/M
27020	1-1/2”	Each
27021	2”	Each
24777	3”	Each
80352	3-1/2”	Each
27022	4”	Each
27023	6”	Each



Brass Cleanout Plug

Cwip #	Size	U/M
20537	4”	Each

Lead Cleanout Plug

Cwip #	Size	U/M
26896	3-1/2”	Each
24426	4”	Each

Flood-Guard™ Sewer Drain Stoppers

Float model operates like a check valve to seal off water back-up caused by overloaded sewers.

Cwip #	Size	U/M
34021	3”	Each
34014	4”	Each

Steel Flat Basin Washer

1-3/4" OD, 7/8" ID.

Cwip #	U/M
15073	Bx/25

Metal Closet Spud Lock Nut

Flanged for standard pipe sizes.

Cwip #	Size	U/M
12848	1-1/2”	Bx/12

Plastic Faucet Lock Nut

Cwip #	Size	U/M
33444	1/2” IPS	Pkg/10

Basin Lock Nut Zinc Die Cast

Cwip #	Size	U/M
14982	1/2” IPS	Bx/24

Brass Basin Nut

1/2” IPS; 1/2” ID slip.

Cwip #	U/M
13540	Each

Split Ring Nickel Plated Brass

Cwip #	Size	U/M
15051	3/4” O.D.	Bx/100



Roll Beaded Chain

Nickel plated brass.

Cwip #	Size	U/M
16958	#10-3/16” OD	Rl/100’
17039	#6-1/8” OD	Rl/100’



Beaded Chain With Couplings

- Bead size: #10- 3/16” O.D.
- Nickel plated brass

Cwip #	Size	U/M
20427	15” Long	Box/12



Type-A Brass Coupling

For beaded chains. Nickel plated.

Cwip #	Fits	U/M
13518	#10-3/16” O.D.	Box/100
13711	#6-1/8” O.D.	Box/100

Type-B Brass Coupling

For beaded chains. Nickel plated.

Cwip #	Fits	U/M
13728	#10-3/16” O.D.	Box/100
13863	#6-1/8” O.D.	Box/100

Ceiling Plates

Cwip #	Size	U/M
Sweat Copper Pipe		
22443	5/8” O.D.	Bx/12
Iron Pipe		
14980	1/2” IPS	Bx/12
15008	3/4” IPS	Bx/12
15072	1” IPS	Bx/12
14910	1-1/4” IPS	Each
14875	1-1/2” IPS	Bx/12
23773	2” IPS	Each

Step 1: Cut Pipe

Step 2: Deburr Pipe

Step 3: Mark Pipe

Step 4: Install Pipe

SharkBite® Push-Fit Fittings

Fast & Easy Pipe Connections

A connection system for copper, CPVC or PEX pipe.

- Instant push-fit connection—no soldering required
- Fittings certified to 200 PSI and 200°F
- Fits O.D. controlled copper, CPVC or PEX pipe; versatility with all accepted types of pipes
- Ensures secure, reliable connection
- Brass body: strong, corrosion resistant, durable
- Certified to ANSI/NSF-61
- For usage underground and behind walls without access panels

Contractor Kit

Includes:

- (2) 1/2" x 1/2" Straight Couplings
  (2) 3/4" x 3/4" Straight Couplings
- (2) 3/4" x 1/2" Reducing Couplings
- (2) 1/2" x 1/2" FNPT Straight Conn.
  (2) 3/4" x 3/4" FNPT Straight conn.
  (2) 1/2" x 1/2" MNPT Straight Conn.
  (2) 3/4" x 3/4" MNPT Straight Conn.
- (2) 1/2" x 1/2" Elbows
  (2) 3/4" x 3/4" Elbows
- (1) 1/2" x 1/2" x 1/2" Tee
  (1) 3/4" x 3/4" x 3/4" Tee
- (1) 1/2" End Stop
  (1) 3/4" End Stop
- (1) 1/2" Disconnect Clip
- (1) 1/2" Disconnect Tong
  (1) 3/4" Disconnect Tong
- (1) Safe Seal Tool

Cwip #	U/M
38944	Each

Disconnect Clips

Cwip #	Size	U/M
38984	1/2"	Each
38992	3/4"	Each
30008	1"	Each

Disconnect Tongs

Cwip #	Size	U/M
34619	1/2"	Each
31093	3/4"	Each
34638	1"	Each

Safe Seal Tool

Deburring and depth gauge in one. For use with ½", ¾", and 1".

Cwip #	U/M
31109	Each

Water Heater Kit

Kit Includes:

(1) 1/2" X 3/4" FNPT
(1) 3/4" X 3/4" FNPT
(1) Disconnect clip

Cwip #	U/M
31091	Each

SharkBite® Pipe Fittings



Ball Valves

- High quality forged brass ball valve
- Convenient single lever control
- Instant push-fit connections
- Max. temp: 200°F (water)
- Max. pressure: 200 psi

Cwip #	Size	U/M
39000	3/4"	Each
39167	1/2"	Each
33991	1"	Each

Straight Connectors

Cwip #	Size	U/M
39432	1/2" x 1/2" FNPT	Each
39735	3/4" x 3/4" FNPT	Each
33981	1" x 1" FNPT	Each
39424	1/2" x 1/2" MNPT	Each
31081	1/2" x 3/4" MNPT	Each
39736	3/4" x 3/4" MNPT	Each
30581	1" x 1" MNPT	Each

Straight Couplings

Cwip #	Size	U/M
39111	1/2" x 1/2"	Each
38920	3/4" x 3/4"	Each
30582	1" x 1"	Each

Reducing Coupling

34584	3/4" x 1/2"	Each

Slip Couplings

Cwip #	Size	U/M
39640	1/2" x 1/2"	Each
39648	3/4" x 3/4"	Each
39656	1" x 1"	Each

End Stops

Cwip #	Size	U/M
39183	1/2"	Each
39168	3/4"	Each
30587	1"	Each

90° Elbows

Cwip #	Size	U/M
39199	1/2" x 1/2"	Each
39264	3/4" x 3/4"	Each
30585	1" x 1"	Each

Tees

Cwip #	Size	U/M
39271	1/2"	Each
39272	3/4"	Each
33995	1"	Each

Ridgid ProPress® CT400 Pressing Tool Kits

- Capacity to handle 1/2" up to 4" copper tubing
- Corded: 115V / 5.2 amps
- Weight: 15.6 lbs. (without jaws)
- Ram force: 7,200 lbs (32kN)
- Tool operating temp. range: 24°F to 122°F
- Approx. cycle time: 4 seconds
- Standard kit includes tool and case

Cwip #	Type	U/M
Tool Kit with 3 Jaws		
34943	1/2" to 1" Jaw set	Each
Tool Kit with 6 Jaws		
34951	1/2" to 2" Jaw set	Each

Copper ProPress Pipe Fittings

Cap C - Bronze

Cwip #	Size	U/M
34991	1/2"	Each
34920	3/4"	Each



Tee CxCxC Copper

Cwip #	1 x 2 x 3	U/M
35320	1/2"	Each
35327	3/4"	Each
35328	¾" x ½" x ½"	Each
35335	¾" x ¾" x ½"	Each

Coupling CxC w/Stop Copper

Cwip #	Dia.	U/M
34928	1/2"	Each
34936	3/4"	Each
34944	1"	Each
35336	1-1/4"	Each
34952	1-1/2"	Each
34960	2"	Each

Coupling CxC - Copper No Stop

Cwip #	Dia.	U/M
35183	1/2"	Each
34976	3/4"	Each
34984	1"	Each
34992	1-1/4"	Each
35295	1-1/2"	Each
35296	2"	Each

45° Elbow CxC Copper

Cwip #	Dia.	U/M
35127	1/2"	Each
35135	3/4"	Each
35119	1"	Each
35312	1½"	Each

90° Elbow CxC Close Rough - Copper

Cwip #	Dia.	U/M
35159	1/2"	Each
35143	3/4"	Each
35151	1"	Each
35311	1-1/2"	Each

Adapter CxF Bronze

Cwip #	Dia.	U/M
34975	1/2"	Each
34983	3/4"	Each



Adapter CxM Bronze

Cwip #	Dia.	U/M
34959	1/2"	Each
34967	3/4"	Each

PEX Tubing & Fittings

- For hot and cold potable water plumbing applications
- Cross-linked polyethylene tubing

ADVANTAGES:

- Attaching PEX tube to fittings requires no soldering and is safer to install since a torch is not needed to make connections.
- More resistant to freeze-breakage than copper or rigid plastic pipe.
- Water flow is quieter through PEX tubing–the characteristic "water hammer" noise of copper pipe systems is virtually eliminated.
- PEX is less expensive than copper pipe.
- Less time is spent running pipe and installing fittings than with rigid pipe systems.



Tubing

Cwip #	Color	Size	U/M
36307	Red	1/2"	Roll/100'
36345		3/4"	Roll/100'
36324	Blue	1/2"	Roll/100'
36353		3/4"	Roll/100'

Threaded Adapters

With 3 barbs.

Cwip #	Size	U/M
38266	1/2" x 1/2" FNPT	Each
38242	1/2" x 1/2" MNPT	Each
38278	3/4" x 3/4" FNPT	Each
38250	3/4" x 3/4" MNPT	Each

Sweat Adapters

With 3 barbs.

Cwip #	Size	U/M
38297	1/2" x 1/2" FIP	Each
38290	1/2" x 1/2" MIP	Each
38235	3/4" x 3/4" FIP	Each
38296	3/4" x 3/4" MIP	Each

Straight Couplings

With 3 barbs.

Cwip #	Size	U/M
38211	1/2"	Each
38234	3/4"	Each

Tees

With 3 barbs.

Cwip #	Size	U/M
36218	1/2"	Each
38203	3/4"	Each

Elbows

With 3 barbs.

Cwip #	Size	U/M
38281	1/2"	Each
38282	3/4"	Each

Quicktite Coupling

Connect PEX to copper, CPVC or polybutylene.

Cwip #	Size	U/M
38953	1/2" Nom.	Each

Crimping Rings

Cwip #	Size	U/M
38370	1/2"	Each
38320	3/4"	Each

Crimping Tool

- For PEX and polybutylene
- With band diameter gauge

Cwip #	Size	U/M
38330	1/2"	Each
38356	3/4"	Each

Lowboy Energy Efficient Electric Water Heaters 2" Foam Insulation

16.00R value; factory installed T&P valve.

Cwip #	Gallon Size	Size H x D	Element Wattage	Energy Factor	GPH	Wgt.lb.
27761	30	30" x 22"	(2) 4500W, 240V	.93	20	108
28191	40	32½" x 25"	(2) 4500W, 240V	.92	20	115

Medium Energy Efficient Electric Water Heater 2" Foam Insulation

16.00R value; factory installed T&P valve.

37989	40	44" x 20½"	(2) 4500W, 240V	.92	20	125
34888	50	48" x 22	(2) 3800/5500, 240V	.90	25	149

Tall Energy Efficient Electric Water Heaters 2" Foam Insulation

16.00R value; factory installed T&P valve.

27575	30	46½" x 18"	(2) 4500W, 240V	.93	20	94
27576	40	59½" x 18"	(2) 4500W, 240V	.92	20	117
37574	50	60¼" x 20½"	(2) 4500W, 240V	.90	20	134

Tall Energy Efficient Natural Gas Water Heaters 1" Foam Insulation

8.00R value; 3" draft hood; factory installed T&P valve; not for installation in mobile/manufactured homes; meets NAECA requirements.

Cwip #	Gallon Size	Size H x D w/Diverter	BTU's	Energy Factor	Wgt.lb.
35236	30	61" x 16"	35,500 (36 GPH)	.61	123
36782	40	61¾" x 18½"	35,500 (36 GPH)	.59	122
37815	50	61" x 20"	35,500 (36 GPH)	.58	-



Water Heater Drip Pans

Protects against damage from water overflow or heater failure. Semi-flexible durable plastic polymer. 1" PVC drain fitting; pre-drilled to fit. Will not rust or corrode.

Cwip #	Dia.	U/M
35287	20"	Each
32146	22½"	Each
37958	26"	Each

Compact Electric Water Heater

- Side plumbing, single element, 2" insulation
- 6-year yank and 6-year parts warranty

Cwip #	Gal. Capacity	Input Watt/Hour	Size	U/M
42291	10	1650	15¼" x 14⅛"	Each

AO Smith® ProMax® Gas Water Heaters

Eco-Friendly design reduces NOx emissions by up to 33% and complies with less than 40 ng/j requirements for low NOx. 6-Year limited tank and parts warranty.

	Cwip #	Gallon Size	Size H x D	BTU	Recovery 90°F Rise Gal. per Hour	Energy Factor
	37488	40	**Tall -** 53¼" x 18"	40,000	39	.59
	37280	40	**Short -** 47¾" x 20"	40,000	41	.59

Dielectric Nipple

Teflon lined galvanized nipple for water heater connectors.

Cwip #	Size	U/M
36125	¾"MIP x 3"	Each

SharkBite® Water Heater Kit

Kit Includes:
(2) 1/2" X 3/4" FNPT; (1) Disconnect Clip Joins copper, CTS, CPVC and PEX pipe in any combination. No soldering, clamps, unions or glue.

Cwip #	U/M
31091	Each

Electric Tankless Water Heaters - 240V

- Over 90% efficiency rating
- 10-year warranty on heat exchanger
- External temperature control knob
- Thermal cut-out for safety
- Flow sensor provides a constant output temperature
- Electronic flow switch
- Provides an ENDLESS supply of hot water
- No temperature/pressure relieve valve necessary (check local codes)

	Cwip #	Amps	Energy Factor	Kilowatts	Size	U/M
	34278	80	.90	17.25kW	15½" x 15¼" x 4½"	Each
	34306	120	.94	26.85kW		Each

Point-of-Use Tankless Water Heater

- Over 99% efficiency rating
- 5-year warranty on heat exchanger
- Space-saver, installs vertically or horizontally
- No temperature/pressure relieve valve necessary (check local codes)

	Cwip #	Amps	Energy Factor	Kilowatts	Size	U/M
	30790	40	.99	9.5kW	12¼" x 6½" x 3"	Each

T&P Relief Valves

- Relieving temperature 210°F
- 3/4"M NPT inlet, 3/4"F NPT outlet
- Thermostat protected with electro-static epoxy coating

Cwip #	Type	PSI	U/M
32114	3" Probe (Extended Body)	150 Lbs.	Each
20397	4" Probe	125 Lbs.	Each
24018	4" Probe	150 Lbs.	Each

Commercial T&P Relief Valve

- 3/4"T & P relief valve
- 7" thermostat
- Relieving temperature 210°F
- 3/4" male/female NPT inlet/outlet

Cwip #	PSI	U/M
33993	150 Lbs.	Each

Wilkins Aqua-Gard Tempering Mixing Valve

Mixes hot and cold water to reduce the temperature of the hot water in the distribution system to 122°F or less.

- Outlet Temp. Range: 95-131°F
- Temp. Hot Supply: 120-195°F max.
- Temp. Cold Supply: 40-75°F
- Set Temp. Accuracy +/- 4°F
- Max. Working Pressure (inlet): 145 psi

Cwip #	Size	U/M
30376	3/4"	Each

Thermostatic Mixing Valve

- 3/4" sweat union
- Adjusts, maintains and limits hot water temp.
- Offers scalding protection and bacteria growth control

Cwip #	Size	U/M
30551	3/4"	Each

Cash Acme® Heatguard® Thermostatic Mixing Valve

Delivers water at a safe 120°F, or lower, from all outlets, while allowing the heater to be set at a germ-killing 140°F.

Cwip #	Mfg. #	Size	U/M
30927	110-D	3/4"	Each

Wilkins Water Pressure Reducing Valve

- Cast bronze body
- Max. working water pressure: 300 psi
- Max. working water temp.: 180°F
- Reduced pressure range: 25 psi to 75 psi

Cwip #	Model	Size	U/M
36659	70	3/4"	Each



Electric Water Heater Upper Thermostat With HLC

Energy efficient range setting with a built-in safety switch to prevent overheating.

Cwip #	Camco #	U/M
27894	07863	Each



Electric Water Heater Lower Thermostat

Energy efficient range setting with a built-in safety switch to prevent overheating.

Cwip #	Camco #	U/M
27895	07723	Each



Water Heater Thermostat

Can be screw-mounted or clamp-mounted to water heater.
Rating: 30A, 120-250 Vac; 25A, 277 Vac; 12.5A, 480 Vac; 125 VA. Pt. Dty.; 120-480 Vac

Cwip #	Temp. Range - F	U/M
23036	90°-125°-150°	Each



Water Heater High Limit Control

Screw-mount or clamp-mount to water heater. Automatically cuts off when water temperature reaches 190°F ±5°.
Rating: 40 amps@120-240 VAC; 25 amps@241-480 VAC

Cwip #	U/M
25015	Each



Combo Water Heater Control
Single-Throw Thermostat

Includes high limit control, mounting bracket, and single-throw thermostat.
Rating: 40A, 120-277 Vac; 25A, 480Vac 125Va, Pt. Dty.; 120-480 Vac; 30A, 120-125Vac; 25A, 277Vac; 12.5A, 480 Vac.

Cwip #	Temp. Range - F	U/M
25018	90°-125°-150°	Each



Combo Water Heater Control
Double-Throw Thermostat

Includes high limit control, mounting bracket, and double-throw thermostat.
Rating: 40A, 120-277 Vac; 25A, 480Vac 125Va, Pt. Dty.; 120-480 Vac; 30A, 120-125Vac; 25A, 277Vac; 12.5A, 480 Vac.

Cwip #	Temp. Range - F	U/M
23313	90°-125°-150°	Each

Flange Type Water Heater Element Low Watt Density

Type FTG water heater elements are designed for use with recessed square tank flanges having four mounting holes on 2-1/2" bolt circles.

Cwip #	Length	Volts/Watts	U/M
25177	11 11/16"	240 / 4500	Each
39269	13 9/16"	240 / 4500	Each
37065	**Washer only**		Each



Bolt-On Type Water Heater Element Low Watt Density

Cwip #	Length	Volts/Watts	U/M
25014	11-11/16"	240 / 4500	Each



Screw-Plug Type Water Heater Element

Cwip #	Length	Volts/Watts	U/M
23037	11-3/4"	240 / 4500	Each
25036	7-3/4"	240 / 2000	Each
25016	13-11/16"	240 / 4500	Each

Water Heater Continuity Tester

Cwip #	U/M
39373	Each



Water Heater Element Socket Wrench

For screw-in elements

Cwip #	Size	U/M
38165	1-1/2"	Each



90° Street Elbow
Fitting x Copper

Cwip #	Size	Wgt.lb.	U/M
12141	1/2”	.04	Each
12505	3/4”	.11	Each
22403	1-1/2”	.46	Each
19624	2”	.84	Each



90° Elbow
Copper x Copper

Cwip #	Size	Wgt.lb.	U/M
12299	1/4”	.02	Each
19751	3/8”	.03	Each
11818	1/2”	.04	Each
12385	3/4”	1.0	Each
12518	1”	.21	Each
19750	1-1/4”	.31	Each
12384	1-1/2”	.46	Each
19752	2”	.84	Each



90° Reducing Elbow
Copper x Copper

Cwip #	Size	Wgt.lb.	U/M
11461	3/4” x 1/2”	.08	Each
21999	1” x 1/2”	.11	Each
21659	1-1/2” x 1	.54	Each



90° Elbow
Copper x Female Iron Pipe

Cwip #	Size	Wgt.lb.	U/M
21863	1/2”	.16	Each

90° Drop Ear
Copper x Female Iron Pipe

Cwip #	Size	Wgt.lb.	U/M
12993	1/2”	.23	Each



45° Street Elbow
Fitting x Copper

Cwip #	Size	Wgt.lb.	U/M
22890	1/2”	.04	Each



45° Elbow
Copper x Copper

Cwip #	Size	Wgt.lb.	U/M
22122	1/4”	.02	Each
19753	3/8”	.02	Each
12411	1/2”	.04	Each
12027	3/4”	.10	Each
11800	1”	.16	Each
21657	1-1/4”	.25	Each
12803	1-1/2”	.35	Each



Tee
Copper x Copper x Slip

Cwip #	Size	Wgt.lb.	U/M
19748	1/2”	.06	Each
11670	3/4”	.16	Each
11557	1”	.29	Each
23045	1-1/4”	.40	Each
11556	1-1/2”	.58	Each
13458	2”	1.2	Each



Reducing Tee
Copper x Copper x Copper

Cwip #	A x B x C	Wgt.lb.	U/M
38340	3/8” x 3/8” x 1/4”	.10	Each
17861	3/4” x 1/2” x 1/2”	.13	Each
17853	3/4” x 1/2” x 3/4”	.15	Each
17860	3/4” x 3/4” x 1/2”	.13	Each
24437	1” x 3/4” x 3/4”	.27	Each
14275	1” x 1” x 3/4”	.27	Each
17900	1” x 1” x 1/2”	.22	Each
21658	1 1/4” x 1” x 1”	.40	Each
36634	1 1/4” x 1 1/4” x 1/2”	.41	Each
38169	1 1/4” x 1 1/4” x 3/4”	.44	Each
21851	1 1/2” x 1 1/2” x 3/4”	.47	Each
12801	1 1/2” x 1 1/2” x 1”	.52	Each
18098	2” x 2” x 3/4”	.78	Each



Adapter
Copper x Female Pipe Thread

Cwip #	Size	Wgt.lb.	U/M
12057	1/4"	.03	Each
12174	1/2"	.80	Each
19736	1/2" x 3/4"	.13	Each
24049	1/2" x 3/8"	.04	Each
12128	3/4"	.13	Each
19745	3/4" x 1"	.21	Each
19738	3/4" x 1/2"	.10	Each
13599	1"	.22	Each
17915	1" x 3/4"	.19	Each
12808	1-1/4"	.33	Each
12789	1-1/2"	.44	Each
19741	2"	.63	Each



Adapter
Copper x Male Pipe Thread

Cwip #	Size	Wgt.lb.	U/M
20006	3/8"	.04	Each
13593	3/8" x 1/2"	.08	Each
17976	1/2"	.70	Each
19742	1/2" x 3/4"	.16	Each
13023	1/2" x 3/8"	.05	Each
12284	3/4"	.15	Each
19743	3/4" x 1"	.26	Each
19744	3/4" x 1/2"	.10	Each
13502	1"	.24	Each
16372	1-1/4"	.35	Each
12173	1-1/2"	.44	Each



Reducing Coupling
Copper x Copper

Cwip #	Size	Wgt.lb.	U/M
21791	3/8" x 1/4"	.03	Each
12436	1/2" x 3/8"	.04	Each
14453	3/4" X 1/2"	.08	Each
20255	1" X 1/2"	.70	Each
14136	1" X 3/4"	.16	Each
81898	1¼" X 3/4"	.15	Each
37179	1¼" X 1"	.20	Each
19732	1½" X 1/2"	.26	Each
19731	1½" X 3/4"	.10	Each
19730	1½" X 1"	.24	Each
81899	1½" X 1¼"	.22	Each
11716	2" X 1-1/2"	.35	Each



Copper Slip Coupling

Cwip #	Size	Wgt.lb.	U/M
16348	1/4"	.01	Each
19729	3/8"	.01	Each
12176	1/2"	.03	Each
12541	3/4"	.06	Each
12153	1"	.10	Each
12412	1-1/4"	.15	Each
12404	1-1/2"	.23	Each
17011	2"	.42	Each
19749	3"	.99	Each



Coupling
With Stop

Cwip #	Size	Wgt.lb.	U/M
11895	1/4"	.01	Each
12244	3/8"	.01	Each
12642	1/2"	.03	Each
34708	5/8"	.04	Each
11799	3/4"	.06	Each
13621	1"	.10	Each
21806	1-1/4"	.15	Each
12177	1-1/2"	.23	Each
20007	2"	.42	Each



Copper Cap

Cwip #	Size	Wgt.lb.	U/M
20004	1/4"	.01	Each
12499	3/8"	.01	Each
11689	1/2"	.02	Each
12044	3/4"	.04	Each
13620	1"	.07	Each
21820	1-1/4"	.10	Each
12285	1-1/2"	.16	Each



Union
Copper x Copper

Cwip #	Size	Wgt.lb.	U/M
12406	1/2"	.22	Each
11034	3/4"	.33	Each
11035	1"	.54	Each
21805	1-1/4"	.76	Each
12046	1-1/2"	1.1	Each

DWV Copper Fittings

Trap Adapters
M x SJ

Cwip #	Size	U/M
37438	1-1/4"	Each
37430	1-1/2"	Each

90° Galvanized Elbow

Cwip #	Size	Wgt.lb.	U/M
21241	3/8”	.18	Each
12013	1/2”	.26	Each
11910	3/4”	.40	Each
16200	1”	.67	Each
12895	1-1/4”	1.0	Each
12632	1-1/2”	1.4	Each

90° Black Elbow

Cwip #	Size	Wgt.lb.	U/M
19704	3/8”	.17	Each
12540	1/2”	.25	Each
22408	1/2” x 3/8”	.21	Each
11477	3/4”	.38	Each
20595	3/4” x 1/2”	.33	Each
12410	1”	.64	Each



90° Galvanized Street Elbow

Cwip #	Size	Wgt.lb.	U/M
21352	1/2”	.26	Each
21351	3/4”	.42	Each
12910	1-1/2”	1.5	Each

90° Black Street Elbow

Cwip #	Size	Wgt.lb.	U/M
20999	1/2”	.25	Each
20008	3/4”	.40	Each

45° Galvanized Elbow

Cwip #	Size	Wgt.lb.	U/M
12555	1/2”	.23	Each
12978	3/4”	.36	Each
11544	1-1/2”	1.2	Each

45° Black Elbow

Cwip #	Size	Wgt.lb.	U/M
21605	3/4”	.34	Each
13287	1”	.57	Each

Galvanized Coupling

Cwip #	Size	U/M
21252	3/8”	Each
12631	1/2”	Each
12980	3/4”	Each
12975	3/4” x 1/2”	Each
14616	1”	Each
21801	1” x 3/4”	Each
21253	1-1/4”	Each
12799	1-1/2”	Each
13132	2”	Each

Black Coupling

Cwip #	Size	Wgt.lb.	U/M
20918	1/4”	.08	Each
20920	1/2”	.18	Each
20820	1/2” x 3/8”	.16	Each
21239	3/4”	.28	Each
11571	3/4” x 1/2”	.25	Each
20836	3/4” x 3/8”	.24	Each
20838	1” x 3/4”	.42	Each



Galvanized Tee

Cwip #	Size	Wgt.lb.	U/M
12630	1/2”	.36	Each
12148	3/4”	.56	Each
17706	1”	.93	Each
12804	1-1/2”	1.9	Each

Black Tee

Cwip #	Size	Wgt.lb.	U/M
19700	1/8”	.09	Each
13001	1/2”	.34	Each
11709	3/4”	.54	Each
20475	1”	.90	Each



Galvanized Union

Cwip #	Size	Wgt.lb.	U/M
12026	1/2”	.62	Each
11817	3/4”	1.1	Each
12916	1-1/2”	2.9	Each

Black Union

Cwip #	Size	Wgt.lb.	U/M
11570	1/2”	.51	Each
12287	3/4”	.76	Each
20857	1”	1.2	Each

Galvanized Cap

Cwip #	Size	Wgt.lb.	U/M
11547	3/8”	.10	Each
12371	1/2”	.15	Each
21249	3/4”	.23	Each
12507	1-1/2”	.71	Each
21255	2”	.99	Each

Black Cap

Cwip #	Size	Wgt.lb.	U/M
12079	1/2”	.14	Each
20435	3/4”	.22	Each
20876	1”	.33	Each
20907	1-1/4”	.54	Each
20927	1-1/2”	.68	Each

Galvanized Plug

Cwip #	Size	U/M
21538	1/2”	Each
13020	3/4”	Each
22186	1-1/4”	Each
12840	1-1/2”	Each

Black Plug

Cwip #	Size	Type	U/M
20877	1/8”	Solid	Each
20878	1/4”	Solid	Each
20879	3/8”	Solid	Each
19453	1/2”	Solid	Each
14624	3/4”	Cored	Each
20880	1”	Cored	Each
20896	1-1/4”	Cored	Each
20897	1-1/2”	Cored	Each
20898	2”	Cored	Each

Galvanized Hex Bushing

Cwip #	Size	Wgt.lb.
23154	1/2" x 3/8"	.06
21549	1/2" x 1/4"	.07
22463	3/4" x 1/2"	.11
21548	1" x 1/2"	.22
12894	1-1/2" x 1	.52
17904	2" x 1-1/2"	.68

Black Hex Bushing

Cwip #	Size	Wgt.lb.
20958	3/8" x 1/8"	.05
11481	1/2" x 3/8"	.05
20960	1/2" x 1/8"	.06
20976	3/4" x 1/2"	.11
20395	1" x 3/4"	.17
20980	1" x 1/2"	.22

Cwip #	Size	Wgt.lb.	U/M
20900	1-1/4" x 3/4"	.39	Each
20916	1-1/4" x 1/2"	.30	Each
60099	1-1/2" x 3/4"	.47	Each
21482	2" x 1-1/2"	.67	Each



Galvanized Steel Nipples

U/M: Each

	Cwip #	Size
1/8"	20779	1/8" x 3-1/2"
1/4"	21268	1/4" x Close
	11475	1/4" x 2"
	21272	1/4" x 4"
	21273	1/4" x 4-1/2"
3/8"	12559	3/8" x 1-1/2"
	11710	3/8" x 2"
	12063	3/8" x 2-1/2"
	12433	3/8" x 3"
	11586	3/8" x 3-1/2"
	20099	3/8" x 4"
	20335	3/8" x 4-1/2"
	20355	3/8" x 5"
	12432	3/8" x 6"
1/2"	12368	1/2" x Close
	12260	1/2" x 1-1/2"
	12634	1/2" x 2"
	12145	1/2" x 2-1/2"
	11663	1/2" x 3"
	12367	1/2" x 3-1/2"
	12259	1/2" x 4"
	12633	1/2" x 4-1/2"
	12144	1/2" x 5"
	11662	1/2" x 5-1/2"
	12366	1/2" x 6"
	21545	1/2" x 10"
	21546	1/2" x 12"

	Cwip #	Size
3/4"	12143	3/4" x Close
	12509	3/4" x 1-1/2"
	11661	3/4" x 2"
	12018	3/4" x 2-1/2"
	12365	3/4" x 3"
	11546	3/4" x 3-1/2"
	12262	3/4" x 4"
	12017	3/4" x 5"
	12364	3/4" x 5-1/2"
	12261	3/4" x 6"
1"	12016	1" x Close
	11549	1" x 2"
	11912	1" x 2-1/2"
	11794	1" x 3"
	11545	1" x 4"
	21277	1" x 4-1/2"
	12635	1" x 5-1/2"
	12147	1" x 6"
1 1/4"	21278	1-1/4" x Close
	21279	1-1/4" x 2"
	21281	1-1/4" x 3"
	21282	1-1/4" x 3-1/2"
	21285	1-1/4" x 5"

	Cwip #	Size
1 1/2"	12014	1-1/2" x Close
	12258	1-1/2" x 2"
	12146	1-1/2" x 2-1/2"
	11542	1-1/2" x 3"
	12255	1-1/2" x 3-1/2"
	12629	1-1/2" x 4"
	21164	1-1/2" x 4-1/2"
	12506	1-1/2" x 5"
	11793	1-1/2" x 5-1/2"
	12256	1-1/2" x 6"
	12012	1-1/2" x 8"
	11543	1-1/2" x 10"
	11660	1-1/2" x 12"
2"	17883	2" x Close
	21289	2" x 3"
	17844	2" x 3-1/2"
	17898	2" x 4"
	21291	2" x 5"
	21292	2" x 5-1/2"
	17857	2" x 6"



Black Steel Nipples

	Cwip #	Size	U/M
1/4"	12336	1/4" x Close	Each
	20799	1/4" x 1-1/2"	Each
	20800	1/4" x 2"	Each
	20818	1/4" x 4"	Each
3/8"	11981	3/8" x Close	Each
	20679	3/8" x 1-1/2"	Each
	20680	3/8" x 2"	Each
	20698	3/8" x 3"	Each
	20700	3/8" x 4"	Each
1/2"	12047	1/2" x Close	Each
	12407	1/2" x 1-1/2"	Each
	11569	1/2" x 2"	Each
	11932	1/2" x 2-1/2"	Each
	12286	1/2" x 3"	Each
	12543	1/2" x 3-1/2"	Each
	11690	1/2" x 4"	Each
	12045	1/2" x 4-1/2"	Each
	12405	1/2" x 5"	Each
	11931	1/2" x 5-1/2"	Each
	11555	1/2" x 6"	Each
	81052	1/2" x 8"	Each
3/4"	12542	3/4" x Close	Each
	11798	3/4" x 1-1/2"	Each
	12403	3/4" x 2"	Each
	11567	3/4" x 2-1/2"	Each
	11930	3/4" x 3"	Each
	11463	3/4" x 3-1/2"	Each
	12402	3/4" x 4"	Each
	11671	3/4" x 4-1/2"	Each
	12383	3/4" x 5"	Each
	12520	3/4" x 5-1/2"	Each
	12025	3/4" x 6"	Each
	81051	3/4" x 8"	Each
1"	11462	1" x Close	Each
	11816	1" x 2"	Each
	12641	1" x 3"	Each
	12519	1" x 4"	Each
1-1/4"	20640	1-1/4" x 4"	Each
	20658	1-1/4" x 5"	Each
1-1/2"	20320	1-1/2"x 2-1/2"	Each
	20340	1-1/2" x 3"	Each
	39779	1-1/2" x 4"	Each
	20440	1-1/2" x 6"	Each
2"	20520	2" x 3-1/2"	Each

Brass Nipples

Cwip #	Size	U/M
Chrome Plated		
30157	3/8" x 3"	Each
32810	3/8" x 4"	Bag/10
32808	3/8" x 5"	Bag/10
32806	3/8" x 6"	Bag/10
Red Brass		
33764	3/4" x 2-1/2"	Each
33749	3/4" x 3"	Each
33716	3/4" x 3-1/2"	Each
33720	3/4" x 4"	Each



Schedule 80 PVC Nipple

Cwip #	Size	Wgt.lb.	U/M
23827	1-1/2" x 12"	.29	Each



PVC Extension Tube Slip Joint

Cwip #	Size	U/M
39792	1-1/4" x 6"	Each
11822	1-1/2" x 8"	Each
11507	1-1/2" x 12"	Each

PVC Tailpiece

Cwip #	Size	Wgt.lb.	U/M
81094	1-1/2" x 12"	.14	Each

Flexible Extension Tube

Cwip #	Size	U/M
17678	1-1/4" x 5"—7"	Each
23487	1-1/2" x 12"	Each

Flexible Tailpiece

Direct connect; flanged

Cwip #	Size	U/M
17890	1-1/2" x 12"	Each
26467	1-1/2" x 5"—11"	Each



J-Bend w/Captive Nut

Cwip #	Size	Wgt.lb.	U/M
12554	1-1/2"	.32	Each



PVC Sink Trap With IPS Elbow

Cwip #	Size	Wgt.lb.	U/M
20270	1½" x 1½"	.44	Each



PVC P-Trap

Cwip #	Size	Wgt.lb.	U/M
39948	1-1/4" x 1-1/4"	.42	Each
16706	1-1/2" or 1-1/2" x 1-1/4"	.50	Each

Continuous Waste End Outlet

Cwip #	Size	Wgt.lb.	U/M
22707	1½" x 16" Direct Connect	.60	Each
29767	1½" x 16" Slip Joint	.47	Each



PVC Slip Joint Nut

Cwip #	Size	U/M
33895	1-1/4"	Bx/25
81095	1-1/2"	Bx/25

Slip Joint Nut Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
12836	1¼" x 1¼"	1.3	Bg/25
16401	1½" x 1½"	1.4	Bg/25
11576	1½" x 1¼"	1.7	Bg/25

Polyethylene Tailpiece Washer

Cwip #	Size	Wgt.lb.	U/M
17938	1-1/2"	.10	Bg/25



Beveled Slip Joint Poly Washer

Cwip #	Size	Wgt.lb.	U/M
14837	1-1/4"	.10	Bg/25
14798	1-1/2"	.10	Bg/25
12837	1½" x 1¼"	.18	Bg/25

Slip Joint Washer Heavy Pattern - Rubber

Cwip #	Size	Wgt.lb.	U/M
16402	1-1/4"	.14	Bg/25
12653	1-1/2"	.26	Bg/25
12019	1½" x 1¼"	.18	Bg/25

Light Pattern - Rubber

32426	1-1/2"	.18	Bg/25

Extension Tubes Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
12199	1-1/4" x 6"	20	.18	Each
11726	1-1/4" x 8"	20	.26	Each
11956	1-1/2" x 6"	20	.32	Each
11725	1-1/2" x 8"	20	.34	Each

Extension Tubes - Slip Joint Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
20210	1-1/2" x 8"	17	.59	Each
11724	1-1/4" x 6"	20	.34	Each
11604	1-1/4" x 8"	20	.46	Each
12566	1-1/2" x 6"	20	.34	Each
11487	1-1/2" x 8"	20	.50	Each
12440	1-1/2" x 12"	20	.59	Each

Waste Connections Ground Joint

Cwip #	Size	U/M
36875	1¼" MIP x 1¼"sj	Each
36883	1½" FIP x 1½"sj	Each

Outlet Tubes Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
14972	1-1/4" x 8"	20	.26	Each
22401	1-1/4" x 12"	20	.42	Each
22317	1-1/2" x 12"	20	.48	Each

Tailpiece Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
15636	1-1/2" x 4"	20	.20	Each
15571	1-1/2" x 6"	20	.27	Each
15604	1-1/2" x 8"	20	.37	Each
15669	1-1/2" x 12"	20	.51	Each



Tailpieces Double Offset Chrome Plated

Cwip #	Size	Gauge	U/M
30957	1-1/2" x 12"	22	Each
33332	1-1/4" x 12"	17	Each



Double Slip Joint Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
22928	1-1/4"	22	.14	Each
22929	1-1/2"	22	.24	Each



Continuous Waste Tee w/Tailpiece Slip Joint - Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
29491	1-1/2"	.74	Each



Direct Connection Waste Arm Chrome Plated

Cwip #	Size	Gauge	U/M
11668	1-1/2" x 15"	20	Each
12548	1-1/2" x 7"	22	Each
12547	1-1/2" x 9-1/2"		Each
11696	1-1/2" x 11-1/2"		Each



Rough Brass Wide Radius

Cwip #	Size	Gauge	U/M
17470	1½" x 3 11/16" x 7"	22	Each

Waste Arm Slip Joint

Cwip #	Size	Gauge	Wgt.lb.	U/M
17469	1-1/2" x 9.5"	17	1.2	Each
12069	1-1/2" x 7"	22	.66	Each
17537	1-1/2" x 9.5"	22	.76	Each
11824	1-1/2" x 11.5"	22	.88	Each
25796	1-1/2" x 15"	22	.40	Each

Wall Bends

Cwip #	Size	Gauge	U/M
28317	1-1/4" x 15"	17	Each
28318	1-1/2" x 15"	17	Each



J-Bend Less Cleanout Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
14358	1-1/4”	20	.64	Each
14303	1-1/4”	17	.80	Each
14102	1-1/2”	20	.76	Each
14143	1-1/2”	17	.92	Each



Chrome Plated High Inlet Sink Trap J-Bends

Ground Joint

Cwip #	Size	Gauge	Wgt.lb.	U/M
13839	1-1/2”	20	.76	Each

Washer Joint

33264	1-1/2”	20	.76	Each





Chrome Plated Sink Trap J-Bends

Ground Joint

Cwip #	Size	Gauge	Wgt.lb.	U/M
30493	1-1/4”	17	.72	Each
14181	1-1/2”	17	.88	Each
14304	1-1/2”	20	.72	Each

Washer Joint

38995	1-1/4”	20	.72	Each
14101	1-1/2”	17	.88	Each
14059	1-1/2”	20	.76	Each



Low Inlet J-Bend Ground Joint

Cwip #	Size	Gauge	Wgt.lb.	U/M
14974	1-1/2”	20	.60	Each





Low Inlet Sink Trap J-Bends

Ground Joint

Cwip #	Size	Gauge	Wgt.lb.	U/M
14931	1-1/2”	20	.60	Each

Washer Joint

25738	1-1/2”	17	.60	Each

Chrome Plated Elbow

Extra long tube for wash trap

Cwip #	Size	Gauge	Wgt.lb.	U/M
33217	1-1/2”	17	.75	Each



Sink Trap Ground Joint

Female thread pipe size outlet elbow

Cwip #	Size	Gauge	Wgt.lb.	U/M
16671	1-1/2”	20	1.2	Each



Sink Trap - Washington

With copper sweat outlet; less cleanout

Cwip #	Size	Gauge	Wgt.lb.	U/M
24333	1½” x 1½”	17	1.2	Each



Repair Traps

Cwip #	Size	Gauge	Wgt.lb.	U/M
27240	1¼” x 1¼”	20	.76	Each
27405	1½” x 1½”	20	.88	Each

Cast Elbow Ground Joint

1-1/2”M thread x 1-1/2”F thread

Cwip #	Wgt.lb.	U/M
21359	.50	Each



P-Traps Washer Joint Chrome Plated

Cwip #	Size	Gauge	Wgt.lb.	U/M
35614	1-1/4”	17	.50	Each
16727	1-1/4”	20	1.1	Each
32518	1-1/2”	17	1.1	Each
16589	1-1/2”	20	1.3	Each
16588	1-1/2” x 1-1/4”	20	1.3	Each



S-Traps - Chrome Plated Less Cleanout

Cwip #	Size	Gauge	Wgt.lb.	U/M
26923	1-1/4”	20	1.4	Each
35606	1-1/4”	17	.50	Each
26924	1-1/2”	20	1.8	Each
35598	1-1/2”	17	.50	Each

PVC Schedule 40 Fittings

90° Elbow Slip x Slip

Cwip #	Size	Wgt.lb.	U/M
12976	1/2”	.05	Each
13009	3/4”	.06	Each
16337	1”	.10	Each
12819	1-1/4”	.16	Each
12891	1-1/2”	.21	Each
16891	2”	.32	Each
16827	3”	1.2	Each
17008	4”	2.1	Each

45° Elbow Slip x Slip

Cwip #	Size	Wgt.lb.	U/M
13030	1/2”	.04	Each
12982	3/4”	.05	Each
16949	1”	.09	Each
12890	1-1/4”	.12	Each
12798	1-1/2”	.16	Each
18183	2”	.25	Each
19457	4”	1.6	Each

Slip Tee

Cwip #	Size	Wgt.lb.	U/M
13015	1/2”	.07	Each
12981	3/4”	.08	Each
16888	1”	.14	Each
12892	1-1/4”	.20	Each
12881	1-1/2”	.28	Each
23746	2”	.41	Each



Slip Reducing Tee

Cwip #	A B C	Wgt.lb.	U/M
13007	¾” x ¾” x ½”	.15	Each
12068	¾” x ½” x ½”	.15	Each
11596	¾” x ½” x ¾”	.16	Each
11480	1” x 1” x ¾”	.23	Each
35601	1¼” x 1¼” x ¾”	.25	Each

Male Adapter Slip x Female Pipe Thread

Cwip #	Size	Wgt.lb.	U/M
12963	1/2”	.04	Each
13008	3/4”	.05	Each
16824	3/4” x 1”	.06	Each
15813	1”	.10	Each
12809	1-1/4”	.14	Each
12868	1-1/2”	.19	Each
81890	1½” x 1¼”	.16	Each
15797	2”	.27	Each

Female Adapter Slip x Female Pipe Thread

Cwip #	Size	Wgt.lb.	U/M
13002	1/2”	.04	Each
13027	3/4”	.05	Each
14516	1”	.16	Each
12807	1-1/4”	.22	Each
12904	1-1/2”	.29	Each
19458	2”	.41	Each
22508	4”	.96	Each

Slip Coupling

Cwip #	Size	Wgt.lb.	U/M
12953	1/2”	.04	Each
12990	3/4”	.06	Each
13485	1”	.09	Each
12903	1-1/4”	.13	Each
12805	1-1/2”	.16	Each
13403	2”	.24	Each
16875	3”	.65	Each
17017	4”	.84	Each

Bushing SP x Slip

Cwip #	Size	U/M
11950	3/4” x 1/2”	Each
22036	1” x 1/2”	Each
11953	1” x 3/4”	Each
12758	1-1/4” x 3/4”	Each
12883	1-1/4” x 1”	Each
19765	1-1/2” x 1”	Each
19762	1½” x 1¼”	Each

Slip Cap

Cwip #	Size	U/M
12997	1/2”	Each
12970	3/4”	Each
13528	1”	Each
12888	1-1/4”	Each
12846	1-1/2”	Each
13581	2”	Each



90° Elbow - All Hub

Cwip #	Size	Wgt.lb.	U/M
39395	1-1/2"	.23	Each
39403	2"	.38	Each
39411	3"	1.2	Each
39419	4"	2.1	Each



90° Street Elbow Hub x Spigot

Cwip #	Size	Wgt.lb.	U/M
39340	1-1/2"	.23	Each
39348	2"	.45	Each
39356	3"	1.9	Each
39364	4"	2.0	Each

45° Elbow - All Hub

Cwip #	Size	Wgt.lb.	U/M
39427	1-1/2"	.16	Each
39435	2"	.20	Each
23628	3"	.95	Each
39443	4"	1.7	Each

45° Street Elbow Hub x Spigot

Cwip #	Size	Wgt.lb.	U/M
39380	1-1/2"	.20	Each
39388	2"	.30	Each
39404	4"	1.7	Each



45° Wye - All Hub

Cwip #	Size	Wgt.lb.	U/M
32449	1-1/2"	.44	Each
34341	2"	.65	Each
39523	3"	1.2	Each
39531	4"	3.8	Each



Sanitary Tee - All Hub

Cwip #	Size	Wgt.lb.	U/M
39483	1½"	.55	Each
39491	2"	1.0	Each
39499	3"	2.5	Each
39507	4"	5.2	Each

Reducing Tee

25789	2" x 2" x 1½"	.45	Each
39515	3" x 3" x 2"	1.1	Each

Coupling - All Hub

Cwip #	Size	Wgt.lb.	U/M
39451	1-1/2"	.11	Each
39459	2"	.14	Each
39467	3"	.45	Each
39475	4"	.80	Each



Reducing Bushing Spigot x Hub

Cwip #	Size	Wgt.lb.	U/M
23061	2" x 1½"	.08	Each
39539	3" x 1½"	.35	Each
39547	3" x 2"	.40	Each
39555	4" x 3"	.60	Each
39563	4" x 2"	.70	Each

Male Adapter Hub x MIP

Cwip #	Size	Wgt.lb.	U/M
22877	1-1/2"	.09	Each
81890	1½" x 1¼"	.09	Each



Female Adapter Hub x FIP

Cwip #	Size	Wgt.lb.	U/M
39276	1-1/2"	.12	Each
39284	2"	.16	Each
39292	3"	.55	Each

Trap Adapter w/Tube Stop SP x SJ

Cwip #	Size	Wgt.lb.	U/M
23064	1-1/2"	.12	Each



Cleanout w/Plug Spigot x FIP

Cwip #	Size	Wgt.lb.	U/M
39308	1-1/2"	.17	Each
39316	2"	.21	Each
39324	3"	.60	Each
39332	4"	.80	Each

Plug Only Male

Cwip #	Size	Wgt.lb.	U/M
32246	1-1/2"	.05	Each
39372	2"	.06	Each
19454	3"	.17	Each
13520	4"	.30	Each



PVC/DWV P-Trap With Union Joint

Cwip #	Size	U/M
23062	1-1/2"	Each
23063	2"	Each



P-Trap LA Pattern

PVC-DWV Slip Joint x Hub

Cwip #	Size	U/M
81264	1½" & 1¼	Each
ABS-DWV SJ x Slip		
22881	1-1/2"	Each
PVC-DWV SJ x Hub With Plastic Nut		
26708	1-1/2"	Each



PVC/DWV Return Bend

Cwip #	Size	U/M
23460	1-1/2"	Each

Schedule 80 PVC Union

- With Rubber O-rings
- Use with Sch. 80 or Sch. 40

Cwip #	Size	U/M
34013	3/4"	Each

CPVC Tubular Fittings



90° Street Elbow

Cwip #	Size	Wgt.lb.	U/M
38594	3/4"	.06	Each

45° Elbow

Cwip #	Size	Wgt.lb.	U/M
37849	1/2"	.05	Each
38578	3/4"	.06	Each



90° Elbow

Cwip #	Size	Wgt.lb.	U/M
37841	1/2"	.05	Each
38434	3/4"	.06	Each



Tee

Cwip #	Size	Wgt.lb.	U/M
37833	1/2"	.06	Each
38641	3/4"	.07	Each
38649	¾" x ¾" x ½"	.08	Each

Female Adapter

Cwip #	Size	Wgt.lb.	U/M
38625	1/2"	.15	Each



CPVC/Brass MIP Adapter

Cwip #	Size	U/M
38609	1/2"	Each
35177	3/4"	Each



CPVC/Brass FIP Adapter

Cwip #	Size	Wgt.lb.	U/M
36117	3/4"	.10	Each



Coupling

Cwip #	Size	U/M
37857	1/2"	Each
38426	3/4"	Each

Cap

Cwip #	Size	U/M
38657	1/2"	Each
38665	3/4"	Each

Fernco Flex Couplings

Installation for above or below ground. Use on cast iron, steel, copper or plastic pipe.

Cwip #	Size	U/M
29177	1¼" x 1¼"	Each
27960	1½" x 1½"	Each
27957	2" x 2"	Each
28212	3" x 3"	Each
30472	4" x 4"	Each
Reducing Coupling		
30187	1½" x 1¼"	Each
30403	2" x 1½"	Each

Fernco Qwik Tee

Cwip #	Size	U/M
37840	2"	Each

Fernco Hose Grip Washer Connector

Fits 2" or 1½" standpipe, to 1" through 1 7/16" washer hose.

Cwip #	U/M
37071	Each



Fernco Tubular Drain Pipe Connector

For 1-1/2" or 1-1/4" pipe.

Cwip #	Wgt.lb.	U/M
30447	.03	Each



Fernco Drain & Trap Connector

For 1-1/2" x 1-1/2" or 1-1/4" pipe.

Cwip #	Wgt.lb.	U/M
30445	.03	Each



Fernco Flexible Qwik Traps

For 1-1/2" x 1-1/4" pipe.

Cwip #	Wgt.lb.	U/M
25458	.45	Each



Fernco Qwik Caps

Flexible PVC for above or below ground. Can be used on cast iron, steel, copper or plastic pipe.

Cwip #	Size	U/M
32407	1-1/2"	Each
32406	2"	Each
33298	3"	Each
36019	4"	Each



No-Hub Coupling

Connects cast iron pipe

Cwip #	Size	U/M
22543	1-1/2"	Each
21501	2"	Each
21500	3"	Each
21502	4"	Each



Metal Screw-Type Clamp

For dryer hose connections.

Cwip #	Size	U/M
30525	4"	Each

Hose Clamps

- Stainless steel clamp/screw
- For hose, rubber tubing, vinyl tubing, and plastic pipe

Cwip #	Trade	Clamp	Dia.	U/M	Cwip #	Trade	Clamp	Dia.	U/M
14184	4	7/32"	5/8"	Bx/10	14148	24	1-1/16"	2"	Bx/10
14074	6	7/16"	25/32"	Bx/10	16456	28	1-5/16"	2¼"	Bx/10
14073	8	½"	29/32"	Bx/10	16569	32	1-9/16"	2½"	Bx/10
14105	10	9/16"	1 1/16"	Bx/10	12167	36	1-13/16"	2¾"	Bx/10
14146	12	11/16"	1¼"	Bx/10	15832	40	2-1/16"	3"	Bx/10
37748	12	11/16"	1¼"	Each	16457	48	2-9/16"	3½"	Bx/10
14147	16	13/16"	1½"	Each	17820	56	3-1/16"	4"	Bx/10
14314	20	13/16"	1¾"	Bx/10	38596	64	3-9/16"	4½"	Bx/10



- Heavy gauge body
- Neoprene rubber gasket
- Permanent positive seal on all leaking pipes

Galvanized Pipe Repair Clamp

Cwip #	Size	U/M
11185	3/4"	Each
14859	1"	Each
12762	1-1/4"	Each
12763	1-1/2"	Each
22166	2"	Each

Interlock Type Repair Clamp

Cwip #	Size	Wgt.lb.	U/M
13957	1/2"	1.4	Box/6
13014	3/4"	1.8	Box/6
13955	1"	1.9	Box/6
12849	1-1/4"	3.8	Box/6

Galvanized Perforated Hanger Strip

Cwip #	Size	Wgt.lb.	U/M
12973	3/4" x 10'	.40	Roll

Galvanized Pipe Strap

Cwip #	Size	Wgt.lb.	U/M
12989	1/2"	5.0	Bx/100



Hard Copper Pipe

Cwip #	M Type	Thick
19754	1/2"	.028
19548	3/4"	.032
19549	1"	.035
21654	1-1/4"	.042
21572	1-1/2"	.049
19551	2"	.058

Cwip #	L Type	Thick	U/M
19547	1/2"	.040	Len/10'
23858	3/4"	.045	Len/10'
32202	1"	.050	Len/10'
32199	1-1/4"	.055	Len/10'
32201	1-1/2"	.060	Len/10'
32200	2"	.070	Len/10'

Black Steel Pipe

Cwip #	Size	U/M
38149	1/2"	Len/10'
38157	3/4"	Len/10'

PVC Schedule 40 Pipe

Cwip #	Size	Cwip #	Size	U/M
11666	1/2"	12900	1½"	Len/10'
12637	3/4"	12363	2"	Len/10'
17882	1"	82288	3"	Len/10'
12864	1¼"	22269	4"	Len/10'
CPVC Pipe				
37882	1/2"	Length/10'		
38386	3/4"	Length/10'		

Soft Copper Tubing

For refrigerators, oil burners, gas stoves, boats, automotive, and industrial machines

Cwip #	Size/Gauge	U/M
23455	1/4" OD; .030	Roll/50'
12983	3/8" OD; .032	Roll/50'
34705	5/8" OD; .035	Roll/50'
34706	3/4" OD; .035	Roll/50'

Type L Soft Copper Tubing

Cwip #	Size/Gauge	U/M
23284	1/4" ID; .030	Roll/60'
81433	3/8" ID; .035	Roll/60'
25003	1/2" ID; .040	Roll/60'

Tubing Bending Spring Set For Copper Tubing

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" (outside diameter of tube).

Cwip #	U/M
34054	Set

24 Gauge Galvanized Furnace Pipe

Cwip #	Size	U/M
30822	3" x 24"	Each

Clear Vinyl Tube

Cwip #	ID x O.D.	Thickness	U/M
14954	1/8" x 1/4"	1/16"	Rl/100'
14497	3/16" x 5/16"	1/16"	Rl/100'
20567	1/4" x 3/8"	1/16"	Rl/100'
38566	3/8" O.D.	-	Rl/100'
38558	1/2" O.D.	-	Rl/100'
82099	1" x 1-1/4"	1/8"	Rl/50'
30985	1-1/4" x 1-5/8"	3/16"	Rl/50'
Hot/Cold Polyethylene Tubing			
30104	1/4" x 3/8"	-	Rl/100'

Rubber Drain Hose Non-Braided

Cwip #	Size	Wgt.lb.	U/M
13416	¾" ID; 5/32" wall	17.6	50'/Rl

4" Corrugated Drain Hose

For road bed drainage, athletic fields, golf course drainage, conduit for underground telephone/power lines, parking lots, manhole drains, etc.

Cwip #	Type	U/M
22677	Perforated	Roll/100'
24503	Non-Perforated	Roll/100'



Galvanized Compression Coupling

Long pattern, steel body, malleable nuts, for iron pipe sizes.

Cwip #	Size	Wgt.lb.	U/M
81777	1/2"	.88	Each
81350	3/4"	1.3	Each
20316	1"	1.7	Each
23543	1-1/4"	2.4	Each
19587	1-1/2"	2.5	Each

PVC Compression Coupling

Cwip #	Size	Wgt.lb.	U/M
81111	1"	.46	Each

Basin Supply Tubes

PEX Cross-Linked Polyethylene

Cwip #	Size	Wgt.lb.	U/M
15035	3/8" OD x 12"	.16	Bag/6
14988	3/8" OD x 20"	.26	Bag/6
24102	3/8" OD x 30"	.38	Bag/6

Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
17932	3/8" OD x 12"	.68	Bag/6
17920	3/8" OD x 20"	1.1	Bag/6
17922	3/8" OD x 30"	.28	Each

Tank Supply Tubes

PEX Cross-Linked Polyethylene

Cwip #	Size	Wgt.lb.	U/M
15217	3/8" OD x 12"	.16	Bag/6
15190	3/8" OD x 20"	.24	Bag/6

Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
15247	3/8" OD x 12"	.68	Bag/6
11914	3/8" OD x 20"	1.1	Bag/6

Unplated Brass Basin Supply Tube

With 3/8" O.D. compression adapter. Extends all types of ledge and lavy hook-ups with 3/8" O.D. supply lines.

Cwip #	Size	Wgt.lb.	U/M
11775	12" Long	.72	Each

Polyferrule

Cwip #	Size	U/M
23548	3/8" OD	Bag/100
30421	1/4" OD	Each

Tank Supply Nose Piece - Polyethylene

For 7/16" opening.

Cwip #	Fits	Wgt.lb.	U/M
32840	3/8" OD	.04	Bag/10

Sweat Connector

3/8" OD x 1/2" sweat

Cwip #	U/M
27838	Each

Brass Comp Sleeve

Cwip #	O.D. Tube	Wgt.lb.	U/M
15082	3/8"	.03	Bg/25

Compression Nut Chrome Plated

Cwip #	Size	Wgt.lb.	U/M
16192	3/8" O.D.	.50	Bag/25



Stainless Steel Braided Tank Connectors

- Brass couplings
- Nickel plated

Cwip #	Length	U/M
7/8" Cone Ballcock Delrin x 3/8" Comp. Soft Cone		
33178	6"	Each
33177	9"	Each
33176	12"	Each
35611	16"	Each
7/8" Cone Ballcock Delrin x 1/2" Comp. Soft Cone		
33175	12"	Each
33181	16"	Each
7/8" Soft Cone Ballcock x 3/8" Flare		
34773	12"	Each
7/8" Ballcock x 3/8" Flare (For Texas)		
38864	9"	Each



Stainless Steel Braided Faucet Connectors

- Brass couplings
- Nickel plated

Cwip #	Length	U/M
1/2" FIP Faucet Cone x 3/8" Comp.		
35181	9"	Each
33174	12"	Each
33508	16"	Each
33173	20"	Each
34426	30"	Each
1/2" FIP Soft Cone x 3/8" Flare		
38431	12"	Each
34765	20"	Each
1/2" FIP x 3/8" Flare (For Texas)		
38432	20"	Each
1/2" IPS Faucet Cone x 1/2" Female Comp.		
33180	12"	Each
33179	20"	Each
1/2" FIP Faucet Cone x 1/2" FIP Faucet Cone		
35164	12"	Each
3/8" Comp. Coupling x 3/8" Comp.		
26395	12"	Each
26394	20"	Each

No-Burst® Braided Stainless Steel Connectors

- Brass couplings
- Bright nickel plated
- 250' of stainless steel wire per foot ensures the highest bursting strength available

Tank Connectors

3/8" female compression thread x 7/8" female ballcock thread

Cwip #	Length	U/M
39291	9"	Each
39299	12"	Each
1/2" Comp. x 1/2" FIP		
39672	20"	Each

Faucet Connectors

3/8" female compression thread x 1/2" IP female straight thread

Cwip #	Length	U/M
39307	12"	Each
37086	16"	Each
39315	20"	Each
37094	30"	Each



PVC Braided Tank Connectors

- Polyester braid reinforced PVC
- Brass fittings
- 3/8" comp thread x 7/8" ballcock nut

Cwip #	Length	U/M
33157	12"	Each



Quick-Fix Connector

- Flexible stainless steel
- Brass fittings
- For 5/8" OD copper
- 1/2" ID comp coupling x 1/2" ID comp coupling

Cwip #	Length	U/M
32416	9"	Each



Vinyl Braided Faucet Connectors

- Polyester braid reinforced PVC
- Brass fittings
- 3/8" comp. thread x 1/2" iron pipe thread

Cwip #	Length	U/M
33161	12"	Each
33159	20"	Each

- 3/8" comp. thread x 3/8" comp. thread

Cwip #	Length	U/M
33158	12"	Each

- 1/2" iron pipe thread x 1/2" iron pipe thread

Cwip #	Length	U/M
33160	16"	Each

Fluidmaster

No-Burst® Stainless Steel Dishwasher Connectors

Brass couplings; bright nickel plated. 250 Feet of stainless steel wire per foot ensures the highest bursting strength available.

Cwip #	Length	U/M
39323	60”	Each



Dishwasher Connectors

- Brass couplings
- Bright nickel plated

Cwip #	Length	U/M
⅜” Comp. x ⅜” Comp. With 90° Elbow		
26392	48”	Each
29809	60”	Each
38577	72”	Each
½” Comp x ⅜” Comp With 90° Elbow		
36267	60”	Each
½” FIP x ⅜” Comp With 90° Elbow		
28478	48”	Each



Water Heater Connectors

Brass couplings; bright nickel plated.

Cwip #	Size	U/M
32405	3/4” MIP x 1/2” ID Comp x 18”	Each
28451	3/4” MIP x 3/4” ID Comp x 18”	Each
39839	3/4” FIP x 1/2” ID Comp x 12”	Each
38873	3/4” FIP x 3/4” ID Comp x 18”	Each
29553	3/4” FIP x 3/4” FIP x 18”	Each
31313	3/4” Sweat x 3/4” FIP x 18”	Each

Copper Water Heater Connectors

3/4” FIP x 3/4” FIP; brass nuts; external dielectric sleeve; nitrile rubber sealing washer; internal PEX sleeve.

Cwip #	Size	U/M
37704	12”	Each
37696	18”	Each
37712	24”	Each

SharkBite® Flexible Water Heater Connectors

- Stainless steel
- Rotatable connector after application

Cwip #	Size	U/M
34598	3/4” x 12”	Each
31077	3/4” x 18”	Each



Stainless Steel Washing Machine Connectors

- Brass couplings
- Bright nickel plated

Cwip #	Length	ID Size	U/M
3/4” FGHT x 3/4” FGHT			
26812	48”	3/8”	Each
31207	60”	3/8”	Each
31206	72”	3/8”	Each



Icemaker Connectors

- Brass couplings
- Bright nickel plated

Cwip #	Length	U/M
1/4” Comp. x 1/4” ID Comp.		
37057	60”	Each
33661	84”	Each



Washing Machine Valve

Chrome plated brass.

Cwip #	Size	U/M
43705	½” ID (⅞” OD Comp)	Each

Double Outlet Washing Machine Box

- High impact polystyrene
- 2 support brackets
- Twist-connect valve replacement

Cwip #	W x H x D	U/M
37012	8” x 6½” x 3⅜”	Each

Washing Machine Outlet Box

- Center drain
- 4 support brackets
- Pipe valves installed

Cwip #	W x H x D	U/M
34742	8¾” x 7½” x 3⅝”	Each

Rubber Washing Machine Hose

Fits standard thread water faucets. Withstands 800 lbs. burst pressure PSI. 2 Female ends; with washers.

Cwip #	Size	U/M
82100	3/8" ID x 4'	Each
81586	3/8" ID x 6'	Each
23380	3/8" ID x 8'	Each

Fit-All Drain Hose

Can be cut at any section to fit 3/4", 7/8" or 1" drain.

Cwip #	Size	U/M
23067	5' Long	Each

Black Rubber Dishwasher Drain Hose

Cwip #	Type	Size	U/M
13276	Reinforced	5/8" ID	Rl/50'
13302	Non-Reinforced	7/8" ID	Rl/50'

Copper Dishwasher Air Gap

Cwip #	U/M
11843	Each

Economy Plastic Dishwasher Air Gap

	Cwip #	U/M
$	11952	Each

Plastic Dishwasher Air Gap

Cwip #	Type	U/M
29406	Heavy Pattern	Each

Air Gap Replacement Parts

Cwip #	Type	U/M
20552	Chrome Cap	Each
24297	Plastic Cap	Each

Direct Connect Dishwasher Branch Tailpiece Long Sweep

For use with hose clamp or 1/2" sweat. Rough brass.

Cwip #	Type	U/M
33325	1-1/2" x 12"	Each

Slip Joint Dishwasher Branch Tailpiece

For use with hose clamp or 3/4" sweat. 22 Gauge.

Cwip #	Size	U/M
16927	1-1/2" x 6"	Each
23311	1-1/2" x 8"	Each

Dishwasher Hose Fitting

3/8" Comp x 3/4" female hose.

Cwip #	U/M
43906	Each

Direct Connect Dishwasher Branch Tailpiece

For use with hose clamp, 3/4" or 1/2" sweat.

Cwip #	Type	Size	U/M
27161	22 Gauge	1½" x 8" x 3/4"	Each
39752	PVC	1½" x 8" x 3/4"	Each
30767		1½" x 8" x 1/2"	Each



Dishwasher-Disposal Connector

Fits 3/8" IP to 3/4" IP or 1/2" copper to 1" copper. Eliminates separate waste line for dishwasher.

Cwip #	Wgt.lb.	U/M
11305	.16	Each



Air Gap Cleaning Tool

With easy access to the air gap from the top, repairs can be done in minutes.

Cwip #	Wgt.lb.	U/M
36779	.16	Each



Supply Line Shut-Off Valve Angle Stop

- 1/2" SWT x 3/8" O.D.
- Comp w/5" extension
- Chrome plated brass

Cwip #	U/M
37454	Each



Supply Line Shut-Off Valve Straight Stop

- 1/2" SWT x 3/8" O.D.
- Comp w/5" extension
- Chrome plated brass

Cwip #	U/M
37446	Each

Solid Brass, Chrome Plated Stop Valves

Comp. Angle Stop Iron Pipe Inlet

Cwip #	Size	U/M
15766	⅜" IPS x ⅜" OD	Each
13004	½" IPS x ⅜" OD	Each

Compression Angle Stop Valve

Cwip #	Size	U/M
12187	½" Sweat x ⅜" OD	Each
35920	⅝" OD x ⅜" OD	Each

Comp. Angle Stop Compression Inlet

Cwip #	Size	U/M
17891	⅝" OD x ⅜" OD	Each
23906	⅝" OD x ½" OD	Each

Comp. Straight Stop Iron Pipe Inlet

Cwip #	Size	U/M
13200	⅜" IPS x ⅜" OD	Each
12673	½" IPS x ⅜" OD	Each

Comp. Nom. Straight Stop Compression Inlet

Cwip #	Size	U/M
16185	½" Nom. x ⅜" OD	Each
24632	⅜" OD Comp. x ⅜" OD	Each
35952	⅜" FIP x ⅜" OD	Each

Compression Nom. Straight Stop Sweat Inlet

Cwip #	Size	U/M
12186	½" Sweat x ⅜" OD	Each

3-Way Angle Stop Valves

Cwip #	Size	U/M
37566	⅝" OD x ¼" OD x ⅜" OD	Each
17884	⅝" OD x ⅜" OD x ⅜" OD	Each
25212	⅝" OD x ½" OD x ⅜" OD	Each

Dual Handle Angle Stops Rough Brass

Cwip #	Type	U/M
38850	⅜" Comp. x ⅜" OD x ⅝" OD	Each
39680	¼" OD comp x ⅜" OD comp x ⅝" OD comp	Each

EZ-Connect Adapter

- Supply stop extender tee
- Creates branch outlet from supply stop
- Use on hot or cold water lines
- For use with 1/4" or 3/8" OD water lines

Cwip #	Size	U/M
39599	3/8" x 3/8" x 1/4"	Each
39283	3/8" x 3/8" x 3/8"	Each



1/4 Turn Dual Outlet Stop

Cwip #	Size	U/M
37336	½" FIP x ⅜" Comp x ⅜" Comp	Each



1/4 Turn Dual Outlet Stop

Cwip #	Size	U/M
37344	⅝" Comp x ⅜" Comp x ¼" Comp	Each







1/4 Turn Angle Stops

Hi-temp viton seats; chrome finish.

	Cwip #	Inlet	Outlet	U/M
A	34521	5/8" OD Comp	3/8" Comp	Each
	34523	3/8" FIP	3/8" Comp	Each
	34522	1/2" FIP	3/8" Comp	Each
	34524	5/8" OD Comp	1/2" Comp	Each

1/4 Turn Straight Stops

Chrome finish.

	Cwip #	Inlet	Outlet	U/M
B	34525	5/8" OD Comp	3/8" Comp	Each
	34527	3/8" FIP	3/8" Comp	Each

Retrofit Valve - Quarter Turn

Fits on old adapter or connector stop.

	Cwip #	Inlet	Outlet	U/M
C	34528	3/8" OD Female Comp	3/8" OD Comp	Each

Watts® Quarter Turn Angle Stop With Quick-Connect

Use on copper, CPVC or PEX piping. Stops can be removed and reused.

	Cwip #	Size	U/M
A	33928	1/2" CTS x 3/8"	Each
B	**Straight Stop**		
	33935	1/2" CTS x 3/8"	Each



1/4 Turn Angle Stop

Made in Canada.

Cwip #	Size	U/M
37541	5/8"OD x 3/8"OD	Each
37790	3/8" FIP x 3/8" OD	Each



Retrofit Valve

- ⅜ female comp x ⅜ OD comp
- Smooth, 1/4 turn shutoff
- Chrome-plated brass
- Made in Canada

Cwip #	U/M
37525	Each



Stop & Waste Valves Compression to Compression

Cwip #	Type	U/M
13031	7/8" OD x 3/4" Nom. Copper	Each

Gate Valves

- 125 PSI WSP steam
- 200 PSI non-shock WOG
- Non-rising stem

Cwip #	Size	U/M
Brass Solder Ends		
17547	3/4"	Each
Bronze Solder Ends		
81005	1/2"	Each
82912	2"	Each

Stop & Waste Valves Copper to Copper

Cwip #	Size	U/M
12680	1/2" x 1/2"	Each
16432	3/4" x 3/4"	Each



CPVC Line Valve

Use with 1/2" and 3/4" CPVC tubing.

Cwip #	Size	U/M
34782	3/4" x 1/2"	Each

Frostproof Sillcocks C x M

Cwip #	Size	Wgt.lb.	U/M
25105	1/2" x 10"	1.2	Each
25355	1/2" x 12"	1.3	Each

Angle Sillcock Valve

Cwip #	Size	Wgt.lb.	U/M
16963	1/2" Sweat	.62	Each
22047	3/4" IPS	.62	Each
16879	1/2" IPS	.62	Each

Boiler Drain Cock Rough Brass Finish

Hose end connection

Cwip #	Type	U/M
16859	1/2" MIP x 1/2" sweat	Each
16936	3/4" MIP	Each

Sillcock Wheel Handle Die Cast Metal

Cwip #	Size	U/M
13580	$1^{15}/_{16}$" OD with Tapered Broach opening	Each
13484	$2^{3}/_{4}$" OD with $^{3}/_{8}$" Square Opening	Each



Sillcock Key

1/4" square

Cwip #	U/M
18138	Box/10

Flowlock Outdoor Water Faucet Lock

- Promotes water conservation
- Fits all 3/4" hose thread outlets
- Easy to install, no tools required

Cwip #	U/M
39331	Each



4-Way Key

For valves, faucets, sillcocks. Fits 1/4", 9/32", 5/16", and 11/32" square stems.

Cwip #	U/M
13229	Each



Import Check Valve

125 WOG. Screw in cap, metal disc and hinge-type flapper. Prevents fluid backflow.

Cwip #	Size	Wgt.lb.	U/M
12806	1-1/2" IPS	1.8	Each



Import Check Valve

200 WOG; 125 steam; sweat ends; bronze disc; horizontal or vertical installation.

Cwip #	Size	Wgt.lb.	U/M
82913	1/2"	.51	Each
82914	3/4"	.72	Each



Square Head w/Check

Cwip #	Size	U/M
20727	3/4" IPS	Each



Gas Cock

Conforms to ANSI Z21.15B for natural, manufactured and mixed, liquid petroleum and LP gas-air mixtures. Certified by AGA.

Cwip #	Type	U/M
13909	1/2" - 301,800 BTU's per hour	Each
14315	3/4" - 788,000 BTU's per hour	Each

Standard Port Sweat

• 400 lb.WOG pressure

Cwip #	Size	U/M
22547	1/2”	Each
22546	3/4”	Each
24857	1”	Each
32047	1-1/4”	Each
34006	2”	Each

Threaded Ends

• 600 PSI WOG FIP

Cwip #	Size	U/M
15533	1/2”	Each
14266	3/4”	Each
34766	1”	Each
82291	1-1/4”	Each
22741	1-1/2”	Each

Full Port Sweat

600 lb.WOG pressure.

Cwip #	Size	U/M
32211	1/2”	Each
32212	3/4”	Each
34774	1”	Each
28581	1-1/4”	Each
28577	1-1/2”	Each

Compression Valves

200 PSI WOG. Standard port.

Cwip #	Size	U/M
34009	1/2”	Each
34010	3/4”	Each

CPVC Ball Valve

• Rated for 100 PSI at 180°F.
• For use with hot or cold water
• For use with tubing size pipe
• Teflon® seats
• EPDM O-rings

Cwip #	Size	U/M
36212	1/2”	Each
39996	3/4”	Each



Backflow Preventer

Back siphonage protection for portable hoses connected to hose thread faucets. Prevents the reverse flow of contaminated water back into the potable water supply. For inside or outside. Max. pressure 125 psi.

Cwip #	H x W	Hose	U/M
17520	1-1/2” x 1-3/8”	3/4”	Each



Low Pressure Angle Radiator Valves

Composition wheel handle and seal disc.

For Hot Water/Steam			
Cwip #	**IPS Size**	**Wgt.lb.**	**U/M**
11174	1/2”	.68	Each
For Steam/Steam			
13144	1/2”	.73	Each
13224	3/4”	.84	Each
35849	1-1/4”	1.6	Each



Saddle Valve

Self-tapping, instant connection to water supply lines. Ideal for humidifiers, ice cube makers and evaporative coolers. Connects standard 1/4” bleed fine to copper tubing sizes from 3/8” to 1-3/8”. With built-in shut-off valve.

Cwip #	Size	U/M
14515	For 3/8” to 1⅜” OD tube	Each



Double Female Air Cock - Solid Brass Copper To Copper

Cwip #	Size	Wgt.lb.	U/M
13349	1/4” IPS	.12	Each

Key Air Valve Nickel Plated Brass

Slotless pattern with square lug. For key only.

Cwip #	Size	Wgt.lb.	U/M
12289	1/8” IPS	.02	Each



Hot Water Air Valve Key

7/32” square opening.

Cwip #	Wgt.lb.	U/M
16943	.02	Each



90° Tube Elbows
Comp x Comp

Cwip #	O.D. Tube	Wgt.lb.	U/M
12379	3/8" x 3/8"	.10	Each
12070	5/8" x 5/8"	.30	Each



90° Reducing Elbows
Comp x Comp

Cwip #	O.D. Tube	Wgt.lb.	U/M
20647	3/8" x 5/8"	.24	Each



90° Elbows
Comp x Male

Cwip #	O.D. Tube	IPT	U/M
15133	3/8"	3/8"	Each
12357	3/8"	1/2"	Each
14888	1/2"	3/8"	Each
11474	1/2"	1/2"	Each
14919	5/8"	3/8"	Each



Tee - Three Tube End
Comp x Comp x Comp

Cwip #	O.D. Tube	Wgt.lb.	U/M
11951	3/8"	.25	Each
12130	5/8"	.50	Each

Reducing Tee

Cwip #	O.D. Tube	Wgt.lb.	U/M
38340	3/8" x 3/8" x 1/4"	.25	Each

Brass Compression Union - Comp x Comp

Cwip #	O.D. Tube	Wgt.lb.	U/M
81861	1/4" x 1/4"	.06	Each
12515	3/8" x 3/8"	.08	Each
12194	1/2" x 1/2"	.15	Each
15083	5/8" x 5/8"	.23	Each
81463	3/4" x 3/4"	.36	Each
20808	7/8" x 7/8"	.44	Each

Reducing Compression Union - Comp x Comp

Cwip #	O.D. Tube	U/M
11717	3/8" x 1/4"	Each
11550	1/2" x 3/8"	Each
15016	5/8" x 3/8"	Each
12562	5/8" x 1/2"	Each

Female Half Union
Comp x Female

Cwip #	O.D. Tube	IPT	U/M
81462	3/8"	3/8"	Each
24267	3/8"	1/2"	Each

Male Half Union
Comp x Male

Cwip #	O.D. Tube	IPT	U/M
21230	3/8"	1/4"	Each
12062	3/8"	3/8"	Each
15109	3/8"	1/2"	Each
12426	1/2"	3/8"	Each
14474	1/2"	1/2"	Each
16441	7/8"	3/4"	Each

Compression Nut

Cwip #	Type	O.D. Tube	Wgt.lb.	U/M
14992	Brass	1/4"	.25	Bg/25
15059	Brass	3/8"	.50	Bg/25
21470	Brass	5/8"	1.5	Bg/25
16192	Chrome	3/8"	.50	Bg/25

Compression Cap

32966	Brass	3/8"	.25	Bx/12

Brass Comp Sleeve

Cwip #	O.D. Tube	Wgt.lb.	U/M
19507	1/8"	.03	Bg/25
14920	1/4"	.05	Bg/25
15082	3/8"	.08	Bg/25
15015	1/2"	.13	Bg/25

Pipe Thread Teflon Tape

White teflon—.003 thick. Provides a strong, tight seal for any threaded joint and permits easy disassembly. Non-toxic and non-flammable.

Cwip #	Size	U/M
15680	1/2" x 520"	Roll
25744	1/2" x 260"	Roll

Teflon Paste

Pure white thread lubricant and sealant. Apply to metals, PVC, CPVC, ABS, polypropylene and nylon.

Cwip #	Size	U/M
36884	8 oz.	Each

Heat-Pruf Grease

Lubricates faucet stem threads, o-ring packings, gaskets, ballcock cup leathers, etc.

Cwip #	Size	U/M
17474	2.5 oz.	Each

Epoxy Plumber Seal

Repairs pipes, tanks, fittings, fixtures, sinks, tubs, and basins. Water and steam lines can be repaired without draining. Hardens like steel.

Includes: (1) 1-1/4 oz. resin
(1) 1-1/4 oz. hardener

Cwip #	Size	U/M
17851	2.5 oz.	Each

Epoxy Plumber Paste

Repairs hairline cracks and leaks. Resets tile, fixtures and replaces porcelain chips. Used where a thin film application is required.

Cwip #	Size	U/M
15829	2 oz.	Each

Tub & Tile Spray-On Epoxy Finish

- 1 part epoxy: no mixing & no mess
- Faster dry times
- Superior adhesion
- Self-leveling, porcelain like finish

Kit Includes: (2) 16 oz. cans

Cwip #	Size	U/M
31218	32 oz.	Each

Tub & Tile Brush-On Epoxy Finish

- Easy 3-step process
- High gloss porcelain-like finish
- Provides a hard, protective finish
- For use on bathtubs, sinks, ceramic tile, porcelain, fiberglass & showers

Cwip #	Size	U/M
30262	26 oz.	Each



CPVC Orange Pipe Cement

A regular bodied, medium to fast set, high strength cement used to join CPVC pipe and fittings. For CPVC pipe and fittings through 6" diameter. Most effective when used in temperature ranges from 40°F to 100°F.

Cwip #	Size	U/M
38544	8 oz.	Each

PVC Clear Pipe Cement

A regular bodied, fast set, high strength PVC solvent cement used to join PVC pipe and fittings. For all classes and schedules of pipe and fittings through 4" diameter, except schedule 80 which is recommended up to 2" diameter. Most effective when used in temperature ranges from 40°F to 100°F.

Cwip #	Size	U/M
38536	8 oz.	Each

PVC Plastic Cleaner

All-purpose primer/cleaner cleans pipes and fittings of oil and other foreign matter. Penetrates and softens bonding surface to be cemented, creating a more secure joint.

Cwip #	Size	U/M
20277	16 oz.	Each

PVC High Etch Primer

CPVC-PVC primer removes surface gloss and softens surface of pipe prior to the application of CPVC or PVC cements.

Cwip #	Size	U/M
82286	16 oz.	Each

All-Purpose Cement

Formulated for use with CPVC, PVC or ABS pipe in all types of installations.

Cwip #	Size	U/M
12496	16 oz.	Each
11893	Quart	Each

Plastic Pipe Solvent Cement

A clear, medium viscosity and fast set for Types I & II through 2". All schedules and pressure ratings except Schedule 80. NSF approved.

Cwip #	Size	U/M
12465	16 oz.	Each
11867	Quart	Each

Stik-it Epoxy Putty

Hardens in 20 minutes. Plugs, seals, mends and patches. Can be used under water.

Cwip #	Size	U/M
30058	4 oz.	Each

Plumber's Putty Professional Grade

Stainless, remains flexible and will not harden, shrink, crack, or crumble even if can is left open. Not for use on marble.

Cwip #	Size	Wgt.lb.	U/M
15728	1 lb.	1.0	Each
15506	5 lb.	5.2	Each

Stainless Putty

Always remains flexible, allowing for contraction and expansion. Excellent adhesive qualities and will not stain.

Cwip #	Size	Wgt.lb.	U/M
23667	14 oz.	1.0	Each



Epoxy Bond Seal

Hand moldable use for patching, sealing, caulking and water proofing. Set: (1) 7 oz. hardener; (1) 7 oz. resin.

Cwip #	Wgt.lb.	U/M
15812	1.0	Set

PC-7 Epoxy Glue

A multi-purpose glue in paste form. Bonds, seals and fills. Use on fiberglass, wood, concrete, brick, fabrics, rubber, metals, glass, or ceramics. Non-toxic. Packed in units.

Cwip #	Size	U/M
11892	6 oz.	Each

Permatex®
Pipe Joint Compound

Use on radiator drain cocks, engine block drain plugs, oil drain plugs, etc. Lubricates and seals threaded joints.

Cwip #	Size	Wgt.lb.	U/M
15842	16 oz.	1.5	Each

Pipe Joint Compound

Remains stable, expands under heat and will not dry out. Provides positive seal on all metal pipe joints and is impervious to hot and cold water.

Cwip #	Size	Wgt.lb.	U/M
13199	8 oz.	1.0	Each

Thread Sealing Lubricating Compound

Prevents thread, fluid, gas or steam leaks to 600°F; low temperatures to 200°F. For steam, salt water, air, fuels, refrigerants, acids and alkalies.

Cwip #	Size	Wgt.lb.	U/M
14233	8 oz.	.82	Each
14374	16 oz.	1.8	Each

Cake Lead

For caulking joints on cast iron pipes.

Cwip #	Size	U/M
13821	5 Lb. Ingot	Each

Red Rubber Sheet Packing

Assorted: (6) each 6" x 6" x 1/16"; (6) each 6" x 6" x 1/8" sheets.

Cwip #	Size	Wgt.lb.	U/M
14075	6"	3.6	Box/12

Cold Fire® Rapid Cool Down Spray

Rapidly cools down heated surfaces. Helps to eliminate heat damage to valves and controls. Use to protect all synthetic or rubber based materials.

Cwip #	Size	U/M
34986	32 oz.	Each

Gas Leak Detector

A liquid that forms bubbles when daubed on a gas leak. Detects any type of gas leak such as air, compressed air, CO2 nitrogen natural gas, and all refrigerant gases.

Cwip #	Size	Wgt.lb.	U/M
82114	8 oz.	.60	Each

Oakum Jute Packing - Oiled

A mineral filler combining fibre and vehicle made in yarn formation. Caulking material expands in the joint when it comes in contact with water.

Cwip #	U/M
17632	5 Lb./Bag

Silver Solder Cadmium-Free

Contains 45% silver content and is suitable for use on stainless steel and nickel. Melting range 1145° solidus, 1200° liquidus. (1) Troy oz.

Cwip #	Size	Wgt.lb.	U/M
81574	1/16" Dia.	.12	Roll

Sterling® Lead-Free Solder

- NSF certified
- Lowest melting temperature: 410º F
- Highest tensile stregnth: 7130 psi
- Patented tin/copper/selenium alloy
- Free of antimony and nickel
- ASTM B-32-2001e1 certified
- IAPMO/UPC approved

Cwip #	U/M
37533	1 Lb./roll

95/5 Lead-Free Solder

Alloy of 95% tin and 5% antimony. Meets lead-free specs for potable water lines. Can be used on refrigeration lines. Melting point 464°F.

Cwip #	U/M
13879	Roll

100% Watersafe Solder Lead Free Cadmium Free

Higher tensile strength than 50/50. Made from tin, antimony, silver, and copper free of toxic zinc.

Cwip #	U/M
24646	Roll

No-Ko-Rode Paste Flux

Soldering paste insures a perfect soldered joint, leaving the surrounding metal absolutely clean and bright without fear of corrosion.

Cwip #	Size	Wgt.lb.	U/M
16146	1 Pound	1.2	Each

Stay-Silv Silver Soldering Flux

For brazing stainless steel, monel, nickel, copper, brass, bronze and other ferrous and non-ferrous metals and alloys. Chemically active from 800°F to 1600°F; extremely fluid, will penetrate the tightest joints.

Cwip #	Size	U/M
21102	6.5 oz.	Each

Flux Solder Paste

Non-acid, self-cleaning and non-corrosive. Use with 40-60, 50-50, 60-40, or 95-5 spool or bar solder. DO NOT use on stainless steel, aluminum, or with high temperature silver solder.

Cwip #	Size	Wgt.lb.	U/M
13737	4 oz.	.32	Each
16247	1 Pound	1.2	Each

Faucet & Sink Installer

Used to fasten and remove plastic basin nuts, supply line nuts, along with 7/8" and 1" hex nuts. Includes an aluminum insert for turning angle stop handles and one for holding strainer baskets in place.

Cwip #	U/M
33609	Each



Acid Brush

For applying acid flux to copper fittings.

Cwip #	U/M
16007	Each

Fitting Brush

Cwip #	Size	U/M
14240	1/2"	Each
14382	3/4"	Each
22534	1"	Each



Lever Type Tube Bender

For soft or hard copper, brass, aluminum, steel and stainless steel tube. Accurate within +1/32".

Cwip #	Size	U/M
82247	3/8" OD tube 15/16" Radius	Each



4-in-1 Copper Cleaning Tool

Abrasive ends and wire brush insert. Cleans 1/2" and 3/4" tubing and fittings.

Cwip #	U/M
34346	Each

Swaging Tool Kit

Quality made and zinc plated for accuracy and durability. Set of four tools packaged in a handy vinyl pouch. Capacities: 1/4", 3/8", 1/2", 5/8" O.D. For copper, aluminum or brass.

Cwip #	Wgt.lb.	U/M
11182	1.0	Each

Jet Swet™

Quick work on all full-port gate valves, ball valves and fittings. 1/2"—2" with case. Stops water flow for minor faucet or water pipe repairs.

Cwip #	Mfg.#	Size	U/M
34403	6100	-	Each
Replacements			
38414	050	1/2"	Each

Socket Wrench Set

Set of 5 sockets with handle and holding pin. Each socket has 2 sizes, one at either end. For extracting tub stems.

Cwip #	Wgt.lb.	U/M
17778	2.3	Set



4-Piece Ratchet Seat Wrench Set

(3) Straight bibb seat removal tools, (1) slip on ratchet wrench, (1) vinyl carrying pouch.

Cwip #	U/M
30877	Set

Screen Cloth

Open meshed, premium grade cloth that is waterproof. For tough copper cleaning jobs.

Cwip #	Size	U/M
34285	1½" x 10 yd.	Each

Plumber's Emery Cloth

Specially processed for cleaning copper tubing and fittings.

	Cwip #	Size	U/M
$	16703	1½" x 25 yd.	Roll



Angle Faucet Seat Wrench

- Case hardened steel
- Nickel plated

Cwip #	U/M
13524	Each



Straight Faucet Seat Wrench

- Case hardened steel
- Nickel plated

Cwip #	U/M
13610	Each

4-in-1 Spud Wrench

Cast alloy with alligator tooth that will not slip. Fits 1-1/4", 1-1/2" and 2" closet spud nuts.

Cwip #	U/M
15988	Each

Socket Wrench

For American Standard Colony.

Cwip #	U/M
39040	Each

Bonnet Removal Tool

- For Kohler Trend
- 1" Hex and 7/8" hex fit

Cwip #	U/M
36727	Each



Faucet Handle Puller

Clamps on bottom of faucet handle and tightens with a threaded handle.

	Cwip #	U/M
	13645	Each
$	37414	Each



Thread Gauge

Identifies worn faucet seats.

Cwip #	U/M
14198	Each



Pop-Up Plug Wrench

Holds pop-up plugs and basket strainers in position during installation.

Cwip #	U/M
12670	Each

Channellock® Basket Strainer Pliers

Cwip #	Type	Length	Capacity	U/M
36344	5 Adj.	12"	2¾" to 4¼"	Each

Radiator Valve Spud Wrench

Sizes: 1/2", 3/4", 1", 11/4", 11/2", 2"

Cwip #	U/M
12654	Each

Sonin Moisture Test Meter

Locate and trace roof leaks and water seepage; assess the extent of wet rot and hidden condensation; check surfaces before painting, wallpapering or laying floors or tile. Test hard or soft wood, concrete, plaster, carpet, etc.

- Dual reading scale gives relative and moisture percentage readings
- Contact probes on a 3' coiled cable for detecting moisture in hard to reach spots
- Scale and reference chart
- 9-volt battery (not included)

Cwip #	Mfg. #	U/M
37501	50211	Each

Sonin Water Alarm w/Remote Sensor

Detects water and sounds an alarm. Warns of leaks and overflows in bath, kitchen, laundry, furnace, computer rooms or anywhere there is a potential for leaks. An ideal backup system for sump and bilge pumps in residential, commercial and marine applications.

- Low battery signal
- Circuit test bar
- 6' distance capability
- 85 dB buzzer sounds for up to 3 days

Cwip #	Mfg. #	U/M
38597	00700	Each

Zircon Water Detector

Place anywhere the potential for flooding or leaking exists.

- Loud alarm sounds with direct water contact
- Floats and signals for up to 72 hours
- Low battery indicator
- 9-volt battery (not included)

Cwip #	Mfg. #	U/M
35446	64003	Each

Basin Buddy Nut Wrench

- Fits around supply lines and 1/2" faucet shanks
- Avoids stripping
- Slots in top of wrench fit 2, 3, & 4-wing PVC locknuts
- Fits brass ballcock nuts, metal locknuts, coupling nuts and PVC locknuts

Cwip #	U/M
30001	Each



Tub Drain Removal Tool

- Installs and removes drains without crossbars
- Kohler/American Standard
- Fits 1-1/2" and 2" closet spuds

Cwip #	U/M
32074	Each



Basin Wrench Model 1017

Four-position telescopic shank with spring loaded alloy jaws

	Cwip #	Size	U/M
	15101	10 to 17" Long	Each
$	37422		Each

RIDGID









Cwip #	Mfg.#	Capacity	Description	Cutter Wheel	U/M
Tubing Cutters					
15027	32910	1/8"—1" O.D.	Cuts copper, brass, or aluminum tubing and thin-wall conduit. Handy fold-in reamer protects hands and pockets.	17294	Each
14953	32920	3/16"—1-1/8" O.D.		17322	Each
15118	32930	5/8"—2-1/8" O.D.		17539	Each
15047	32940	1" —3-1/8" O.D.		33299	Each
Quick-Acting Tubing Cutter					
14866	31632	1/4" — 1-5/8" O.D.	Gives a clean square cut on thin and heavy-wall copper, brass, aluminum tubing, aluminum pipe and thin-wall conduit.	17322	Each
14867	31642	1/4" — 2-5/8" O.D.		17322	Each
Tubing Cutter					
80855	31622	1/8" — 1-1/8" O.D.	Spare cutter wheel in handle; fold-in reamer; enclosed feed. Cuts copper, brass, aluminum tubing and thin wall conduit.	17322	Each
Midget Tubing Cutter					
14973	32975	1/8"—5/8" O.D.	Use in close quarters on small sized hard and soft copper, aluminum, brass and plastic tubing. Two rollers permit easier rotation and faster cutting.	17322	Each
15048	32985	3/16"—15/16" O.D.		17322	Each
Cutter Wheels					
17294	33165	For steel	**Heavy Duty**		Each
17322	33185	For aluminum	**Standard Duty**		Each
17539	33160	For copper & alum.	**Thin Wheel**		Each
33299	33170	For copper & alum.	**Thin Wheel**		Each

Plastic Pipe & Tube Cutter

Compound-leverage ratchet mechanism and hardened steel blade. Spring-loaded blade retracts into guard. Lightweight aluminum.

Cwip #	Mfg.#	Size	U/M
16994	23498	1/2" — 1-5/8" OD	Each
Replacement Blade			
27015	92170	1/8" — 1-1/2" OD	Each

Scissor-Style Cutter For Plastic Pipe/Tube

Cuts all types of plastic or rubber tube and pipe 1/8" to 1-5/8" OD. Quick change, reversible blade.

Cwip #	Mfg. #	U/M
30461	23488	Each

Heavy Duty Toileflex Force Cup

Tapered, suction-grooved tail offers an air-tight fit in any toilet.

Cwip #	Wgt.lb.	U/M
18901	1.3	Each



Force Cups w/Handle

For all types of sinks, bowls and drains.

		Cwip #	Cup	U/M
A	$	14134	6”	Each
B		34115	6”	Each



Master Plunger®

Made of strong polyethylene with a funneled nose for a perfect fit in any toilet bowl. Equally effective in sinks and drains.

Cwip #	Wgt.lb.	U/M
38867	1.3	Each



Force Plunger Disc Brass Fitting

Clears all soil line, end of line and curb traps. Fitting will accept any length 1/2” IPS nipple.

Cwip #	Size	Wgt.lb.	U/M
17954	3” Drain	.36	Each
17950	4” Drain	.50	Each

General Wire Spring Company



Closet Augers

An easy-to-use, reliable tool for breaking up stoppages in toilets. Large grip handle and turning handle for easy operation.

Cwip #	Size	U/M
Down Head		
24874	3’ Long	Each
24871	3—6’ Telescoping	Each
Regular Head		
24873	3’ Long	Each
24872	3—6’ Telescoping	Each

Ridgid® Auto-Spin® Sink Machine

Two-way auto feed advances and retrieves the drain cleaning cable with the push of a lever. With a line capacity of 3/4"—1 1/2".

Cwip #	Cable Size	U/M
33686	1/4” x 30’	Each



Power Spin-Thru Drain Auger

Recommended for use with any variable-speed electric drill.

Cwip #	Mfg. #	Cable Size	U/M
32120	C-25PL	1/4” x 25’	Each

Ridgid® Hand Spinner

Clears 3/4” through 3” lines. Enclosed aluminum bowl for clean, dry, and rust-free operation.

Cwip #	Capacity	U/M
13688	25’- 5/16” C1IC cable; 5/8” bulb auger	Each
13789	25’- 5/16” C1IC cable; 5/8” drop head	Each

Ridgid® Closet Auger

- Corrosion-resistant brass tube
- Plastic handles

Cwip #	Cable Size	U/M
16782	3’	Each



Little Wonder Cleanout Auger

- For clogged drains and closets
- Made of 1/4” spiral spring steel
- Crank handle and set screw

Cwip #	Cable Size	U/M
17540	25’	Each

RIDGID

With Autofeed

K-39 Drain Cleaners Machine & 25' Cable Only

Clears 3/4" through 2-1/2" lines; navigates all traps and bends to sinks, tubs, water closets, urinals, etc. Enclosed pressed aluminum bowl for clean, dry and rust-free operation. (Without carrying case.)

Cwip #	Mfg.#	Description	U/M
17995	K-39	Drain Cleaner Machine	Each
33491	K-39AF	Drain Cleaner Machine w/ autofeed	Each
Advances and retrieves cable without changing motor direction			
Includes: C-1IC, 5/16" x 25' inner core cable w/inner drum.			

K-45-5 Drain Cleaner Machines w/Kit Components & Case

Cwip #	Mfg. #	Description	U/M
13359	K-45-5	Drain Cleaner Machine	Kit
30170	K-45AF-5	Drain Cleaner Machine w/ autofeed	Kit
Advances and retrieves cable without changing motor direction			
Kit Components Include:			
15515	C-1IC	5/16" x 25' IC Cable w/ Inner Drum	Each
15628	C-6	3/8" x 35' Cable w/ Inner Drum	Each
11648	A-13	Pin Key	Each
12338	T-203	Bulb Auger - 7/8" O.D.	Each
13089	T-205	C-Cutter - 1-3/8"	Each
16421	T-210	Spade Cutter - 1"	Each
16297	T-217	Drop Head Auger - 4" long	Each
NS*	C-6429	Carrying Case	Each
***Non-stock item may be ordered through your sales rep.**			

RIDGID

K-1500A-SE Drain Cleaning Machine w/Kit Components

Speed cleans 2" to 8" lines through 200' at 710 RPM. Easily adapts for lines 2" to 8" with interchangeable clutch jaws; uses 7/8" cable for 2" to 4" lines or 1-1/4" cable for 3" to 8" lines. Instant action clutch allows positive operator control.

- 115V, 60Hz reversible motor
- 3/4 HP
- Moisture-resistant, heavy duty frame
- Shielded switch
- Built-in tool clip
- Integrated cable carrier
- Removable handle

Cwip #	Type	Wgt.lb.	U/M
18031	Includes below components	256	Kit

Kit Components **may be ordered seperately*

Cwip #	Mfg.#	Type	U/M
17994	C-11; 7 ea.	All-purpose Cable 1-1/4" x 15'	Each
80299	A-8; 2 ea.	Cable Carriers	Each
16531	A-34	Guide Hose	Each
17741	A-1	Glove - Left Hand	Each
12902	A-12	Coupling Pin Key	Each
37504	50507	Power Cord w/ GFCI	Each

Cwip #	Mfg.#	Type	Wgt.lb.	U/M
12564	T-1	Straight Auger	.81	Each
12124	T-3	Funnel Auger	1.0	Each
14520	T-6	Retrieving Auger	1.4	Each
12814	T-8	Spade Cutter	.44	Each
12361	T-13	Sawtooth Cutter	.69	Each
21064	T-50-1	Sharktooth Cutter	.50	Each

K-1500 Accessories



Clutch Drive Jaws	Cwip # 12302	Set
Mfg. # A-369X, 1-1/4" Replacement Jawset		

SeeSnake® Micro™ Inspection Camera

- Allows easily performed visual inspections in hard to reach areas
- 2.4" color LCD display
- Fully adjustable LED lighting
- 3' cable reach (expandable to 30' w/optional extensions)
- Waterproof
- (4) AA batteries

Cwip #	Ridgid #	U/M
30253	25643	Each

Components (Sold separately)

Cwip #	Mfg.#	Description	U/M
30290	26658	3' Cable Extension	Each
33650	26668	Accessory Pack: Mirror, Hook, Magnet	Each

K-50 Drain Cleaning Machine Only

For cleaning 3/4" to 4" lines through 100'. Handles 5/8" sectional cable through 100'. Quickly adapts to spin 25' of 5/16" cable or 35' of 3/8" cable.

- Speed-cleaning through traps and bends at 400 rpm
- Instant-acting clutch with fingertip starting, stopping and reversing
- 1/5 HP, 115V/60H motor

Cwip #	U/M
17923	Each

Replacement Accessories For K-50

Cwip #	Mfg. #		Includes	U/M
12005	A-2144		Legs	Set/3
12523	A-2240		Rubber Cap for Leg	Each
18040	A-3179		Clutch Jaw Assembly	Each
34683	61605		Handle Grip	Each

K-50 Machine w/Kit Options

Cwip #	Mfg. #	Includes	U/M
35854	K-50-4	K-50 Machine with A-30 Cable	Kit
25399	K-50-6	K-50 Machine; A-17-A Adapter; A-30 Cable	Kit
13259	K-50-8	K-50 Machine; A-17-A Adapter; A-17-B Adapter; A-30 Cable	Kit



- Adapts the K-50 to clean lines from 1-1/2" to 3"
- Includes 45' (6 lengths) of 5/8" open wind cable with speed coupler in steel carrier
- Includes C-cutter, bulb auger, straight auger, coupling pin key and 6' guide hose

A-30 Cable Kit

12202	A-30	Cable Kit Complete	28	Kit
Kit Components ***May be ordered seperately.***				
11629	C-8, 6 ea.	5/8" x 7-1/2" Cable	3.0	Each
11066	A-10	Cable Carrier	3.3	Each
16679	A-14-6	Guide Hose	.20	Each
12466	T-201	Straight Auger	.25	Each
12855	T-202	Bulb Auger	.32	Each
13089	T-205	Grease C-Cutter	.10	Each
13896	T-211	Spade Cutter	.10	Each
11648	A-13	Coupling Pin Key	.13	Each
17741	A-1	Left Hand Mitt	.05	Each



A-17-A Adapter With 5/16" Cable & Bulb Auger

Cwip #	Capacity	Wgt.lb.	U/M
18252	5/16" x 25'	8.0	Each
Replacement Cable C-1 with Bulb Auger			
15595	25'	3.5	Each



A-17-B Adapter With 3/8" Cable & Bulb Auger

Cwip #	Capacity	Wgt.lb.	U/M
11943	3/8" x 35'	13	Each
Replacement Cable C-5 with Bulb Auger			
15517	35'	3.5	Each



A-17-E Adapter With 5/16" Cable & Drop Head Auger

Cwip #	Capacity	Wgt.lb.	U/M
18266	5/16" x 50'	12	Each
Replacement Cable C-22 with Drop Head Auger			
81191	5/16" x 50'	7.0	Each

RIDGID

For Drain Guns & Sink Drums

	Cwip #	Mfg.#	Cable	Type	U/M
	15517	C-5	3/8" x 35'	With bulb auger. Use with K-50 machine. 3/8" adapter for cleaning 1-1/2" 2" lines after p-traps have been removed. Use with K-36, K-37, K-39, K-50.	Each
	15595	C-1	5/16" x 25'	C-1 with bulb auger. C-1-IC high strength inner core w/bulb auger. C-21 with bulb auger. K-37 and K-50 adapters only. Cleans through PO plug or cross bar in sinks, lavatories and toilet bowls. Use with K-25, K-36, K-37, K-39, K-50.	Each
	15515	C-1-IC	5/16" x 25'		Each
	15373	C-21	5/16" x 50'		Each
	15556	C-4	3/8" x 25'	C-4 with 5/8" male coupling. C-6 with 5/8" male coupling. Used to attach 5/8" tools for speed cleaning of small diameter drain lines. Use with K-36, K-37, K-39, K-50.	Each
	15628	C-6	3/8" x 35'		Each
	15472	C-2	5/16" x 25'	C-2 with drop head auger. C-2-IC inner cord w/drop head auger. C-22 w/drop head auger, K-37 and K-50 only. Ideal for cleaning back-to-back mounted fixtures. Drop head leads cable into drainpipe. Use with K-25, K-36, K-37, K-39, K-50.	Each
	15555	C-2-IC	5/16" x 25'		Each
	81191	C-22	5/16" x 50'		Each

For Sectional Machines

	15657	C-7	5/8" x 7.5'	Tight wind cable. For 2" and 3" floor traps and 3" floor drain lines to 100'. Use with K-50, K-60, K-75 machines. Do not recommend using 5/8" tools or cables to clear root stoppages.	Each
	11629	C-8	5/8" x 7.5'	Open wind cable. Flexible and lighter than C-7 cable. Ideal for 1" through 2" drain lines. Self cleaning. Use with K-50, K-60, K-75. Do not recommend using 5/8" tools or cables to clear root stoppages.	Each
	15627	C-10	7/8" x 15'	Open wind cable. All-purpose cable for cleaning 2" through 4" straight lines and working through 3" and 4" p-traps and pipe lines. Use with K-60, K-75, K-500, KM-1500, KMS-1500 and K-2000 machines.	Each
	17994	C-11	1¼" x 15'	C-11 standard cable with 3/8" pitch. Passes through 4" p-traps; has strength and rigidity to cut tough roots fast on straight lines from 3" through 8" diameter. Use with K-500, KM-1500, KMS-1500, K2000 machines.	Each

RIDGID

	Cwip #	Mfg.#	Cable	Type	U/M
	12564	T-1	1-1/4" Cable	**Standard Straight Auger**	Each
	12466	T-201	5/8" Cable	**Straight Auger** For picking up or boring through stoppages in 1" to 3" lines. Usually the first tool fed into lines to explore stoppage.	Each
	32096	T-225	5/8" Cable	**Retrieving Auger** For K-50 drain cleaner. Fits C-4, C-6, C-7, C-8 and C-9.	Each
	12855 3" Long 1⅛" dia.	T-202	5/8" Cable	**Bulb Auger** Used for easy cleaning of lines with a number of elbows.	Each
	12338 3" Long 7/8" dia.	T-203	5/8" Cable		Each
	12124	T-3	1-1/4" Cable	**Standard Funnel Auger** Commonly used as the second tool through line. Breaks up and returns most of stoppage left by straight auger.	Each
	15963	T-206	5/8" Cable	**Funnel Auger** For use on 3" floor drain lines.	Each
	16878	T-2	1-1/4" Cable	**Heavy-Duty Straight Auger** Breaks up stoppage or returns with sample to surface.	Each
	14520	T-6	1-1/4" Cable	**Funnel Left Hand Cable-Retrieving Auger** Designed to retrieve all tight wind cables and 1-1/4" dia. cables.	Each
	16297	T-217	3/8", 5/8" Cable	**Drop Head Auger** Fits C-4, C-6, C-6IC, C-7 and C-8 cable.	Each
	35030	C-33	3/8" Cable x 100'	**Inner Core Cable For Standard Drum** Model K-3800 drain cleaner accessories.	Each

Drain Cable Oil

Special rust inhibitor cuts through moisture and leaves behind a rust-resistant coating. Fresh, cleanlemon scent.

Cwip #	Size	Wgt.lb.	U/M
22117	Quart	1.9	Each

RIDGID


2" Dia.

Spiral Sawtooth Cutter
For cutting through stoppages caused by detergents in 3" floor drains, slop sinks, etc.

Cwip #	Mfg.#	U/M
16438	T-209 For 5/8" cable	Each



Expanding Finishing Cutter
Cuts curtain roots impossible to remove with other tools. 4" to 6" lines.

Cwip #	Mfg.#	U/M
12747	T-15-A For 1-1/4" cable	Each

2.5" Wide

H-Blade
Forward-reverse cutting action. Effective on tough root stoppages. Also used as a finishing tool.

Cwip #	Mfg.#	U/M
12858	T-11 For 1-1/4" cable	Each


1-3/4" Wide

Spade Cutter

Cwip #	Mfg.#	U/M
12817	T-107 For 7/8" cable	Each


2.5" Wide

Spade Cutter

Cwip #	Mfg.#	U/M
12814	T-8 For 1-1/4" cable	Each



Spade Cutter

	Cwip #	Mfg.#	U/M
1"	16421	T-210; 3/8" cable	Each
1 3/8"	13896	T-211; 3/8" cable	Each
1 3/4"	12812	T-212; 3/8" cable	Each



Four-Bladed Cutter

Cwip #	Mfg.#	U/M
12793	T-24; 2.5" wide 1-1/4" cable	Each
12765	T-25; 3.5" wide 1-1/4" cable	Each
16939	T-213; 1" wide 3/8" cable	Each
13201	T-214; 1 3/8" wide 3/8" cable	Each


3" Wide

Sharktooth Cutter

Cwip #	Mfg.#	U/M
21064	T-50-1 For 1-1/4" cable	Each


2-1/2" Dia.

Sawtooth Cutter

Cwip #	Mfg.#	U/M
12361	T-13 For 1-1/4" cable	Each


1-3/8"

Grease C-Cutter

Cwip #	Mfg.#	U/M
13089	T-205 For 5/8" cable	Each



Operators Glove
Tough leather, heavily riveted for maximum strength against rotating cable.

Cwip #	Type	U/M
17741	Left Hand	Each
17717	Right Hand	Each



Rear Guide Hose For K-50 Machines

Cwip #	Mfg.#	Size	U/M
16679	A-14-6	3/4" ID x 6'	Each

Cable Key

Cwip #	Mfg.#	For	U/M
12902	A-12	1-1/4" & 7/8" Cable	Each
11648	A-13	5/8" Cable	Each

Rear Guide Hose
Rear guide hose for K-75, K-500, KM-1500, KMS-1500, and K-2000 machines (1-1/2" ID).

Cwip #	Mfg.#	Size	U/M
16531	A-34-10	1½" ID x 10'	Each

Cable Caddy

Transports individual, heavily loaded cable carriers with ease. Handle bar swivels 180°, allowing unit to stand upright or pivot to a wheeling position. Cable carrier not included.

Cwip #	Mfg. #	U/M
24166	A-36	Each



Cable Carrier

Cwip #	Mfg.#	Capacity	U/M
80299	A-8	75' of 7/8" cable 60' of 1-1/4" cable	Each
11066	A-10	45' of 7/8" cable 90' of 5/8" cable	Each

Zip-It Drain Cleaner Tool

Clear clogged and slow running sink, shower, and bathtub drains in seconds without harsh chemicals. Simply insert Zip-It into drain and pull out slowly to remove hair, food particles, and build-up. Nontoxic, environmentally safe.

Cwip #	Size	U/M
38872	24" Long	Each



Kinetic Water Ram

Opens clogged pipes from 4" diameter up to 200 feet. Removes rust and corrosion accumulation from hot water lines and coils. Includes universal rubber faucet adapter, stainless steel clamp, 3-ply caulking hose, tapered rubber cone, five tapered rubber adapter and instruction manual.

Cwip #	Type	Wgt.lb.	U/M
13901	Standard Fittings & Case	22	Kit
14229	Standard Fittings less case	11	Kit

Accessories		
39309	Trigger (G-27)	Each
39317	Trigger E-ring (G-25)	Each
39325	Trigger Pin (G-26)	Each
39333	Roll Pin (G-22)	Each



Water Ram Repair Parts

	Cwip #	Mfg. #	Type	U/M
A	**Repair Parts Kit**			
	20519	G-51	Eleven interchangeable parts, plus Neat's Foot	Kit
B	**Molded Rubber Cone**			
	22309	G-43-4"	4" tapered cone Standard fitting	Each
C	**Rubber Drain Adapters**			
	28114	G-48	Set of 5; 1-3/8" to 2-1/2" Standard fitting	Kit

60 Second Drain Opener

Hot water activates dry, odorless crystals and within 60 seconds, even the most difficult drain blockage is cleared. For use on small drains, traps, septic systems, fine fixtures, chrome trim and plastic or metal pipes.

Cwip #	Size	U/M
30377	1 Lb.	Each
32051	6 Lbs.	Bkt.

Lye Drain Opener

100% lye crystal. Will not harm pipes or septic tanks.

Cwip #	Size	U/M
36850	18 oz.	Each

Power Plumber

Clears clogged or slow moving drains using compressed gas. When in contact with water, expands rapidly. Clears clogs up to 50' in a 1-1/2" dia. pipe; 6 applications per can.

Cwip #	Size	U/M
37092	4.5 oz.	Each

Drano Clog Remover

35% More active ingredients than regular formulas. Works in 15 minutes, pouring through standing water, dissolving hair and other common clogs. Safe on pipes.

Cwip #	Size	U/M
30708	80 oz.	Each

Liquid Sulphuric Drain Opener

For Professional Use Only

Powerful acid opener liquifies all organic drain stoppages. Works instantly; harmless to plumbing and septic tank systems when used as directed.

Will NOT ship UPS.

Cwip #	Size	U/M
11189	Quart	Cs/12

"Open Up" Drain Opener

Ready-to-use non-acid cleaner.

- Caustic and non-fuming
- Safe for use on all plumbing fixtures, septic tanks, garbage disposals and porcelain
- Dissolves fats, starches, oils, grease, hair, gum and other organic waste
- **Will NOT ship UPS**

Cwip #	Size	U/M
39049	Quart	Cs/12

Concentrated Orange Grease Digester

Dissolves heavy grease, slime, fat, and scum in drains, grease traps, septic tanks, sewer lines, and garbage receptacles. Leaves a pleasant orange scent.

POISON. For Professional Use Only.

Cwip #	U/M
27686	Gallon

Sump Pumps



1/3 HP Submersible Sump Pump

- Poly/noryl construction
- 1-1/2" NPT discharge with 1-1/4" adapter
- Mechanical float switch
- Thermal and overload protection
- 115V motor
- 9' grounded electric cable

Cwip #	GPH	Wgt.lb.	U/M
16995	2700	12	Each



1/2 HP Submersible Sump Pump

- Poly/noryl construction
- 1-1/2" NPT discharge with 1-1/4" adapter
- Independent mechanical float switch
- Thermal and overload protection
- 115V motor
- 10' grounded electric cable

Cwip #	GPH	Wgt.lb.	U/M
16388	3200	14	Each

1/3 HP Big John Automatic Submersible Sump Pump

- 115V oil filled motor
- Epoxy coated cast iron motor housing for corrosion and rust resistance
- Automatic mercury float switch with manual by-pass
- 1½" discharge with 18' maximum head
- 25' Power cord
- Automatic operation with pressure switch operates pump when water level is between 7" and 10". Pump shuts off when water level falls to between 1" and 4". (Pressure switch is non-adjustable).

Cwip #	Mfg.#	GPH	U/M
36389	6-CIA	2750	Each



1/4 HP Automatic Submersible Sump Pump

- 115V oil filled motor
- Thermoplastic body; corrosion resistant
- Easy install
- Automatic mercury float switch with manual by-pass
- 1-1/4" NPT discharge
- 8' grounded power cord

Cwip #	GPH	Wgt.lb.	U/M
18353	1800	6.5	Each



1/6 HP Submersible Utility Pump

- Poly/noryl construction
- 1" NPT discharge with 3/4" NPT adapter for garden hose
- 3/4" and 1/2" barb fitting for garden hose
- Bottom suction
- Thermal and overlap protection
- 115V motor
- 9' grounded electric cable

Cwip #	GPH	Wgt.lb.	U/M
27087	1500	6.4	Each

Portable Submersible Utility Pump

Fits into 6" opening. Pumps dry to 1/8"—completely submersible. Heavy-duty oil-filled 1/6 HP, 115V motor with thermal overload protection. Replaceable 8' power cord with grounded plug. Discharge of 1-1/4" MPT with garden hose adapter. Removable screened bottom for easy cleaning.

Cwip #	GPH	Wgt.lb.	U/M
24416	1380	9.0	Each



1/3 HP Pedestal Sump Pump

- Stainless steel with cast iron base
- 1-1/4" NPT discharge
- Top mount switch activated by float and rod
- Thermal and overload protection
- 115V motor
- 8' grounded electric cable

Cwip #	GPH	Wgt.lb.	U/M
31255	2850	18	Each

Full Flow Check Valve

PVC plastic, fits pipe 1-1/4" or 1-1/2", 25 PSI maximum pressure (solvent weld) or 4.3 PSI (slip boot). Neoprene gaskets and flappers; stainless steel clamps; rated at 130°F.

Cwip #	Wgt.lb.	U/M
34186	.80	Each



Automatic Float Switch

Fits submersible pumps through 1/2 HP. Adjustable on/off. Includes strap tie for mounting to pump body or discharge pipe. 8' Power cord.

Cwip #	Mfg.#	Wgt.lb.	U/M
27086	18-15D	1.0	Each



115 Volt Mini-Vac

Pump and motor only, hose not included. Pump lifts water to a height of 20'. Self-primes from 10 feet. Non-corrosive pump end with stainless steel wear plates. Fitted for garden hose or 1/2" NPT.

Cwip #	GPH	Wgt.lb.	U/M
25311	360	6.7	Each

B&G Iron & Bronze Booster Pumps - Series 100

- In-line oil lubricated booster pumps for hydronic systems. UL listed.
- Iron booster body: polypropylene (system temps. above 225°F require a brass impeller)
- Bronze booster body: brass
- Max. working pressure: 125 PSI
- Max. operature temp: standard seal 225°F continuous
- Max. motor RPM: 1750

Cwip #	Type	Flange Size NPT Inches	Standard 60 Cycle Motor Characteristics HP	Ø	Voltage	F.L. Amps	RPM
33997	Bronze	3/4, 1, 1 1/4, 1 1/2	1/12	1	115V-With built-in overload protection	1.75	1725
33998	Iron						

Replacement Parts

Bearing Assemblies

Cwip #	Type	Mfg. #	U/M
33704	Iron	118844	Each
33710	Bronze	189034	Each

B&G Brass Impellers

Cwip #	Mfg. #	U/M
34327	118431	Each

Coupler

1/2" Motor shaft diameter.
Stamped steel.

Cwip #	Mfg. #	U/M
34078	118705	Each

B&G Little Red® Booster Pump

Designed for quiet operation in solar and hydronic systems.

- Iron body
- Impeller: glass filled noryl
- Seal: mechanical, carbon on ceramic
- Motor bearings: bronze, sleeve, oil lub
- Face plate: stainless steel
- Shaft: carbon steel

Cwip #	Mfg.#	HP	Motor Ratings	Max. PSI	Max. Temp.
34270	LR-15B	1/12	115 volt, 60 hz, 1Ø, 3150 rpm 110 volt, 50 hz, 1Ø, 2600 rpm	125	225°F
34271	LR-20BF	1/20	115 volt, 60 hz, 1Ø, 2900 rpm 110 & 220 volt, 50 hz, 1Ø, 2400 rpm	125	225°F

Replacement Parts

Bearing Assembly

Cwip #	Mfg. #	U/M
34001	186863	Each

.75" Pump Flanges

Cwip #	Mfg. #	U/M
30725	101001	Set/2

Flange Gasket Ring

Cwip #	Mfg. #	U/M
30740	P15692	Each
Nut & Bolt Set		
34199	P15696	Set